

GROVE[®]

GMK4100-L


 **preliminary
information***

 100 t



 60 m

 10 - 22 m

 83 m



All-Terrain Crane • AT-Kran • Grue Automotrice Routière
Grúa Todo Terreno Rapida • Gru Fuoristrada Veloci



Ra = Radius all wheels steered
Radius allradgelenkt
Rayon toutes les roues directrices
Radio de giro con todas las ruedas giradas
Raggio di curva con tutte le ruote sterzate

GMK4100-L



14




11,65-60,0 m




7,0 m



360°



GMK4100-L



Hook block • Unterflasche • Crochet-moufle • Gancho • Ganci
(t)

100 D

63 E/D

40 E/D

20 E/D

8 H/B

H
(mm)

3100

3000

2900

2800

2350

Telescopic boom • Teleskopausleger • Flèche principale • Pluma telescópica • Braccio telescopico

	11,65-60,0 m		7,0 m		360°		26,1 t										
												EN13000					
m	11,65*	11,65	15,90	20,11	24,26	28,25	32,11	35,83	40,08	44,29	48,43	52,43	56,28	60,00			
2,5	100,0																
3,0	78,0	69,5	63,5	59,0	56,0												
4,0	59,0	58,5	56,0	52,5	49,5	45,0											
5,0	52,0	50,0	49,0	46,5	44,0	41,5	36,0	29,0									
6,0	46,0	43,5	44,0	41,5	40,5	38,0	36,0	29,0	23,0								
7,0	41,0	38,0	38,5	37,0	36,0	35,0	33,5	29,0	23,0	18,0							
8,0	36,0	34,0	34,5	33,5	33,0	32,0	31,0	29,0	23,0	18,0	13,5						
9,0	29,5	29,5	31,0	31,0	30,0	29,5	28,5	28,0	22,5	18,0	13,5	11,0					
10,0			28,0	28,0	27,5	27,0	26,0	26,0	21,5	18,0	13,5	11,0	9,0				
11,0			25,5	25,5	25,5	25,0	24,0	24,0	20,5	17,7	13,5	11,0	9,0	7,5			
12,0			22,5	22,5	22,5	23,0	21,5	21,5	19,1	17,0	13,5	11,0	9,0	7,5			
13,0			19,5	19,8	19,6	20,0	19,7	19,6	17,9	16,2	13,5	11,0	9,0	7,5			
14,0				17,6	18,2	17,9	18,6	17,7	16,6	15,3	13,5	11,0	9,0	7,5			
15,0				16,3	16,3	16,0	16,7	16,1	15,1	14,5	13,3	11,0	9,0	7,5			
16,0				14,6	14,7	14,8	15,0	14,5	13,7	13,2	12,6	11,0	9,0	7,5			
18,0					12,1	12,7	12,4	11,8	12,4	11,1	10,9	10,6	9,0	7,5			
20,0					10,8	10,7	10,4	10,4	10,3	9,3	9,3	9,2	9,0	7,5			
22,0						9,1	8,8	9,3	8,8	7,7	7,9	7,9	8,1	7,5			
24,0						7,8	8,2	8,0	7,5	6,6	7,1	6,9	7,1	7,1			
26,0							7,2	6,9	6,4	6,0	6,6	6,3	6,4	6,2			
28,0							6,4	6,0	5,5	5,3	5,9	5,6	5,7	5,4			
30,0								5,3	4,8	5,0	5,2	5,2	5,0	4,6			
32,0								4,6	4,2	4,6	4,5	4,5	4,3	4,0			
34,0									3,9	4,4	4,1	4,0	3,8	3,4			
36,0									3,7	3,9	3,8	3,5	3,3	2,9			
38,0										3,4	3,3	3,1	2,8	2,5			
40,0										3,0	2,9	2,7	2,4	2,1			
42,0											2,6	2,3	2,1	1,7			
44,0											2,3	2,0	1,7	1,4			
46,0												1,7	1,5	1,1			
48,0												1,5					
50,0													0,9				
52,0														0,9			

* 0° over rear, nach hinten, en arrière, por la parte trasera, sul posteriore.

	11,65-60,0 m		7,0 m		360°		21,7 t										
												EN13000					
m	11,65	15,90	20,11	24,26	28,52	32,11	35,83	40,08	44,29	48,43	52,43	56,28	60,00				
2,5																	
3,0	69,5	63,5	58,5	56,0													
4,0	58,0	56,0	52,5	49,5	45,0												
5,0	49,5	49,0	46,5	44,0	41,5	36,0	29,0										
6,0	43,0	43,5	41,5	40,5	38,0	36,0	29,0	23,0									
7,0	38,0	38,5	37,0	36,0	35,0	33,5	29,0	23,0	18,0								
8,0	34,0	34,5	33,5	33,0	32,0	31,0	29,0	23,0	18,0	13,5							
9,0	29,5	31,0	31,0	30,0	29,5	28,5	28,0	22,5	18,0	13,5	11,0						
10,0		27,5	27,5	27,0	26,5	24,5	24,5	21,5	18,0	13,5	11,0	9,0					
11,0		23,5	23,5	23,0	23,5	22,5	21,5	20,5	17,7	13,5	11,0	9,0	7,5				
12,0		20,5	20,0	19,9	20,5	21,0	19,3	18,1	17,0	13,5	11,0	9,0	7,5				
13,0		17,7	18,4	18,4	18,1	18,7	17,4	16,2	15,6	13,5	11,0	9,0	7,5				
14,0			16,2	16,3	16,5	16,6	15,7	14,6	14,0	13,5	11,0	9,0	7,5				
15,0			14,5	14,5	15,2	14,8	14,2	14,0	12,7	12,4	11,0	9,0	7,5				
16,0			13,2	13,4	13,7	13,3	12,8	13,2	11,5	11,3	11,0	9,0	7,5				
18,0				11,3	11,3	10,9	11,3	10,9	9,6	9,4	9,4	9,0	7,5				
20,0				9,5	9,4	9,5	9,6	9,1	8,0	8,3	8,1	8,2	7,5				
22,0					8,0	8,5	8,1	7,6	7,2	7,7	7,5	7,6	7,0				
24,0					7,3	7,3	6,9	6,4	6,6	6,8	6,8	6,6	6,1				
26,0						6,3	6,0	5,5	5,9	5,9	5,9	5,7	5,2				
28,0						5,5	5,2	4,8	5,3	5,2	5,2	4,9	4,5				
30,0							4,5	4,5	4,8	4,7	4,5	4,2	3,8				
32,0							3,9	4,2	4,2	4,1	3,9	3,6	3,2				
34,0								3,9	3,7	3,6	3,3	3,1	2,7				
36,0								3,5	3,3	3,1	2,9	2,6	2,2				
38,0									2,9	2,7	2,5	2,2	1,8				
40,0									2,5	2,3	2,1	1,8	1,5				
42,0										2,0	1,8	1,5	1,1				
44,0										1,7	1,5	1,2					
46,0											1,2	0,9					
48,0												0,9					

GMK4100-L

Telescopic boom • Teleskopausleger • Flèche principale • Pluma telescópica • Braccio telescopico

16



11,65-60,0 m



7,0 m



360°



15,1 t



EN 13000

m	11,65	15,90	20,11	24,26	28,52	32,11	35,83	40,08	44,29	48,43	52,43	56,28	60,00
2,5													
3,0	69,0	63,5	59,0	56,0									
4,0	57,5	56,0	52,5	49,5	45,0								
5,0	49,0	49,0	46,5	44,0	41,5	36,0	29,0						
6,0	43,0	43,5	41,5	40,5	38,0	36,0	29,0	23,0					
7,0	37,5	38,0	37,0	36,0	35,0	33,0	29,0	23,0	18,0				
8,0	33,0	34,0	33,0	30,5	30,0	28,0	27,5	23,0	18,0	13,5			
9,0	26,5	28,0	27,5	26,5	25,5	25,5	23,5	22,0	18,0	13,5	11,0		
10,0		23,0	23,0	23,5	22,0	22,0	20,5	19,0	18,0	13,5	11,0	9,0	
11,0		19,6	20,5	20,5	20,5	19,4	18,0	16,8	15,9	13,5	11,0	9,0	7,5
12,0		16,8	17,5	17,5	18,2	17,3	15,9	16,0	14,1	13,5	11,0	9,0	7,5
13,0		14,6	15,3	16,1	16,0	15,5	14,5	14,4	12,6	12,3	11,0	9,0	7,5
14,0			14,0	14,2	14,1	13,8	13,8	13,0	11,2	11,0	10,9	9,0	7,5
15,0			12,4	12,7	12,6	12,2	12,8	11,8	10,1	10,4	10,0	9,0	7,5
16,0			11,1	11,3	11,2	11,3	11,4	10,7	9,5	10,0	9,6	8,9	7,5
18,0				9,2	9,2	9,7	9,3	8,8	8,6	8,9	8,7	8,2	7,5
20,0					8,2	8,1	7,7	7,2	7,8	7,7	7,4	6,9	6,2
22,0					6,9	6,8	6,4	6,4	6,8	6,7	6,3	5,8	5,2
24,0					5,9	5,7	5,4	5,7	5,7	5,6	5,4	4,9	4,4
26,0						5,2	4,7	5,2	5,0	4,8	4,5	4,2	3,6
28,0						4,5	4,3	4,4	4,2	4,1	3,8	3,5	3,0
30,0							3,9	3,8	3,6	3,4	3,2	2,9	2,4
32,0							2,7	3,3	3,1	2,9	2,7	2,4	2,0
34,0								2,8	2,6	2,5	2,2	1,9	1,5
36,0								2,5	2,3	2,1	1,8	1,5	1,1
38,0									1,9	1,7	1,5	1,1	
40,0									1,6	1,4	1,1		
42,0										1,1			
44,0										0,9			



11,65-60,0 m



7,0 m



360°



12,9 t



EN 13000

m	11,65	15,90	20,11	24,26	28,52	32,11	35,83	40,08	44,29	48,43	52,43	56,28	60,00
2,5													
3,0	68,5	63,5	59,0	56,0									
4,0	57,5	56,0	52,5	49,5	45,0								
5,0	49,0	49,0	46,5	44,0	41,5	36,0	29,0						
6,0	42,5	43,0	41,5	40,5	38,0	36,0	29,0	23,0					
7,0	37,5	38,0	37,0	34,5	33,5	31,0	29,0	23,0	18,0				
8,0	31,0	32,0	30,5	29,0	28,0	27,5	25,5	23,0	18,0	13,5			
9,0	24,5	26,0	26,0	25,5	24,0	23,5	22,0	20,0	18,0	13,5	11,0		
10,0		21,5	22,5	22,0	22,0	20,5	19,0	17,7	16,7	13,5	11,0	9,0	
11,0		18,2	18,9	18,9	19,3	18,1	16,7	16,7	14,7	13,5	11,0	9,0	7,5
12,0		15,9	16,2	17,1	17,0	16,0	15,2	14,9	13,0	12,6	11,0	9,0	7,5
13,0		13,5	14,8	15,0	14,9	14,3	14,5	13,3	11,5	11,3	11,0	9,0	7,5
14,0			13,0	13,2	13,1	12,8	13,1	12,0	10,5	10,8	10,2	9,0	7,5
15,0			11,5	11,7	11,7	12,0	11,8	10,8	9,9	10,4	10,0	8,9	7,5
16,0			10,3	10,5	10,4	11,0	10,6	9,7	9,5	9,6	9,5	8,5	7,5
18,0				8,5	9,1	8,9	8,6	8,0	8,6	8,5	8,0	7,4	6,7
20,0				7,3	7,5	7,4	7,0	7,2	7,4	7,2	6,7	6,1	5,5
22,0					6,3	6,2	5,8	6,4	6,3	6,1	5,7	5,1	4,6
24,0					5,3	5,5	5,1	5,5	5,3	5,1	4,8	4,3	3,8
26,0						4,7	4,7	4,6	4,4	4,3	4,0	3,6	3,1
28,0						4,1	4,0	4,0	3,8	3,6	3,3	3,0	2,5
30,0							3,4	3,4	3,2	3,0	2,8	2,5	2,0
32,0								2,9	2,7	2,5	2,3	2,0	1,5
34,0								2,5	2,3	2,1	1,8	1,5	1,1
36,0								2,1	1,9	1,7	1,5	1,1	
38,0									1,6	1,4	1,1		
40,0									1,3	1,1			
42,0													

GMK4100-L

20



11,65-60,0 m




0° – 40°
10/17/22 m



7,0 m



360°



GMK4100-L

GROVE

Swingaway (hydraulic luffing) • Klappspitze (hydraulisch wippbar) • Extension treillis (déport hydraulique)
Plumín (angulable hidráulicamente) • Falcone (brandeggio idraulico)



56,3 – 60,0 m



10/17 m



7,0 m



360°



26,1 t



EN 13000

21

56,3				60,0			
10,0				10,0			
	0°	*0°-20°	*20°-40°		0°	*0°-20°	*20°-40°
11,0	4,8						
12,0	4,8			4,0			
13,0	4,8			4,0			
14,0	4,8	4,8		4,0			
15,0	4,8	4,8		4,0			
16,0	4,8	4,8		4,0	4,0		
18,0	4,8	4,8	4,3	4,0	4,0	3,8	
20,0	4,8	4,8	4,3	4,0	4,0	3,8	
22,0	4,8	4,8	4,3	4,0	4,0	3,8	
24,0	4,8	4,8	4,3	4,0	4,0	3,8	
26,0	4,8	4,8	4,3	4,0	4,0	3,8	
28,0	4,7	4,8	4,3	4,0	4,0	3,8	
30,0	4,3	4,5	4,3	4,0	4,0	3,8	
32,0	4,1	4,0	4,1	3,6	4,0	3,8	
34,0	3,6	3,8	3,8	3,1	3,4	3,7	
36,0	3,1	3,4	3,6	2,6	2,9	3,2	
38,0	2,7	2,9	3,1	2,2	2,5	2,7	
40,0	2,3	2,5	2,6	1,9	2,1	2,3	
42,0	1,9	2,1	2,2	1,5	1,8	1,9	
44,0	1,6	1,8	1,9	1,2	1,4	1,6	
46,0	1,3	1,5	1,5	0,9	1,1	1,2	
48,0	1,0	1,2	1,2		0,8	0,9	
50,0	0,7	0,9	0,9				
52,0							
54,0							

56,3				60,0			
17,0				17,0			
	0°	*0°-20°	*20°-40°		0°	*0°-20°	*20°-40°
13,0	3,3						
14,0	3,3			2,7			
15,0	3,3			2,7			
16,0	3,3			2,7			
18,0	3,3	3,3		2,7			
20,0	3,3	3,3		2,7	2,7		
22,0	3,3	3,3	2,6	2,7	2,7		
24,0	3,3	3,3	2,6	2,7	2,7	2,4	
26,0	3,3	3,3	2,6	2,7	2,7	2,4	
28,0	3,3	3,2	2,6	2,7	2,7	2,4	
30,0	3,3	3,1	2,6	2,7	2,7	2,4	
32,0	3,3	3,0	2,6	2,7	2,7	2,4	
34,0	3,2	3,0	2,5	2,7	2,7	2,4	
36,0	2,8	2,9	2,5	2,7	2,7	2,4	
38,0	2,8	2,8	2,5	2,4	2,7	2,4	
40,0	2,5	2,7	2,4	2,0	2,5	2,4	
42,0	2,2	2,5	2,4	1,7	2,1	2,4	
44,0	1,8	2,2	2,4	1,4	1,8	2,1	
46,0	1,5	1,9	2,1	1,1	1,5	1,8	
48,0	1,3	1,6	1,7	0,9	1,2	1,4	
50,0	1,0	1,3	1,5		0,9	1,1	
52,0	0,7	1,0	1,2		0,7	0,9	
54,0		0,8	0,9				

* Luffing under load, Unter Teillast wippbar, Inclinaison sous charge, Angulación con carga, Brandeggio sotto carico

GMK4100-L

GROVE

cranelistings.com