



IOWA MOLD TOOLING CO., INC.

P.O. Box 189
Garner, IA 50438
Tel: 641.923.3711
Fax: 641.923.2424
www.imt.com

Manual 99906532

1910 RCS Spare Parts Manual



Technical Specifications Manual

Revised: March 23, 2021

Copyright © 2021 Iowa Mold Tooling Co., Inc.
All rights reserved

No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise without the prior written permission of Iowa Mold Tooling Co., Inc.

Iowa Mold Tooling Co., Inc. is an Oshkosh Corporation Company



WARNING

Operating, servicing and maintaining this vehicle or equipment can expose you to chemicals including engine exhaust, carbon monoxide, phthalates, and lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. To minimize exposure, avoid breathing exhaust, do not idle the engine except as necessary, service your vehicle or equipment in a well-ventilated area and wear gloves or wash your hands frequently when servicing. For more information go to www.P65Warnings.ca.gov.

70490167

1910K-RCS

Description	Page no.	From loader	To loader
<u>Basic loader</u>			
Base, complete	569 01 010	1540001	
Protection plate, cpl. (std.)	569 01 050	1540001	
Central lubrication and lubricating brush	569 01 080	1540001	
Slewing system, 400°	569 01 100	1540001	
Column cpl.	569 01 350	1540001	
Main boom	569 01 420	1540001	
Stowing hook, complete	569 01 450	1540001	
Boom cylinder, C140 x 726 (no link arm system)	569 01 500	1540001	
Boom cylinder C140 x 726 with LHV (no link arm system)	569 01 510	1540001	
Jib cylinder C140 x 848	569 01 600	1540001	
Jib cylinder with LHV	569 01 610	1540001	
Mounting fittings, basic loader excl. link arm system	569 01 750	1540001	
Hose shield, cpl.	569 01 760	1540001	
Link arm system, jib	569 01 800	1540001	
<u>Stabilizers</u>			
Stabilizer beam, type SV - 5570	569 02 010	1540001	
Stabilizer beam, type SR-60°, 5570	569 02 020	1540001	
Stabilizer beam, type SH - 5570	569 02 030	1540001	
Stabilizer beam, type DR-60°, 6450	569 02 050	1540001	
Stabilizer beam, type DH - 6450	569 02 060	1540001	
Stabilizer beam, type SV - 4600	569 02 070	1540001	
Stabilizer beam, type SV - 5570	569 02 080	1540001	
Stabilizer beam, type SR-60°, 4600	569 02 081	1540001	
Stabilizer beam, type DV - 6450	569 02 090	1540001	
Stabilizer beam, type SH - 4600	569 02 091	1540001	
Stabilizer safety lock	569 02 150	1540001	
Stabilizer lock and lever	569 02 160	1540001	

1910K-RCS

Description	Page no.	From loader	To loader
Safety lock (CE, manual extension)	569 02 165	1540001	
	569 02 170	1540001	
Stabilizer cylinder, C80-520, type R-60°	569 02 220	1540001	
Stabilizer cylinder with check valve, type R-60°	569 02 230	1540001	
Foot plate, cpl.	569 02 236	1540001	
Foot plate with ball joint, cpl. (ø160)	569 02 238	1540001	
Stabilizer cylinder, C80-520, type HR	569 02 244	1540001	
Stabilizer cylinder incl. swing-up mechanism, type HR	569 02 245	1540001	
Stabilizer cylinder, C80-520, type R-180°	569 02 249	1540001	
Stabilizer cylinder with check valve, C80-520, Type R-180°	569 02 250	1540001	
Footplate, std. and with ball joint	569 02 275	1540001	
Stabilizer cylinder with check valve, C90-750, type V	569 02 280	1540001	
Stabilizer cylinder with check valve, C90-850, type V	569 02 290	1540001	
Footplate w. 65 mm extension	569 02 330	1540001	
Footplate with ball joint w. 65 mm extension	569 02 340	1540001	
<u>Boom System</u>			
Jib, complete	569 03 010	1540001	
Jib, complete (winch)	569 03 020	1540001	
Fitting of jib and jib cylinder	569 03 030	1540001	
Jib extension I incl. fittings	569 03 100	1540001	
Jib extension K1 incl. fittings	569 03 105	1540001	
Jib extension K2 incl. fittings	569 03 110	1540001	
Jib extension K3 incl. fittings	569 03 120	1540001	
Jib extension K4 incl. fittings	569 03 130	1540001	
Jib extension K5 incl. fittings	569 03 140	1540001	
Jib extension K6 incl. fittings	569 03 150	1540001	
Hook suspension	569 03 290	1540001	

1910K-RCS

Description	Page no.	From loader	To loader
Extension cylinder I (C63/50 x 1935)	569 03 300	1540001	
Extension cylinder II (C63/45 x 2000)	569 03 310	1540001	
Extension cylinder III (C63/45 x 2100)	569 03 320	1540001	
Extension cylinder IV (C60/40 x 2200)	569 03 330	1540001	
Extension cylinder V (C60/40 x 2150)	569 03 340	1540001	
Extension cylinder VI (C55/35S x 2200)	569 03 350	1540001	
Extension cylinder I incl. fittings	569 03 500	1540001	
Extension cylinder II incl. fittings	569 03 510	1540001	
Extension cylinder III incl. fittings	569 03 520	1540001	
Extension cylinder IV incl. fittings	569 03 530	1540001	
Extension cylinder V incl. fittings	569 03 540	1540001	
Extension cylinder VI incl. fittings	569 03 550	1540001	
Manual extension, F3	569 03 720	1540001	
Manual extension, F4	569 03 730	1540001	
Manual extension, F5	569 03 740	1540001	
Manual extension, F6	569 03 750	1540001	
Manual extension, F7	569 03 760	1540001	
<u>Hydraulic systems, valve brackets and dual controls</u>			
Valve bracket - RCS	569 05 010	1540001	
Counter-balance valve	569 05 190	1540001	
Valve bracket, cpl. 2 fcts.	569 05 200	1540001	
Valve bracket, cpl. 2 fcts.	569 05 200 A		
Valve bracket, cpl., 2 fcts. + 2 available fcts.	569 05 205	1540001	
Valve bracket, cpl., 2 fcts. + 2 available fcts.	569 05 205 A		
Valve bracket, cpl. 4 fcts.	569 05 210	1540001	
Valve bracket, cpl. 4 fcts.	569 05 210 A		
Valve bracket, cpl. 4 fcts. + 4 available	569 05 220	1540001	

1910K-RCS

Description	Page no.	From loader	To loader
Valve bracket, cpl. 4 fcts. + 4 available	569 05 220 A		
Valve bracket, cpl. 4 fcts. - RC	569 05 230	1540001	
Stabilizer valve block, 5 available functions	569 05 300	1540001	
Stabilizer valve block, 6 available functions	569 05 310	1540001	
Stabilizer valve block, 7 available functions	569 05 320	1540001	
Stabilizer valve block, 8 available functions	569 05 330	1540001	
Dual control, 2 fcts. std.	569 05 340	1540001	
Dual control, 4 fcts. std.	569 05 350	1540001	
Dual control.4 fcts. + 4 available functions (std.)	569 05 360	1540001	
Dual control, 4 fcts., hydr. swing-up stabilizer legs	569 05 370	1540001	
Dual control, 4 fcts. + 4 available fcts. (hydr. swing-up stabilizer legs)	569 05 380	1540001	
<u>Hydraulic systems, loader functions</u>			
Hose kit, loader functions, std.	569 05 400	1540001	
Hose kit, loader functions, 1 EXV.	569 05 410	1540001	
Hose kit, loader functions, 2 EXV.	569 05 420	1540001	
Hose kit, loader functions, std./winch	569 05 430	1540001	
Hose kit, loader functions, 2 EXV/winch	569 05 440	1540001	
Hydraulic system, slewing	569 05 500	1540001	
<u>Hydraulic systems, stabilizer beams</u>			
Hydr. syst., stabilizers, manual extension	569 05 700	1540001	
Hydr. syst., stabilizers, hydr. extension	569 05 710	1540001	
Hydraulic system, SV (+ SR-20° -Obsolete) 4600, manual extension	569 05 750	1540001	
Hydraulic system, SR-60°/180°, 4600, manual extension	569 05 755	1540001	
Hydraulic system, SV (+ SR-20° -Obsolete) 4600, hydr. extension	569 05 760	1540001	
Hydraulic system, SH + SR-60°/180° - 4600, hydr. extension	569 05 770	1540001	
Hydraulic system, SV (+ SR-20° -Obsolete) 5570, manual extension	569 05 780	1540001	
Hydraulic system, SR-60°/180°, 5570, manual extension	569 05 785	1540001	
Hydraulic system, SV (+ SR-20° -Obsolete) 5570, hydr. extension	569 05 790	1540001	

1910K-RCS

Description	Page no.	From loader	To loader
Hydraulic system, SH + SR-60°/180° - 5570, hydr. extension	569 05 800	1540001	
Hydraulic system, DV (+ DR-20° -Obsolete) 6450, hydr. extension	569 05 810	1540001	
Hydraulic system, DH + DR-60°/180° - 6450, hydr. extension	569 05 815	1540001	
<u>Hydraulic systems, pump and tank</u>			
Hydr. syst. pump + return hoses	569 06 030	1540001	
Hydr. syst. pump + return hoses	569 06 040	1540001	
Tank, cpl.	569 06 070	1540001	
Tank incl. fittings, (90L)	569 06 080	1540001	
Tank bracket	569 06 095	1540001	
Oil cooler	569 06 100	1540001	
Oil cooler	569 06 110	1540001	
High-pressure filter	569 06 130	1540001	
<u>Hydraulic systems, valve blocks</u>			
Control valves, Danfoss, 7 sects., fixed	569 06 200	1540001	
Control valves Danfoss, 7 sect.(crane) + RC stb, fixed flow	569 06 210	1540001	
Control valves, Danfoss, 7 sections, variable	569 06 220	1540001	
Control valves Danfoss, 7 sect.(crane) + RC stb, variable flow	569 06 230	1540001	
<u>Hydraulic systems, miscellaneous</u>			
1 extra funct., stabilizer mode	569 06 500	1540001	
2 extra funct., stabilizer mode	569 06 510	1540001	
3 extra funct., stabilizer mode	569 06 520	1540001	
4 extra funct., stabilizer mode	569 06 530	1540001	
<u>Labels and mounting kits</u>			
Standard labels	569 07 010	1540001	
Operating labels	569 07 020	1540001	
Labels for emergency operation	569 07 025	1540001	
Type plates, marking tape, warning signs	569 07 030	1540001	
Lifting capacity diagrams and various labels	569 07 040	1540001	

1910K-RCS

Description	Page no.	From loader	To loader
Mounting kit (4 M30 x 2 pins) - 50 mm.	569 07 115	1540001	
Mounting kit (4 M30 x 2 pins) - 150 mm.	569 07 120	1540001	
Mounting kit (4 M30 x 2 pins) - 250 mm.	569 07 130	1540001	
Mounting kit (8 M24 x 2 pins)	569 07 140	1540001	
<u>Accessories, extra valves</u>			
Hose guides, K1-1EXV.	569 09 100	1540001	
Hose guides, K4-1 EXV.	569 09 130	1540001	
Hose guides, K5-1 EXV.	569 09 140	1540001	
Hose guides, K6-1 EXV.	569 09 150	1540001	
Hose guides, K1-2 EXV.	569 09 200	1540001	
Hose guides, K3-2 EXV.	569 09 220	1540001	
Hose guides, K4-2 EXV.	569 09 230	1540001	
Hose guides, K5-2 EXV.	569 09 240	1540001	
Hose guides, K6-2 EXV.	569 09 250	1540001	
Bracket for hose reel, cpl. (jib)	569 09 280	1540001	
Attachment for hose reel, cpl. (extension 2)	569 09 290	1540001	
Attachment for hose reel, cpl. (extension 4)	569 09 300	1540001	
Hydr. system, hose reels, 2 EXV.	569 09 310	1540001	
Kit, quick-release coupling for internal hose routing, 2 EXV.	569 09 320	1540001	
Hydr. system, hose reels, 1 EXV.	569 09 330	1540001	
Kit, quick-release coupling for internal hose routing, 1 EXV.	569 09 340	1540001	
Quick-release coupling for 1 extra valve	569 09 390	1540001	
Quick-release coupling for 2 extra valves	569 09 400	1540001	
Multi-coupling for 2 extra valves K1-K5/T3-T4	569 09 430	1540001	
Multi-coupling for 2 extra valves K6/T5	569 09 440	1540001	
Kit for 3 extra valves (K1-K5)	569 09 460	1540001	
Kit for 3 extra valves (K6)	569 09 470	1540001	

Accessories, stand-up controls, HS

1910K-RCS

Description	Page no.	From loader	To loader
Stand-up controls	569 10 010	1540001	
Mounting fittings, HSRC	569 10 800	1540001	
<u>Accessories, top seat, TS</u>			
Mounting fittings, TS	569 11 010	1540001	
Top seat (RC), cpl.	569 11 030	1540001	
Mounting fittings, TS RC	569 11 040	1540001	
<u>Accessories, winch</u>			
Winch 1.5 T + mounting fittings and weighing cell	569 13 020	1540001	
Winch 2.5 T + mounting fittings and weighing cell	569 13 030	1540001	
Wire pulley, single snatch block	569 13 040	1540001	
Wire pulley, double snatch block	569 13 050	1540001	
Wire roller guide	569 13 090	1540001	
Hydraulic system, winch	569 13 100	1540001	
Hydraulic system, P15E	569 13 110	1540001	
<u>Accessories, miscellaneous</u>			
Slewing sensor	569 16 030	1540001	
Protective guard, jib cylinder, cpl.	569 16 090	1540001	
Protective guard (LHV boom), cpl.	569 16 100	1540001	
<u>Electronic parts, in general</u>			
Mounting fittings for junction box (FJC 5330)	569 20 030	1540001	
CAN termination, CIO5376	569 20 040	1540001	
12 V Converter	569 20 055	1540001	
BEHEW	569 20 060	1540001	
BEHEW	569 20 061	1540001	
BEPAW, 12_23	569 20 070	1540001	
BEPAW	569 20 072	1540001	
CYW	569 20 080	1540001	
CYL	569 20 085	1540001	

1910K-RCS

Description	Page no.	From loader	To loader
CYBEL, single extension	569 20 090	1540001	
CYBEL double extension	569 20 100	1540001	
Alarm flash on stabilizer legs	569 20 140	1540001	
Spotlight, boom	569 20 150	1540001	
Spotlight, jib	569 20 160	1540001	
Spotlight, jib	569 20 160 A		
Temperature monitoring without oil cooler	569 20 170	1540001	
Temperature monitoring for oil cooler	569 20 180	1540001	
Heated seating 12V/24V	569 20 200	1540001	
EVS	569 20 210	1540001	
PAS	569 20 220	1540001	
Mounting fittings for junction box, RCS	569 20 250	1540001	
CAN termination, RCL53xx	569 20 340	1540001	
<u>Electronic parts. manual crane</u>			
ECT 5310 on the side of the dual controls.	569 20 525	1540001	
<u>Electronic parts. RC crane</u>			
Basic electronic parts, crane with RC	569 22 010	1540001	
Basic electronic parts, RCS	569 22 020	1540001	
Antenna, HSRC	569 22 025	1540001	
	569 22 040	1540001	
HSL G4	569 22 070	1540001	
HSL-E G4	569 22 095	1540001	
HSL-Q RC G4	569 22 100	1540001	
Winch, electric parts	569 22 130	1540001	
Supply, separate traverse	569 22 150	1540001	
Stabilizer operation via RC (without CIO)	569 22 154	1540001	
Spotlight, radio remote controlled.	569 22 170	1540001	
3rd extra valve	569 22 190	1540001	

1910K-RCS


Description	Page no.	From loader	To loader
Light tower	569 22 230	1540001	
Electric/hydraulic parts, separate traverse	569 22 410	1540001	
EJB5385, installation	569 22 460	1540001	
<u>Tools</u>			
Lifting yoke, cpl.	569 25 070	1540001	



1910K-RCS

569 01 010

63 47 910
63 47 900
Internal ref. 63 40 000



569 01 010

From loader 1540001

To loader

Created 09-04-2018

Modified

Base, complete


Pos	Qty.	Part no.	Description	Remarks
1	1	6340010	Base	6342101
2	1	21937	V-ring	VL-0275
3	1	63557	Top bearing	
4	2	20197	O-ring	OR 118 x 3
5	1	63558	Bottom bearing	
6	1	6306135	Suspension traverse	
7	1	31318	Lubricator	1/8" RG
8	1	23362	Bushing	PM 13050 DX
9	1	33151	Circlip	130U
10	1	6345135	Suspension traverse	



1910K-RCS

569 01 050

Internal ref. 63 40 260



569 01 050

From loader 1540001

To loader

Created 11-11-2008

Modified

Protection plate, cpl. (std.)


Pos	Qty.	Part no.	Description	Remarks
1	1	6340231	Cover	
2	4	6340223	Spacer	
3	1	63490	Bushing	
4	4	31136	Washer, stainless	8 mm
5	4	30924	Screw	M8 x 12
6	1	6340233	Hose shield	
7	2	30132	Set screw, stainless	M8 x 20
8	4	31147	Face washer, 8 mm	8 mm
9	2	30886	Lock nut, stainless	M8




1910K-RCS

569 01 080

Internal ref. 63 47 020



X = Ca. 100 mm	X = Ca. 95 mm
1800K - 1810K	1300K - 1310K
2020K - 2030K	1420K - 1430K
2120K - 2130K	1500K - 1510K
2200K - 2210K	1520K - 1530K
2310K - 2320K	1610K - 1620K
2420K - 2430K	1720K - 1730K
2620K - 2630K	1820K - 1830K
2810K - 2820K	1410T - 1530T
1943Z	1630T - 1910T
2243Z	2030T - 2130T
2310S	



569 01 080

From loader 1540001

To loader

Created 22-09-2017

Modified 06-12-2018

Central lubrication and lubricating brush


Pos	Qty.	Part no.	Description	Remarks
1	3	26189	Connection	P-GEV 6 LR-WD
2	4	26174	Elbow connection	EWSD 6 L
3	10	26114	Profile ring	P-R 6 L/S
4	10	26164	Coupling nut	M 6 L
5	1	62821	Nylon pipe	1260 mm
6	1	62821	Nylon pipe	970 mm
7	1	26186	Elbow connection	WEV 6 LRK
8	5	26891	Bulkhead connection	
9	5	26890	Counter nut	M12 x 1,5
10	5	31318	Lubricator	1/8" RG
11	1	6340046	Nipple (1/8" RG - 90 mm)	
12	1	62821	Nylon pipe	1200 mm
13	1	31395	Brush	
14	2	25354	Counter nut	1/4"
15	1	6306047	Safety device, lubrica. brush	
16	1	6306048	Threaded pipe	
17	4	30454	Screw	MC6 x 8
18	1	26372	Pressure gauge connection	P-MAV 6 LR
19	1	62821	Nylon pipe	640 mm
20	1	62821	Nylon pipe	1200 mm
21	1	6346047	Cover	
22	1	64360	Plug	



1910K-RCS

569 01 100

Internal ref. 63 43 300



★ Loctite 8156

500 Nm

Slewing system, 400°

569 01 100

From loader 1540001

To loader

Created 29-11-2017

Modified


Pos	Qty.	Part no.	Description	Remarks
1	2	20208	O-ring	OR 114,5 x 3
2	2	6343241	Slewing cylinder	
3	1	63559	Guide block	
4	1	6340044	Rack (ø95-M10-400)	
5	2	20705	Back ring	STR 35 x 40 x 1,3
6	2	20177	O-ring	OR 34,2 x 3
7	2	6341085	Piston	
8	2	6894680	Seal kit f. slewing cyl.(ø110)	
9	2	33121	Circlip	40U
10	6	64371	Plug	



1910K-RCS

569 01 350

Internal ref. 63 47 480



Column cpl.

569 01 350

From loader 1540001

To loader

Created 15-11-2018

Modified


Pos	Qty.	Part no.	Description	Remarks
1	1	6347400	Column, painted	6343171
2	2	23419	Bushing	PM 5560 DX
3	1	46587	Rubber protection	180 mm
4	1	31318	Lubricator	1/8" RG



1910K-RCS

569 01 420

Internal ref. 63 47 840



Main boom

569 01 420

From loader 1540001

To loader

Created 15-11-2018

Modified

Pos	Qty.	Part no.	Description	Remarks
1	1	6347620	Main boom, painted	6343191
2	2	23330	Bushing	PM 6060 DX
3	2	68114	Threaded plug PA6 G black	M44 x 2
4	1	31318	Lubricator	1/8" RG




1910K-RCS

569 01 450

63 46 600

63 42 210

Internal ref. 63 40 210



Stowing hook, complete


Pos	Qty.	Part no.	Description	Remarks
		6340210	Stowing hook	
		6342210	Stowing hook, cpl. (+FJ)	
		6346600		
1	1	30964	Screw	MC10 x 16
2	1	6340208	Stowing hook	
3	1	6340948	Stowing hook (loader + FJ)	
4	2	6340985	Stowing hook (K5-K6)	
5	1	63565	Bearing	
6	1	6340209	End plate	
7	1	30902	Nut	M10
8	2	30933	Nordlock washer	
9	2	31517	Set screw, stainless	M10 x 20



1910K-RCS

569 01 500

Internal ref. 63 42 200



569 01 500

From loader 1540001

To loader

Boom cylinder, C140 x 726 (no link arm system)

Created 21-07-2010

Modified 14-01-2019


Pos	Qty.	Part no.	Description	Remarks
1	1	6340146	Guide (ø140/85)	
2	1	6894060	Seal kit f. guide	
3	1	6342195	Cylinder tube	
4	2	23424	Bushing	PM 5550 DX
5	1	6340199	Piston rod head	
6	1	6342198	Piston rod	
7	1	6340145	Piston	
8	1	6894010	Seal kit f. piston	
9	2	23419	Bushing	PM 5560 DX
10	1	30903	Screw	MSP6 x 8
11	2	31318	Lubricator	1/8" RG



1910K-RCS

569 01 510

Internal ref. 63 42 450



▲ 55369

★ 28850

569 01 510

From loader 1540001

To loader

Created 14-11-2008

Modified

Boom cylinder C140 x 726 with LHV (no link arm system)


Pos	Qty.	Part no.	Description	Remarks
1	1	6342200	Boom cylinder	
2	1	26897	Elbow connection	12 mm - 3/8"
3	1	6342176	Pipe, boom retract	
4	1	25127	Connection	P-GEV 12 LR-WD
5	1	25270	Connection	ELSD 12 L
6	1	25108	Connection	GES 12 LR 1/2-WD
7	1	20138	O-ring	OR 10,77 x 2,62
8	1	25277	Plug	VS-R-3/8 WD
9	1	55227	Valve	
10	4	31147	Face washer, 8 mm	8 mm
11	4	30139	Steel bolt, stainless	M8 x 50
12	2	25197	Plug	VS-R-1/4 WD
13	1	26103	Pressure-gauge connect.	



1910K-RCS

569 01 600

Internal ref. 63 42 150



1500 Nm

Loctite 270

569 01 600

From loader 1540001

To loader

Created 11-08-2010

Modified 14-09-2010

Jib cylinder C140 x 848


Pos	Qty.	Part no.	Description	Remarks
1	1	6340146	Guide (ø140/85)	
2	1	6894060	Seal kit f. guide	
3	1	6342151	Cylinder tube	
4	2	23424	Bushing	PM 5540 DX
5	1	6342157	Piston rod head	
6	2	23341	Bushing	PM 7540 DX
7	1	6342154	Piston rod	
8	1	6340145	Piston	
9	1	6894010	Seal kit f. piston	
10	1	30903	Screw	MSP6 x 8
11	2	31318	Lubricator	1/8" RG



1910K-RCS

569 01 610

Internal ref. 63 42 270



569 01 610

From loader 1540001

To loader

Created 14-11-2008

Modified 06-05-2019

Jib cylinder with LHV


Pos	Qty.	Part no.	Description	Remarks
1	1	6342150	Jib cylinder	
2	2	26897	Elbow connection	12 mm - 3/8"
3	1	6342158	Pipe	
4	1	66162	Load holding valve	
5	4	31754	Washer	8 mm
6	4	30138	Steel bolt, stainless	M8 x 45
7	2	25127	Connection	P-GEV 12 LR-WD
8	1	26103	Pressure-gauge connect.	



569 01 750

1910K-RCS

Internal ref. 63 42 100



569 01 750

From loader 1540001

To loader

Created 14-11-2008

Modified 22-01-2019

Mounting fittings, basic loader excl. link arm system

Pos	Qty.	Part no.	Description	Remarks
1	4	33132	Circlip Din 471	55U
2	4	33277	Washer	PS 55 x 68 x 1,0
3	2	6341801	Pin (ø5 x 309)	
4	2	6341802	Lock plate ø50	
5	2	30515	Countersunk screw	MK14 x 40
6	2	30453	Screw	MC10 x 25
7	1	6340149	Pin	
8	1	6340049	Supporting washer	
9	1	33275	Circlip	180U




1910K-RCS

569 01 760

63 43 230

63 43 210

Internal ref. 63 43 200



569 01 760

From loader 1540001

To loader

Created 14-11-2008

Modified

Hose shield, cpl.


Pos	Qty.	Part no.	Description	Remarks
		6343200	Protective plate	
		6343210	Protective plate	
		6343230	Protective plate	
1	2	30135	Set screw, stainless	M8 x 30
2	4	31147	Face washer, 8 mm	8 mm
3	1	6340089	Hose shield	1300K
4	1	6342089	Hose shield	1500K
5	1	6340079	Hose shield	1310K/1510K/1410T/1530T
6	2	30856	Nut, stainless	M8



1910K-RCS

569 01 800

Internal ref. 63 42 250



★  230 Nm

▲  170 Nm

Link arm system, jib


Pos	Qty.	Part no.	Description	Remarks
1	1	33132	Circlip Din 471	55U
2	1	33277	Washer	PS 55 x 68 x 1,0
3	1	6343804	Pin (ø55 x 294 with susp.)	
4	1	6341802	Lock plate ø50	
5	1	30515	Countersunk screw	MK14 x 40
6	1	30453	Screw	MC10 x 25
7	3	33135	Circlip	
8	3	33266	Washer	PS 60 x 75 x 1,0
9	1	6340178	Link arm, left	
10	1	6340167	Link arm pin	
11	1	6340177	Link arm, right	
12	2	6340179	Lock plate	
13	4	31098	Washer, 16 mm	16 mm
14	2	30222	Set screw	M16 x 40
15	2	30266	Set screw	M16 x 25
16	1	6342166	Pin	
17	1	6342170	Push rod	
18	1	6342171	Push rod	
19	2	23419	Bushing	PM 5560 DX
20	2	23341	Bushing	PM 7540 DX
21	3	31318	Lubricator	1/8" RG



1910K-RCS

569 02 010

63 42 030
Internal ref. 63 41 100



Stabilizer beam, type SV - 5570


Pos	Qty.	Part no.	Description	Remarks
		6341100	Stabilizer beam, type SV	
		6342030	No detection, legs down	
1	1	6353091	Bracket	
2	1	6353092	Spacer, 4 mm	4 mm
3	1	6353093	Spacer, 5 mm	5 mm
4	1	6353099	Spacer, 6 mm	6 mm
5	2	31565	Washer, stainless	10 mm
6	2	6344747	Spacer	
7	2	30156	Set screw, stainless	M10 x 30
8	4	63429	Guide	ø30 x 3 mm
9	4	63430	Guide	ø30 x 2 mm
10	1	63470	Guide roller	
11	1	6340121	Stabilizer beam I	
12	1	63469	Guide roller	
13	1	6340098	Pin for guide roller	
14	4	30339	Cylinder screw	MC18 x 40
15	2	63681	Slide block	3 mm
16	2	64424	Slide block	2 mm
17	1	6342030	No detection, legs down	
18	1	6344048	Pin for guide roller	
19	1	31615	Split pin	ø4 x 32



1910K-RCS

569 02 020

63 42 030
Internal ref. 63 43 820



Stabilizer beam, type SR-60°, 5570


Pos	Qty.	Part no.	Description	Remarks
		6343820	Stabilizer beam, type SR-60°	
		6342030	No detection, legs down	
1	1	6353091	Bracket	
2	1	6353092	Spacer, 4 mm	4 mm
3	1	6353093	Spacer, 5 mm	5 mm
4	1	6353099	Spacer, 6 mm	6 mm
5	6	31565	Washer, stainless	10 mm
6	2	6344747	Spacer	
7	2	30156	Set screw, stainless	M10 x 30
8	4	63429	Guide	ø30 x 3 mm
9	4	63430	Guide	ø30 x 2 mm
10	1	63470	Guide roller	
11	1	6342861	Stabilizer beam, SR	
12	1	63469	Guide roller	
13	1	6340098	Pin for guide roller	
14	2	63681	Slide block	3 mm
15	2	64424	Slide block	2 mm
16	1	6342855	Plate	
17	4	30155	Set screw	M10 x 25
18	4	31551	Nut, stainless	M10
19	1	6342030	No detection, legs down	
20	1	6344048	Pin for guide roller	
21	1	31615	Split pin	ø4 x 32



1910K-RCS

569 02 030

63 42 030
Internal ref. 63 41 120



Stabilizer beam, type SH - 5570


Pos	Qty.	Part no.	Description	Remarks
		6341120	Stabilizer beam, type SH	
		6342030	No detection, legs down	
1	1	6353091	Bracket	
2	1	6353092	Spacer, 4 mm	4 mm
3	1	6353093	Spacer, 5 mm	5 mm
4	1	6353099	Spacer, 6 mm	6 mm
5	6	31565	Washer, stainless	10 mm
6	2	6344747	Spacer	
7	2	30156	Set screw, stainless	M10 x 30
8	4	63429	Guide	ø30 x 3 mm
9	4	63430	Guide	ø30 x 2 mm
10	1	63470	Guide roller	
11	1	6340817	Bracket	
12	2	30155	Set screw	M10 x 25
13	2	30858	Nut	M10
14	1	6340135	Stabilizer beam	
15	1	63469	Guide roller	
16	1	6340098	Pin for guide roller	
17	2	63681	Slide block	3 mm
18	2	64424	Slide block	2 mm
19	1	6342030	No detection, legs down	
20	1	6344048	Pin for guide roller	
21	1	31615	Split pin	ø4 x 32



1910K-RCS

569 02 050

63 42 030
Internal ref. 63 43 830



Stabilizer beam, type DR-60°, 6450


Pos	Qty.	Part no.	Description	Remarks
		6343830	Stabilizer beam, type DR-60°	
		6342030	No detection, legs down	
1	1	6353091	Bracket	
2	1	6353092	Spacer, 4 mm	4 mm
3	1	6353093	Spacer, 5 mm	5 mm
4	1	6353099	Spacer, 6 mm	6 mm
5	8	31565	Washer, stainless	10 mm
6	2	6344747	Spacer	
7	2	30156	Set screw, stainless	M10 x 30
8	10	63429	Guide	ø30 x 3 mm
9	10	63430	Guide	ø30 x 2 mm
10	1	63470	Guide roller	
11	1	6342851	Stabilizer beam, DR	
12	1	63426	Guide roller	
13	1	6306168	Pin for guide roller	
14	1	6306721	Adjusting plate	
15	1	6306157	Spacer	
16	2	31517	Set screw, stainless	M10 x 20
17	1	6340091	Stabilizer beam I	
18	1	63471	Guide roller	
19	1	6340097	Pin for guide roller	
20	2	33104	Circlip	15U
21	1	63469	Guide roller	
22	1	6340098	Pin for guide roller	
23	2	63681	Slide block	3 mm
24	2	64424	Slide block	2 mm
25	1	6342855	Plate	
26	4	30155	Set screw	M10 x 25
27	4	31551	Nut, stainless	M10
28	1	6342030	No detection, legs down	
29	1	6344048	Pin for guide roller	
30	1	31615	Split pin	ø4 x 32



1910K-RCS

569 02 060

63 42 030
Internal ref. 63 41 150



Stabilizer beam, type DH - 6450


Pos	Qty.	Part no.	Description	Remarks
		6341150	Stabilizer beam, type DH	
		6342030	No detection, legs down	
1	1	6353091	Bracket	
2	1	6353092	Spacer, 4 mm	4 mm
3	1	6353093	Spacer, 5 mm	5 mm
4	1	6353099	Spacer, 6 mm	6 mm
5	8	31565	Washer, stainless	10 mm
6	2	6344747	Spacer	
7	2	30156	Set screw, stainless	M10 x 30
8	10	63429	Guide	ø30 x 3 mm
9	10	63430	Guide	ø30 x 2 mm
10	1	6340817	Bracket	
11	2	30155	Set screw	M10 x 25
12	2	30858	Nut	M10
13	1	63470	Guide roller	
14	1	6340115	Stabilizer beam II	
15	1	63426	Guide roller	
16	1	6306168	Pin for guide roller	
17	1	6306721	Adjusting plate	
18	1	6306157	Spacer	
19	2	31517	Set screw, stainless	M10 x 20
20	1	6340091	Stabilizer beam I	
21	1	63471	Guide roller	
22	1	6340097	Pin for guide roller	
23	2	33104	Circlip	15U
24	1	63469	Guide roller	
25	1	6340098	Pin for guide roller	
26	2	63681	Slide block	3 mm
27	2	64424	Slide block	2 mm
28	1	6342030	No detection, legs down	
29	1	6344048	Pin for guide roller	
30	1	31615	Split pin	ø4 x 32



1910K-RCS

569 02 070

63 42 030
Internal ref. 63 47 250



Stabilizer beam, type SV - 4600


Pos	Qty.	Part no.	Description	Remarks
1	1	6353091	Bracket	
2	1	6353092	Spacer, 4 mm	4 mm
3	1	6353093	Spacer, 5 mm	5 mm
4	1	6353099	Spacer, 6 mm	6 mm
5	2	31565	Washer, stainless	10 mm
6	2	6344747	Spacer	
7	2	30156	Set screw, stainless	M10 x 30
8	4	63429	Guide	ø30 x 3 mm
9	4	63430	Guide	ø30 x 2 mm
10	1	63470	Guide roller	
11	1	6341781	Stabilizer beam, SV.	
12	1	63469	Guide roller	
13	1	6340098	Pin for guide roller	
14	4	30496	Sockethead screw	MC20 x 50
15	2	63681	Slide block	3 mm
16	2	64424	Slide block	2 mm
17	1	6342030	No detection, legs down	
18	1	6344048	Pin for guide roller	
19	1	31615	Split pin	ø4 x 32



1910K-RCS

569 02 080

63 42 030
Internal ref. 63 47 260



Stabilizer beam, type SV - 5570



Pos	Qty.	Part no.	Description	Remarks
1	1	6353091	Bracket	
2	1	6353092	Spacer, 4 mm	4 mm
3	1	6353093	Spacer, 5 mm	5 mm
4	1	6353099	Spacer, 6 mm	6 mm
5	2	31565	Washer, stainless	10 mm
6	2	6344747	Spacer	
7	2	30156	Set screw, stainless	M10 x 30
8	4	63429	Guide	ø30 x 3 mm
9	4	63430	Guide	ø30 x 2 mm
10	1	63470	Guide roller	
11	1	6341121	Stabilizer beam, SV.	
12	1	63469	Guide roller	
13	1	6340098	Pin for guide roller	
14	4	30496	Sockethead screw	MC20 x 50
15	2	63681	Slide block	3 mm
16	2	64424	Slide block	2 mm
17	1	6342030	No detection, legs down	
18	1	6344048	Pin for guide roller	
19	1	31615	Split pin	ø4 x 32



1910K-RCS

569 02 081

63 42 030
Internal ref. 63 43 840



Stabilizer beam, type SR-60°, 4600


Pos	Qty.	Part no.	Description	Remarks
		6343840	Stabilizer beam, type SR-60°	
		6342030	No detection, legs down	
1	1	6353091	Bracket	
2	1	6353092	Spacer, 4 mm	4 mm
3	1	6353093	Spacer, 5 mm	5 mm
4	1	6353099	Spacer, 6 mm	6 mm
5	6	31565	Washer, stainless	10 mm
6	2	6344747	Spacer	
7	2	30156	Set screw, stainless	M10 x 30
8	4	63429	Guide	ø30 x 3 mm
9	4	63430	Guide	ø30 x 2 mm
10	1	63470	Guide roller	
11	1	6342871	Stabilizer beam, SR,reversible	
12	1	63469	Guide roller	
13	1	6340098	Pin for guide roller	
14	2	63681	Slide block	3 mm
15	2	64424	Slide block	2 mm
16	1	6342855	Plate	
17	4	30155	Set screw	M10 x 25
18	4	31551	Nut, stainless	M10
19	1	6342030	No detection, legs down	
20	1	6344048	Pin for guide roller	
21	1	31615	Split pin	ø4 x 32



1910K-RCS

569 02 090

63 42 030
Internal ref. 63 47 270



Stabilizer beam, type DV - 6450


Pos	Qty.	Part no.	Description	Remarks
1	1	6353091	Bracket	
2	1	6353092	Spacer, 4 mm	4 mm
3	1	6353093	Spacer, 5 mm	5 mm
4	1	6353099	Spacer, 6 mm	6 mm
5	4	31565	Washer, stainless	10 mm
6	2	6344747	Spacer	
7	2	30156	Set screw, stainless	M10 x 30
8	10	63429	Guide	ø30 x 3 mm
9	10	63430	Guide	ø30 x 2 mm
10	1	63470	Guide roller	
11	1	6341101	Stabilizer beam II	
12	1	63426	Guide roller	
13	1	6306168	Pin for guide roller	
14	1	6306721	Adjusting plate	
15	1	6306157	Spacer	
16	2	31517	Set screw, stainless	M10 x 20
17	1	6340091	Stabilizer beam I	
18	1	63471	Guide roller	
19	1	6340097	Pin for guide roller	
20	2	33104	Circlip	15U
21	1	63469	Guide roller	
22	1	6340098	Pin for guide roller	
23	4	30496	Sockethead screw	MC20 x 50
24	2	63681	Slide block	3 mm
25	2	64424	Slide block	2 mm
26	1	6342030	No detection, legs down	
27	1	6344048	Pin for guide roller	
28	1	31615	Split pin	ø4 x 32



1910K-RCS

569 02 091

63 42 030
Internal ref. 63 41 180



Stabilizer beam, type SH - 4600


Pos	Qty.	Part no.	Description	Remarks
		6341180	Stabilizer beam, type SH	
		6342030	No detection, legs down	
1	1	6353091	Bracket	
2	1	6353092	Spacer, 4 mm	4 mm
3	1	6353093	Spacer, 5 mm	5 mm
4	1	6353099	Spacer, 6 mm	6 mm
5	6	31565	Washer, stainless	10 mm
6	2	6344747	Spacer	
7	2	30156	Set screw, stainless	M10 x 30
8	4	63429	Guide	ø30 x 3 mm
9	4	63430	Guide	ø30 x 2 mm
10	1	6340817	Bracket	
11	2	30155	Set screw	M10 x 25
12	2	30858	Nut	M10
13	1	63470	Guide roller	
14	1	6340789	Stabilizer beam	
15	1	63469	Guide roller	
16	1	6340098	Pin for guide roller	
17	2	63681	Slide block	3 mm
18	2	64424	Slide block	2 mm
19	1	6342030	No detection, legs down	
20	1	6344048	Pin for guide roller	
21	1	31615	Split pin	ø4 x 32



1910K-RCS

569 02 150

Internal ref. 63 41 810



★ Loctite 243

Stabilizer safety lock


Pos	Qty.	Part no.	Description	Remarks
1	1	6236044	Plate	
2	1	6245244	Hook	
3	1	33476	Spring	6247194
4	1	30579	Countersunk screw	MK6 x 20
5	1	6245264	Bushing	
6	1	30179	Set screw	M12 x 40
7	1	30884	Lock nut, stainless	M6
8	1	63440	Washer	
9	1	6236054	Click	
10	2	32302	Face washer, stainless	6 mm
11	1	32338	Washer	12 mm
12	1	30114	Set screw, stainless	M6 x 25



1910K-RCS

569 02 160

Internal ref. 63 40 520



★ Loctite 243

Stabilizer lock and lever


Pos	Qty.	Part no.	Description	Remarks
		6340520	Stabilizer lock + handle	
1	2	31081	Screw	M10 x 16
2	2	30933	Nordlock washer	
3	1	63451	Stabilizer lock	
4	2	30888	Lock nut	
5	8	31565	Washer, stainless	10 mm
6	1	6306169	Lever, stabilizer beam	
7	2	30156	Set screw, stainless	M10 x 30
8	1	30377	Set screw	M10 x 45
9	2	32111	Counter nut	M10
10	1	30456	Screw	MC10 x 40
11	1	30858	Nut	M10



1910K-RCS

569 02 165

Internal ref. 63 43 880



★ Loctite 243

Safety lock (CE, manual extension)


Pos	Qty.	Part no.	Description	Remarks
1	1	6236044	Plate	
2	1	6341091	Latch	
3	1	33476	Spring	6247194
4	1	30579	Countersunk screw	MK6 x 20
5	1	6245264	Bushing	
6	1	30179	Set screw	M12 x 40
7	1	30884	Lock nut, stainless	M6
8	1	63440	Washer	
9	1	6236054	Click	
10	2	32302	Face washer, stainless	6 mm
11	1	32338	Washer	12 mm
12	1	30114	Set screw, stainless	M6 x 25



1910K-RCS

569 02 170

Internal ref. 63 46 370



569 02 170

From loader 1540001

To loader

Created 10-04-2019

Modified 26-06-2019


Pos	Qty.	Part no.	Description	Remarks
1	1	6346372		H+V
2	1	6346371		H+V
3	2	32532		M20 x 75
4	2	32449	Sockethead screw	MC20 x 55



1910K-RCS

569 02 220

Internal ref. 63 43 800



Stabilizer cylinder, C80-520, type R-60°


Pos	Qty.	Part no.	Description	Remarks
1	1	64352	Lever with knob	
2	1	6340812	Pin	
3	1	6340824	Bushing	
4	1	33490	Compression spring	
5	1	6340811	Distance ring	
6	3	23417	Composite bearing	ø28/32 x 25
7	1	33122	Circlip	28U
8	1	6340827	Pin	
9	1	6340821	Cylinder pipe, R	
10	1	6340501	Guide	
11	1	6894110	Seal kit f. guide	
12	1	33400	Lock ring	
13	1	6340515	Back ring	
14	1	33143	Circlip	80U
15	1	6340516	Piston	
16	1	6894100	Seal kit f. piston	
17	1	6340503	Piston rod	
18	1	30965	Screw	MC8 x 80
19	2	31147	Face washer, 8 mm	
20	1	30886	Lock nut, stainless	M8
21	1	32256	Pointed screw	MSP6 x 12



1910K-RCS

569 02 230

Internal ref. 63 43 810



Stabilizer cylinder with check valve, type R-60°


Pos	Qty.	Part no.	Description	Remarks
1	1	25121	Connection	P-GEV 10 LR-WD
2	1	58496	Cartridge	
3	1	21109	Seal washer	ø7,1 x 12 x 1
4	1	31778	Screw, stainless	M6 x 8
5	1	6343800	Stab. cylinder, C80-520, typeR	
6	1	6340823	Pipe, R	
7	1	26899	Elbow connection	10 mm - 3/8"
8	2	26166	Blanking plug	VSD 8 L
9	2	25181	Coupling nut	M 8 L
10	1	31318	Lubricator	1/8" RG
11	2	25113	Banjo connection	RSWV 8 LR



1910K-RCS

569 02 236

63 43 520
Internal ref. 63 43 510



569 02 236

From loader 1540001

To loader

Created 04-04-2013

Modified 29-01-2014

Foot plate, cpl.

Pos	Qty.	Part no.	Description	Remarks
1	1	6340506	Footplate, standard	
2	1	6340518	Extension piece 100 mm	
3	1	6340519	Extension piece 200 mm	
4	1	30965	Screw	MC8 x 80
5	1	30886	Lock nut, stainless	M8
6	2	31147	Face washer, 8 mm	




1910K-RCS

569 02 238

63 47 650

63 47 640

Internal ref. 63 47 630



Foot plate with ball joint, cpl. (ø160)

Pos	Qty.	Part no.	Description	Remarks
		6347630	Footplate with ball joint	Pos. 1, 2, 3, 4, 5
		6347640	Footplate with ball joint100mm	Pos. 1 - 6, 8 - 10
		6347650		Pos. 1 - 5, 7, 8 - 10
1	1	6343531	Pin	
2	1	6343532	Ball joint	
3	2	31318	Lubricator	1/8" RG
4	1	6340506	Footplate, standard	
5	1	31229	Retaining pin	ø8 x 70
6	1	6340518	Extension piece 100 mm	
7	1	6340519	Extension piece 200 mm	
8	2	31147	Face washer, 8 mm	
9	1	30886	Lock nut, stainless	M8
10	1	30965	Screw	MC8 x 80




1910K-RCS

569 02 244

Internal ref. 63 40 800

Patentanmeldt.
Patent pending.
Patentangemeldet.
La demande de brevet a été déposée.
Solicitud de patente.



Stabilizer cylinder, C80-520, type HR

Pos	Qty.	Part no.	Description	Remarks
1	1	6340813	Pin	
2	3	23417	Composite bearing	ø28/32 x 25
3	1	58496	Cartridge	
4	2	25113	Banjo connection	RSWV 8 LR
5	1	25121	Connection	P-GEV 10 LR-WD
6	1	21109	Seal washer	ø7,1 x 12 x 1
7	1	31778	Screw, stainless	M6 x 8
8	1	6340825	Pipe	
9	1	26899	Elbow connection	10 mm - 3/8"
10	1	6340811	Distance ring	
11	1	33490	Compression spring	
12	1	6340824	Bushing	
13	1	64352	Lever with knob	
14	1	6340812	Pin	
15	1	33122	Circlip	28U
16	1	33143	Circlip	80U
17	1	6340801	Cylinder pipe, HR	
18	2	31318	Lubricator	1/8" RG
19	7	23120	Cylindrical roller	RC 16 x 16 CD
20	1	6340808	Stop	
21	1	6340807	Cover	
22	6	32405	Sockethead screw	MK5 x 12
23	2	30449	Screw	MC8 x 16
24	1	30964	Screw	MC10 x 16
25	1	30965	Screw	MC8 x 80
26	1	6340501	Guide	
27	1	6894110	Seal kit f. guide	
28	1	33400	Lock ring	
29	1	6340515	Back ring	
30	1	6340516	Piston	
31	1	6894100	Seal kit f. piston	
32	1	6340503	Piston rod	
33	2	31147	Face washer, 8 mm	
34	1	30886	Lock nut, stainless	M8
35	1	32256	Pointed screw	MSP6 x 12




1910K-RCS

569 02 245

Internal ref. 63 43 920

Patentanmeldt.
Patent pending.
Patentangemeldet.
La demande de brevet a été déposée.
Solicitud de patente.



★ Loctite 601

Stabilizer cylinder incl. swing-up mechanism, type HR


Pos	Qty.	Part no.	Description	Remarks
1	1	6340800	Stabilizer cylinder, type HR	
2	1	23948	Bushing	PM 1515 DX
3	1	6340539	Compression rod, std.	
4	2	31209	Retaining pin	ø5 x 26
5	1	63597	Bushing	
6	1	33110	Circlip	22U
7	1	6340816	Washer	
8	26	33489	Disc spring	
9	1	31111	Washer	14 mm
10	1	6340815	Pipe	
11	1	32306	Washer	6 mm
12	1	30424	Screw	MC6 x 16
13	1	6340538	Compression plate, HR	



1910K-RCS

569 02 249

Internal ref. 63 43 170



Stabilizer cylinder, C80-520, type R-180°


Pos	Qty.	Part no.	Description	Remarks
1	1	64352	Lever with knob	
2	1	6340812	Pin	
3	1	6340824	Bushing	
4	1	33490	Compression spring	
5	1	6340811	Distance ring	
6	3	23417	Composite bearing	ø28/32 x 25
7	1	33122	Circlip	28U
8	1	6340813	Pin	
9	1	6340828	Cylinder tube R180	
10	1	6340501	Guide	
11	1	6894110	Seal kit f. guide	
12	1	33400	Lock ring	
13	1	6340515	Back ring	
14	1	33143	Circlip	80U
15	1	6340516	Piston	
16	1	6894100	Seal kit f. piston	
17	1	6340503	Piston rod	
18	1	30965	Screw	MC8 x 80
19	2	31147	Face washer, 8 mm	
20	1	30886	Lock nut, stainless	M8
21	1	32256	Pointed screw	MSP6 x 12



1910K-RCS

569 02 250

63 43 190
Internal ref. 63 43 180



Stabilizer cylinder with check valve, C80-520, Type R-180°


Pos	Qty.	Part no.	Description	Remarks
		6343180	Stab. cyl. w. check valve C80	
		6343190	Gas spring with fittings	
1	1	6343170	Stab. cyl., C80-520, type R	
2	1	25121	Connection	P-GEV 10 LR-WD
3	1	6340823	Pipe, R	
4	1	26899	Elbow connection	10 mm - 3/8"
5	3	21109	Seal washer	ø7,1 x 12 x 1
6	3	31778	Screw, stainless	M6 x 8
7	1	31318	Lubricator	1/8" RG
8	2	25113	Banjo connection	RSWV 8 LR
9	2	26166	Blanking plug	VSD 8 L
10	2	25181	Coupling nut	M 8 L
11	1	58496	Cartridge	
12	1	6343190	Gas spring with fittings	
13	1	48487	Gas spring	
14	1	6344067	Screw for gas spring, long	
15	3	31565	Washer, stainless	10 mm
16	2	33101	Circlip	10U
17	1	6344068	Screw for gas spring, short	
18	1	31564	Lock nut, stainless	M10
19	1	44263	Torsion balancer Type 2	
20	2	31150	Washer	8 mm



1910K-RCS

569 02 275

63 45 860
Internal ref. 63 47 710



569 02 275

From loader 1540001

To loader

Created 25-10-2017

Modified

Footplate, std. and with ball joint


Pos	Qty.	Part no.	Description	Remarks
1	2	20177	O-ring	OR 34,2 x 3
2	1	6347535	Pin	
3	1	6347534	Ball joint	
4	1	30903	Screw	MSP6 x 8
5	1	31318	Lubricator	1/8" RG
6	1	6345860	Footplate, std. cpl.	
7	1	6345947	Footplate, std.	



1910K-RCS

569 02 280

Internal ref. 63 45 940



Stabilizer cylinder with check valve, C90-750, type V


Pos	Qty.	Part no.	Description	Remarks
		6345940	Stabilizer cyl.,C90-750,type V	
1	1	6345941	Cylinder tube	
2	4	25121	Connection	P-GEV 10 LR-WD
3	1	25120	Elbow connection	P-EWV 10 L-SV
4	1	6345951	Hydraulic pipe	
5	1	6345943	Piston	
6	1	6345944	Piston rod	
7	1	33121	Circlip	40U
8	1	58496	Cartridge	
9	1	33488	Lock ring, black	
10	1	33236	Back ring	SS 85 x 105 x 3,5
11	1	33145	Circlip	80U
12	1	30903	Screw	MSP6 x 8
13	1	6345952	Guide (ø90/60)	
14	1	25197	Plug	VS-R-1/4 WD
15	4	30496	Sockethead screw	MC20 x 50
16	3	25187	Plug	VS-R-1/8 WD
17	1	6894970	Seal kit f. guide (C90/60)	
18	1	6894980	Seal kit for piston (C90/60)	
19	1	6345860	Footplate, std. cpl.	
20	1	6347710	Footplate, ball joint, cpl.	



1910K-RCS

569 02 290

Internal ref. 63 45 950



Stabilizer cylinder with check valve, C90-850, type V


Pos	Qty.	Part no.	Description	Remarks
		6345950		
1	1	6345953	Cylinder tube	
2	4	25121	Connection	P-GEV 10 LR-WD
3	1	25120	Elbow connection	P-EWV 10 L-SV
4	1	6345956	Hydraulic pipe	
5	1	6345943	Piston	
6	1	6345955	Piston rod	
7	1	33121	Circlip	40U
8	1	58496	Cartridge	
9	1	33488	Lock ring, black	
10	1	33236	Back ring	SS 85 x 105 x 3,5
11	1	33145	Circlip	80U
12	1	30903	Screw	MSP6 x 8
13	1	6345952	Guide (ø90/60)	
14	1	25197	Plug	VS-R-1/4 WD
15	4	30496	Sockethead screw	MC20 x 50
16	3	25187	Plug	VS-R-1/8 WD
17	1	6894970	Seal kit f. guide (C90/60)	
18	1	6894980	Seal kit for piston (C90/60)	
19	1	6345860	Footplate, std. cpl.	
20	1	6347710	Footplate, ball joint, cpl.	



1910K-RCS

569 02 330

Internal ref. 63 46 800



569 02 330

From loader 1540001

To loader

Created 07-11-2018

Modified

Footplate w. 65 mm extension


Pos	Qty.	Part no.	Description	Remarks
1	1	6347536	Pin	
2	1	20177	O-ring	OR 34,2 x 3
3	2	31147	Face washer, 8 mm	
4	1	30965	Screw	MC8 x 80
5	1	30886	Lock nut, stainless	M8
6	1	6306506	Footplate, standard	



1910K-RCS

569 02 340

Internal ref. 63 46 810



569 02 340

From loader 1540001

To loader

Created 07-11-2018

Modified

Footplate with ball joint w. 65 mm extension


Pos	Qty.	Part no.	Description	Remarks
1	1	6347536	Pin	
2	1	20177	O-ring	OR 34,2 x 3
3	2	31147	Face washer, 8 mm	
4	1	30965	Screw	MC8 x 80
5	1	30886	Lock nut, stainless	M8
6	1	6347660	Footplate + ball joint std.cpl	Pos. 7, 8, 9, 10, 11, 12
7	1	6347531	Pin	
8	1	6347532	Ball joint	
9	1	6347533	Distance ring	
10	1	31229	Retaining pin	ø8 x 70
11	2	31318	Lubricator	1/8" RG
12	1	6306506	Footplate, standard	



1910K-RCS

569 03 010

Internal ref. 63 40 290



Jib, complete

569 03 010

From loader 1540001

To loader

Created 15-07-2010

Modified


Pos	Qty.	Part no.	Description	Remarks
1	1	6340280	Jib	6340281
2	1	63475	Plate	
3	2	23419	Bushing	PM 5560 DX
4	1	31318	Lubricator	1/8" RG



1910K-RCS

569 03 020

Internal ref. 63 40 980



569 03 020

From loader 1540001

To loader

Created 15-07-2010

Modified

Jib, complete (winch)


Pos	Qty.	Part no.	Description	Remarks
1	1	6340970	Jib (winch)	6340971
2	1	63475	Plate	
3	2	23419	Bushing	PM 5560 DX
4	1	31318	Lubricator	1/8" RG



1910K-RCS

569 03 030

Internal ref. 63 40 300



Fitting of jib and jib cylinder


Pos	Qty.	Part no.	Description	Remarks
1	1	6341806	Pin (ø55 X 260)	
2	2	6341802	Lock plate ø50	
3	2	30515	Countersunk screw	MK14 x 40
4	1	6340318	Lock plate	
5	2	31155	Spring washer	8 mm
6	2	30131	Set screw, stainless	M8 x 16
7	1	6341801	Pin (ø5 x 309)	
8	1	68034	Plug	
9	1	64371	Plug	
10	1	33132	Circlip Din 471	55U
11	1	33277	Washer	PS 55 x 68 x 1,0



1910K-RCS

569 03 100

Internal ref. 63 40 320



Jib extension I incl. fittings


Pos	Qty.	Part no.	Description	Remarks
1	4	63585	Slide block	8 mm
2	4	63586	Slide block	9 mm
3	6	31517	Set screw, stainless	M10 x 20
4	12	31177	Washer	10 mm
5	4	6300399	Bracket for slide block	
6	1	6340335	Guide	
7	4	31865	Torx screw M8 x 6 m	M8 x 6
8	2	6243004	Wear plate	6 mm
9	2	6342011	Wear plate, 5 mm	5 mm
10	2	6244064	Wear plate	7 mm
11	3	32364	Counter nut	M24 x 2
12	3	6304409	Guide	
13	1	6340319	Stop	
14	1	30858	Nut	M10
15	1	31772	Screw	M10 x 35
16	1	31102	Washer Ø40 x 50x 1,0	ø40 x 50 x 1,0
17	1	33121	Circlip	40U
18	1	31196	Washer	16 mm
19	1	30821	Counter nut	M16
20	1	30567	Pointed screw	MSP16 x 35
21	6	30152	Set screw	M10 x 14
22	1	6341321	Jib extension I	
23	4	63587	Slide block	10 mm



1910K-RCS

569 03 105

Internal ref. 63 40 660



Jib extension K1 incl. fittings


Pos	Qty.	Part no.	Description	Remarks
1	4	63585	Slide block	8 mm
2	4	63586	Slide block	9 mm
3	6	31517	Set screw, stainless	M10 x 20
4	12	31177	Washer	10 mm
5	4	6300399	Bracket for slide block	
6	1	6340335	Guide	
7	4	31865	Torx screw M8 x 6 m	M8 x 6
8	2	6243004	Wear plate	6 mm
9	2	6244064	Wear plate	7 mm
10	3	32364	Counter nut	M24 x 2
11	3	6304409	Guide	
12	1	6340319	Stop	
13	1	30858	Nut	M10
14	1	31772	Screw	M10 x 35
15	1	31102	Washer Ø40 x 50x 1,0	ø40 x 50 x 1,0
16	1	33121	Circlip	40U
17	1	31196	Washer	16 mm
18	1	30821	Counter nut	M16
19	1	30567	Pointed screw	MSP16 x 35
20	6	30152	Set screw	M10 x 14
21	1	6340661	Extension K1	
22	4	63587	Slide block	10 mm



1910K-RCS

569 03 110

Internal ref. 63 40 340



* Sættes kun i ved ingen ekstraventiler og indv. slangeføring.
 ** Sættes kun i når armen danner slutarm.

Jib extension K2 incl. fittings


Pos	Qty.	Part no.	Description	Remarks
		6340340	Jib extension K2 incl.fittings	
1	4	63588	Slide block	8 mm
2	4	63589	Slide block	9 mm
3	4	31517	Set screw, stainless	M10 x 20
4	8	31177	Washer	10 mm
5	4	6300368	Bracket for slide block	
6	1	6340335	Guide	
7	8	31865	Torx screw M8 x 6 m	M8 x 6
8	2	6243004	Wear plate	6 mm
9	2	6244064	Wear plate	7 mm
10	2	6342011	Wear plate, 5 mm	5 mm
11	1	32364	Counter nut	M24 x 2
12	1	6304409	Guide	
13	1	31196	Washer	16 mm
14	1	30821	Counter nut	M16
15	1	32495	Pointed screw	MSP16 x 50
16	4	30152	Set screw	M10 x 14
17	2	6340396	Spacer, 1.5mm	1,5 mm
18	2	6340416	Spacer	5 mm
19	2	6340377	Spacer	6 mm
20	2	6340378	Spacer	7 mm
21	2	6340379	Spacer	8 mm
22	1	6340341	Extension II	
23	1	63568	Plastic plug with logo	
24	2	63487	Plug	



1910K-RCS

569 03 120

63 43 550
Internal ref. 63 40 360



* Sættes kun i ved ingen ekstraventiler og indv. slangeføring.

** Sættes kun i når armen danner slutarm.

Jib extension K3 incl. fittings


Pos	Qty.	Part no.	Description	Remarks
		6340360	Jib extension K3 incl.fittings	
		6343550	Jib extension K3i + fittings	
1	4	63588	Slide block	8 mm
2	4	63589	Slide block	9 mm
3	4	6300368	Bracket for slide block	
4	4	31517	Set screw, stainless	M10 x 20
5	8	31177	Washer	10 mm
6	8	31865	Torx screw M8 x 6 m	M8 x 6
7	2	6243004	Wear plate	6 mm
8	2	6342011	Wear plate, 5 mm	5 mm
9	2	6244064	Wear plate	7 mm
10	2	32364	Counter nut	M24 x 2
11	2	6304409	Guide	
12	4	30152	Set screw	M10 x 14
13	2	6340396	Spacer, 1.5mm	1,5 mm
14	2	6340416	Spacer	5 mm
15	2	6340377	Spacer	6 mm
16	2	6340378	Spacer	7 mm
17	2	6340379	Spacer	8 mm
18	1	6340361	Extension III	
19	1	6341361	Jib extension III-i	
20	1	63568	Plastic plug with logo	
21	2	63487	Plug	



1910K-RCS

569 03 130

Internal ref. 63 40 380



* Sættes kun i ved ingen ekstraventiler og indv. slangeføring.
 ** Sættes kun i når armen danner slutarm.

Jib extension K4 incl. fittings


Pos	Qty.	Part no.	Description	Remarks
		6340380	Jib extension K4 incl.fittings	
1	4	63518	Slide block	8 mm
2	4	63762	Slide block	6299074, 9 mm
3	4	6340441	Bracket for slide block	
4	4	31517	Set screw, stainless	M10 x 20
5	8	31177	Washer	10 mm
6	8	31865	Torx screw M8 x 6 m	M8 x 6
7	2	6243004	Wear plate	6 mm
8	2	6342011	Wear plate, 5 mm	5 mm
9	2	6244064	Wear plate	7 mm
10	2	32364	Counter nut	M24 x 2
11	2	6304409	Guide	
12	4	30152	Set screw	M10 x 14
13	2	6340396	Spacer, 1.5mm	1,5 mm
14	2	6340416	Spacer	5 mm
15	2	6340377	Spacer	6 mm
16	2	6340378	Spacer	7 mm
17	2	6340379	Spacer	8 mm
18	1	6340381	Extension IV	
19	1	63568	Plastic plug with logo	
20	2	63487	Plug	
21	4	63593	Slide block	10 mm



1910K-RCS

569 03 140

Internal ref. 63 40 400



- * Sættes kun i ved ingen ekstraventiler og indv. slangeføring.
- ** Sættes kun i når armen danner slutarm.

Jib extension K5 incl. fittings


Pos	Qty.	Part no.	Description	Remarks
		6340400	Jib extension K5 incl.fittings	
1	4	63573	Slide block	8 mm
2	4	63574	Slide block	9 mm
3	4	63575	Side block	10 mm
4	1	6340442	Bracket for slide block	
5	3	31517	Set screw, stainless	M10 x 20
6	7	31177	Washer	10 mm
7	8	31865	Torx screw M8 x 6 m	M8 x 6
8	4	6243004	Wear plate	6 mm
9	4	6342011	Wear plate, 5 mm	5 mm
10	4	6244064	Wear plate	7 mm
11	2	32364	Counter nut	M24 x 2
12	2	6304409	Guide	
13	1	6340445	Bracket for slide block	
14	4	30152	Set screw	M10 x 14
15	1	6340401	Extension V	
16	1	63568	Plastic plug with logo	
17	2	63487	Plug	



1910K-RCS

569 03 150

Internal ref. 63 40 420



* Sættes kun i ved ingen ekstraventiler og indv. slangeføring.

Jib extension K6 incl. fittings


Pos	Qty.	Part no.	Description	Remarks
1	4	63570	Slide block	8 mm
2	4	63571	Slide block	9 mm
3	4	63572	Slide block	10 mm
4	1	6340447	Bracket for slide block	
5	3	31517	Set screw, stainless	M10 x 20
6	5	31177	Washer	10 mm
7	8	31865	Torx screw M8 x 6 m	M8 x 6
8	4	6243004	Wear plate	6 mm
9	4	6244064	Wear plate	7 mm
10	4	6342011	Wear plate, 5 mm	5 mm
11	2	32364	Counter nut	M24 x 2
12	2	6304409	Guide	
13	1	63568	Plastic plug with logo	
14	1	6340451	Bracket for slide block	
15	2	30152	Set screw	M10 x 14
16	1	6340421	Extension VI	
17	2	6394632	Guide, 5 + 1.75 mm	5 + 1,75mm
18	2	6394631	Guide, 5 + 2.5 mm	5 + 2,5mm
19	2	6394636	Guide	5 + 1mm



1910K-RCS

569 03 290

63 46 900
Internal ref. 63 44 910



Hook suspension


Pos	Qty.	Part no.	Description	Remarks
		6344910	Hook suspension	
		6346900		
1	1	6662114	Pin	Til 6344910
2	1	6304458	Pin for suspension	Til 6346900
3	1	6662104	Plate	
4	1	30894	Lock nut	M20
5	2	30837	Nut	M24
6	2	31967	Ring split	ø4,5 x 40
7	1	63292	Hook, 8 t incl. bearing	Til 6344910
8	1	62169	Hook with ball bearing	Til 6346900
9	2	68094	Spacer, ø40 / 30 x 26	
10	2	6395541	Shackle 8 t	
11	4	23426	Bushing	ø28/32 x 20



1910K-RCS

569 03 300

Internal ref. 63 40 540



 140 Nm

★ Loctite 243

569 03 300

From loader 1540001

To loader

Created 09-06-2009

Modified 23-06-2014

Extension cylinder I (C63/50 x 1935)


Pos	Qty.	Part no.	Description	Remarks
1	1	6340545	Cylinder pipe	
2	1	6340553	Mounting flange	
3	4	30475	Screw	MC12 x 40
4	1	6340551	Guide	
5	1	6894130	Seal kit f. guide	
6	1	6340552	Piston	
7	1	6894120	Seal kit f. piston	
8	1	6340541	Piston rod	
9	1	25197	Plug	VS-R-1/4 WD



1910K-RCS

569 03 310

Internal ref. 63 40 560



569 03 310

From loader 1540001

To loader

Created 09-06-2009

Modified 18-06-2014

Extension cylinder II (C63/45 x 2000)


Pos	Qty.	Part no.	Description	Remarks
1	1	6340565	Cylinder pipe	
2	1	6340567	Mounting flange	
3	1	6340554	Guide	
4	1	6894140	Seal kit f. guide	
5	1	6340552	Piston	
6	1	6894120	Seal kit f. piston	
7	1	6340561	Piston rod	
8	4	30475	Screw	MC12 x 40
9	1	25197	Plug	VS-R-1/4 WD



1910K-RCS

569 03 320

Internal ref. 63 40 570



 140 Nm

★ Loctite 243

569 03 320

From loader 1540001

To loader

Created 09-06-2009

Modified 18-06-2014

Extension cylinder III (C63/45 x 2100)


Pos	Qty.	Part no.	Description	Remarks
1	1	6340575	Cylinder pipe	
2	1	6340567	Mounting flange	
3	4	30475	Screw	MC12 x 40
4	1	6340554	Guide	
5	1	6894140	Seal kit f. guide	
6	1	6340552	Piston	
7	1	6894120	Seal kit f. piston	
8	1	6340571	Piston rod	
9	1	25197	Plug	VS-R-1/4 WD



1910K-RCS

569 03 330

Internal ref. 63 40 580



 140 Nm

569 03 330

From loader 1540001

To loader

Created 12-06-2014

Modified

Extension cylinder IV (C60/40 x 2200)

Pos	Qty.	Part no.	Description	Remarks
1	1	6340585	Cylinder pipe	
2	1	6340567	Mounting flange	
3	1	6340556	Guide (C60/40)	
4	1	6893790	Seal kit, piston	
5	1	6306741	Piston	
6	1	6340581	Piston rod	
7	1	6894830	Seal kit for guide (C60)	
8	4	30475	Screw	MC12 x 40
9	1	30556	Pointed screw	MSP6 x 10
10	1	25197	Plug	VS-R-1/4 WD



569 03 340

Internal ref. 63 40 590



569 03 340

From loader 1540001

To loader

Created 12-06-2014

Modified

Extension cylinder V (C60/40 x 2150)


Pos	Qty.	Part no.	Description	Remarks
1	1	6340595	Cylinder pipe	
2	1	6340567	Mounting flange	
3	1	6340556	Guide (C60/40)	
4	1	6893790	Seal kit, piston	
5	1	6306741	Piston	
6	1	6340591	Piston rod	
7	1	6894830	Seal kit for guide (C60)	
8	4	30475	Screw	MC12 x 40
9	1	30556	Pointed screw	MSP6 x 10
10	1	25197	Plug	VS-R-1/4 WD



1910K-RCS

569 03 350

Internal ref. 63 40 600



 140 Nm

 * 4 Nm

569 03 350

From loader 1540001

To loader

Created 09-06-2009

Modified 25-06-2014

Extension cylinder VI (C55/35S x 2200)

Pos	Qty.	Part no.	Description	Remarks
1	1	6340605	Cylinder pipe	
2	1	6340613	Mounting flange	
3	1	6340528	Safety device	
4	4	30475	Screw	MC12 x 40
5	1	6340611	Guide	
6	1	6894160	Seal kit, guide	
7	1	6340612	Piston	
8	1	6340601	Piston rod	
9	1	30903	Screw	MSP6 x 8
10	1	20776	Seal	MD 55 X 39 X 18




1910K-RCS

569 03 500

63 43 330

63 41 730

Internal ref. 63 40 330



★ Loctite 243

Extension cylinder I incl. fittings


Pos	Qty.	Part no.	Description	Remarks
		6340330	Extension cylinder I +fittings	
		6341730	Extension cylinder I +fittings	
		6343330	Ext. cyl. I +fittings, basket	
1	1	30135	Set screw, stainless	M8 x 30
2	8	31147	Face washer, 8 mm	8 mm
3	1	6340337	Lock plate	
4	1	6340522	Pin	
5	3	30886	Lock nut, stainless	M8
6	1	6340540	Extension cylinder I	
7	1	63689	Slide block with bushing	
8	2	30460	Sockethead screw	MC8 x 22
9	1	6340521	Pin	
10	1	33108	Circlip	20U
11	3	26334	Connection	P-GEV 16 SR-WD
12	1	25127	Connection	P-GEV 12 LR-WD
13	1	6340642	Pipe CI retract	
14	1	6340641	Pipe CI	
15	1	6341641	Pipe, CI extend	Kurvekran/Man basket
16	1	56383	Hose	3/8" x 650 mm L/L
17	1	56384	Hose	1/2" x 680 mm L/L
18	2	25108	Connection	GES 12 LR 1/2-WD
19	2	30812	Steel bolt, stainless	M8 x 75
20	1	59044	Load holding valve	
21	1	6304229	Pin	K1
22	2	33110	Circlip	K1



1910K-RCS

569 03 510

63 43 350
Internal ref. 63 40 350



Extension cylinder II incl. fittings


Pos	Qty.	Part no.	Description	Remarks
		6340350	Extension cylinder II+fittings	
		6343350	Ext. cyl. II+fittings, basket	
1	4	31539	Screw, stainless	MC6 x 16
2	4	31154	Spring washer, stainless	6 mm
3	2	6340336	Lock plate	
4	1	30135	Set screw, stainless	M8 x 30
5	2	31147	Face washer, 8 mm	8 mm
6	1	30886	Lock nut, stainless	M8
7	1	6340337	Lock plate	
8	1	6340523	Pin	
9	2	26334	Connection	P-GEV 16 SR-WD
10	1	6340643	Pipe CII extend	
11	1	6341643	Pipe, CII extend	Kurvekran/Man basket
12	1	6340644	Pipe CII retract	
13	2	25127	Connection	P-GEV 12 LR-WD
14	1	6340560	Extension cylinder II	
15	1	6340524	Connecting plate	
16	2	6302369	Spacer	
17	5	31177	Washer	10 mm
18	5	30453	Screw	MC10 x 25



1910K-RCS

569 03 520

63 43 370
Internal ref. 63 40 370



☆ Loctite 243

Extension cylinder III incl. fittings


Pos	Qty.	Part no.	Description	Remarks
		6340370	Extension cylinderIII+fittings	
		6343370	Ext. cyl. III+fittings, basket	
1	2	31539	Screw, stainless	MC6 x 16
2	2	31154	Spring washer, stainless	6 mm
3	1	6340336	Lock plate	
4	1	31920	Clip, stainless, 10mm	
5	1	6340317	Lock plate (10 mm)	
6	1	6340526	Spacer	
7	1	6344525	Pin	
8	1	31634	Split pin	ø5 x 32
9	2	25127	Connection	P-GEV 12 LR-WD
10	2	26334	Connection	P-GEV 16 SR-WD
11	1	6340645	Pipe CIII extend	
12	1	6341645	Pipe, CIII extend	Kurvekran/Man basket
13	1	6340646	Pipe CIII retract	
14	1	6304279	Shim	
15	2	6300799	Spacer	
16	2	31177	Washer	10 mm
17	2	30649	Screw	M10 x 30
18	1	6340570	Extension cylinder III	
19	1	64409	Clamp	
20	1	31406	Clip	



1910K-RCS

569 03 530

63 43 390
Internal ref. 63 40 390



☆ Loctite 243

Extension cylinder IV incl. fittings


Pos	Qty.	Part no.	Description	Remarks
		6340390	Extension cylinder IV+fittings	
		6343390	Ext. cyl. IV+fittings, basket	
1	2	6340316	Lock plate (8mm)	
2	2	31919	Clip, stainless, 8 mm	
3	1	6340526	Spacer	
4	1	6344525	Pin	
5	1	31634	Split pin	ø5 x 32
6	2	25127	Connection	P-GEV 12 LR-WD
7	1	6340648	Pipe CIV retract	
8	1	6304279	Shim	
9	2	6300799	Spacer	
10	2	31177	Washer	10 mm
11	2	30649	Screw	M10 x 30
12	1	6340647	Pipe CIV extend	
13	1	6341647	Pipe, CIV extend	Kurvekran/Man basket
14	2	26368	Straight connection	P-GEV 16 SR 3/8-WD
15	1	6340580	Extension cylinder IV	
16	1	64409	Clamp	
17	1	31406	Clip	



1910K-RCS

569 03 540

63 43 410
Internal ref. 63 40 410



☆ Loctite 243

Extension cylinder V incl. fittings


Pos	Qty.	Part no.	Description	Remarks
		6340410	Extension cylinder V+fittings	
		6343410	Ext. cyl. V+fittings, basket	
1	1	31919	Clip, stainless, 8 mm	
2	1	6340316	Lock plate (8mm)	
3	1	31920	Clip, stainless, 10mm	
4	1	6340317	Lock plate (10 mm)	
5	1	6340525	Pin	
6	1	31634	Split pin	ø5 x 32
7	1	6340526	Spacer	
8	2	25127	Connection	P-GEV 12 LR-WD
9	1	26334	Connection	P-GEV 16 SR-WD
10	1	6340527	Shim	
11	2	6300799	Spacer	
12	2	31177	Washer	10 mm
13	2	30926	Steel bolt	M10 x 20
14	1	6340649	Pipe CV extend	
15	1	6341649	Pipe, CV extend	Kurvekran/Man basket
16	1	6340651	Pipe CV retract	
17	1	26368	Straight connection	P-GEV 16 SR 3/8-WD
18	1	6340590	Extension cylinder V	
19	1	33493	Clamp	
20	1	32302	Face washer, stainless	6 mm
21	1	30111	Set screw, stainless	M6 x 12



1910K-RCS

569 03 550

63 43 430
Internal ref. 63 40 430



★ Loctite 243

Extension cylinder VI incl. fittings


Pos	Qty.	Part no.	Description	Remarks
		6340430	Extension cylinder VI+fittings	
		6343430	Ext. cyl. VI+fittings, basket	
1	2	31920	Clip, stainless, 10mm	
2	2	6340317	Lock plate (10 mm)	
3	2	33110	Circlip	22U
4	1	6304229	Pin	
5	2	25127	Connection	P-GEV 12 LR-WD
6	1	26368	Straight connection	P-GEV 16 SR 3/8-WD
7	1	6340652	Pipe CVI extend	
8	1	6341652	Pipe, CVI extend	Kurvekran/Man basket
9	1	6340653	Pipe CVI retract	
10	1	6340600	Extension cylinder VI	
11	1	26334	Connection	P-GEV 16 SR-WD
12	1	6340529	Bracket for slide block (C6)	
13	1	63689	Slide block with bushing	
14	3	30438	Screw	MC8 x 20
15	5	31147	Face washer, 8 mm	8 mm
16	2	30132	Set screw, stainless	M8 x 20
17	1	64409	Clamp	
18	1	31406	Clip	



1910K-RCS

569 03 720

Internal ref. 63 40 670



Load signs for manual extension, F3

Hydraulic extensions		Manual extensions		
K2	Std.	F3	F4	F5
	HDL	65578 66525		
K3	Std.	F4	F5	F6
	HDL			
K4	Std.	F5	F6	F7
	HDL			
K5	Std.	F6	F7	
	HDL			
K6	Std.	F7		
	HDL			

Manual extension, F3

Pos	Qty.	Part no.	Description	Remarks
		6340670	Manual extension F3	
1	1	6340671	Manual extension F3	
2	2	6340689	Shim	
3	4	30152	Set screw	M10 x 14
4	4	31177	Washer	10 mm
5	2	6243004	Wear plate	6 mm
6	2	6244064	Wear plate	7 mm
7	4	31865	Torx screw M8 x 6 m	M8 x 6
8	1	6340677	Pin	
9	1	6340359	Lock pin	
10	1	33379	Spring	
11	1	32127	Nut	M12




1910K-RCS

569 03 730

Internal ref. 63 40 680


K3



Load signs for manual extension, F4

Hydraulic extensions		Manual extensions		
K2	Std. HDL	F3	F4 65120 65916	F5
		F4 65119 65249	F5	F6
K3	Std. HDL	F5	F6	F7
K4	Std. HDL	F6	F7	
K5	Std. HDL	F7		
K6	Std. HDL			

F3



569 03 730

From loader 1540001

To loader

Created 27-11-2008

Modified

Manual extension, F4


Pos	Qty.	Part no.	Description	Remarks
		6340680	Manual extension F4	
1	1	6340681	Manual extension F4	
2	2	6340689	Shim	
3	4	30154	Set screw	M10 x 20
4	4	31177	Washer	10 mm
5	2	6243004	Wear plate	6 mm
6	2	6244064	Wear plate	7 mm
7	4	31865	Torx screw M8 x 6 m	M8 x 6
8	1	6092454	Lock pin with chain	



1910K-RCS

569 03 740

Internal ref. 63 40 690



Load signs for manual extension, F5

Hydraulic extensions		Manual extensions		
		F3	F4	F5
K2	Std. HDL			F5 66595 65491
K3	Std. HDL	F4	F5 65118 65491	F6
K4	Std. HDL	F5 65915 66460	F6	F7
K5	Std. HDL	F6	F7	
K6	Std. HDL	F7		

569 03 740

From loader 1540001

To loader

Created 27-11-2008

Modified

Manual extension, F5

Pos	Qty.	Part no.	Description	Remarks
		6340690	Manual extension F5	
1	1	6340691	Manual extension F5	
2	1	6340397	Lock pin with lock spring	
3	2	6340699	Shim	
4	2	30152	Set screw	M10 x 14
5	2	31177	Washer	10 mm
6	2	6243004	Wear plate	6 mm
7	2	6244064	Wear plate	7 mm
8	4	31865	Torx screw M8 x 6 m	M8 x 6




1910K-RCS

569 03 750

Internal ref. 63 40 700


K5



Load signs for manual extension, F6

Hydraulic extensions		Manual extensions		
K2	Std. HDL	F3	F4	F5
K3	Std. HDL	F4	F5	F6 65117 65552
K4	Std. HDL	F5	F6 65490 65146	F7
K5	Std. HDL	F6 65563 65146	F7	
K6	Std. HDL	F7		

F5



Manual extension, F6

Pos	Qty.	Part no.	Description	Remarks
		6340700	Manual extension F6	
1	1	6340701	Manual extension F6	
2	1	6340708	Shim, right	
3	1	6340709	Shim, left	
4	2	30154	Set screw	M10 x 20
5	2	31177	Washer	10 mm
6	2	6243004	Wear plate	6 mm
7	2	6244064	Wear plate	7 mm
8	4	31865	Torx screw M8 x 6 m	M8 x 6
9	1	6340397	Lock pin with lock spring	




1910K-RCS

569 03 760

Internal ref. 63 40 710


K6



Load signs for manual extension, F7

Hydraulic extensions		Manual extensions		
K2	Std. HDL	F3	F4	F5
K3	Std. HDL	F4	F5	F6
K4	Std. HDL	F5	F6	F7 65115 65115
K5	Std. HDL	F6	F7 65965 65115	
K6	Std. HDL	F7 65114 65115		

F6



569 03 760

From loader 1540001

To loader

Created 28-11-2008

Modified 16-04-2009

Manual extension, F7


Pos	Qty.	Part no.	Description	Remarks
		6340710	Manual extension F7	
1	1	6340711	Manual extension F7	
2	1	6301166	Lock pin with split pin	
3	2	6243004	Wear plate	6 mm
4	2	6244064	Wear plate	7 mm
5	4	31865	Torx screw M8 x 6 m	M8 x 6



1910K-RCS

569 05 010

Internal ref. 63 47 220



Valve bracket - RCS


Pos	Qty.	Part no.	Description	Remarks
1	6	30132	Set screw, stainless	
2	6	31147	Face washer, 8 mm	
3	1	64407	Shield	
4	6	31069	Clip	M8 1,5 - 5,5 mm.
5	2	31564	Lock nut, stainless	M10
6	4	31565	Washer, stainless	10 mm
7	1	6340242	Mounting fittings	
8	7	30340	Screw, stainless	6,0 x 25
9	5	32302	Face washer, stainless	6 mm
10	1	6347241	Valve bracket	
11	2	30156	Set screw, stainless	M10 x 30
12	4	30860	Nut, stainless	M12
13	4	32338	Washer	12 mm
14	1	6347973	Safety guard	
15	1	6340946	Reinforcement	
16	2	32509	Screw, 6 x 25	MC6 x 25
17	2	30854	Nut, stainless	M6



1910K-RCS

569 05 190

Internal ref. 63 41 260



Counter-balance valve


Pos	Qty.	Part no.	Description	Remarks
1	1	6340273	Bracket (counter-balance valve	
2	1	50521	Sequence valve	
3	8	32302	Face washer, stainless	6 mm
4	2	30118	Steel pin, stainless	M6 x 45
5	2	30114	Set screw, stainless	M6 x 25
6	4	30854	Nut, stainless	M6
7	2	25244	Connection	GES 8 LR 3/8-WD
8	2	25253	Connection	P-GEV 10 LR 3/8-WD
9	2	25277	Plug	VS-R-3/8 WD
10	2	25127	Connection	P-GEV 12 LR-WD
11	1	25183	Coupling nut	M 12 L
12	1	26180	Blanking plug	VSD 12 L



Obsolete
1910K-RCS

569 05 200

63 41 600
Internal ref. 63 41 210



Obsolete

569 05 200

From loader 1540001

To loader

Valve bracket, cpl. 2 fcts.

Created 20-11-2008

Modified 05-05-2014


Pos	Qty.	Part no.	Description	Remarks
		6341210	Valve bracket, compl. 2 functs	
		6341600	Hose kit, 2 functions	
1	1	6340254	Valve bracket (2 functions)	
2	1	55225	Stabilizer valve	
3	2	59224	Knob for lever	
4	2	1330187	Control lever, long, straight	
5	2	30856	Nut, stainless	M8
6	8	31147	Face washer, 8 mm	8 mm
7	2	63450	Adapter for dual controls	
8	3	30259	Steel bolt, stainless	M8 x 65
9	3	30886	Lock nut, stainless	M8
10	4	25253	Connection	P-GEV 10 LR 3/8-WD
11	4	31565	Washer, stainless	10 mm
12	2	31564	Lock nut, stainless	M10
13	2	31513	Set screw, stainless	M10 x 25
14	1	25244	Connection	GES 8 LR 3/8-WD
15	1	6341600	Hose kit, 2 functions	
16	2	56393	Hose	5/16"x950mm L/V 10Let / vinkel 45
17	2	56394	Hose	5/16"x600mm S/V 10L studs / vinke



1910K-RCS


569 05 200 A

63 41 600
Internal ref. 63 41 210



Valve bracket, cpl. 2 fcts.

Pos	Qty.	Part no.	Description	Remarks
		6341210	Valve bracket, compl. 2 functs	
		6341600	Hose kit, 2 functions	
1	1	6344871	Valve bracket (4 functions)	
2	1	55738	Stabilizer control valve	
3	2	59224	Knob for lever	
4	2	1330187	Control lever, long, straight	
5	2	30856	Nut, stainless	M8
6	4	31147	Face washer, 8 mm	8 mm
7	2	63450	Adapter for dual controls	
8	2	30469	Screw	MC8 x 60
9	2	30886	Lock nut, stainless	M8
10	4	25253	Connection	P-GEV 10 LR 3/8-WD
11	4	31565	Washer, stainless	10 mm
12	2	31564	Lock nut, stainless	M10
13	2	31513	Set screw, stainless	M10 x 25
14	1	25687	Straight connection 8l 182"	24-SDS-L8-G1/2E
15	1	6341600	Hose kit, 2 functions	
16	2	56393	Hose	5/16"x950mm L/V 10Let / vinkel 45
17	2	56394	Hose	5/16"x600mm S/V 10L studs / vinke



Obsolete

569 05 205

From loader 1540001

To loader

Valve bracket, cpl., 2 fcts. + 2 available fcts.

Created 10-04-2008

Modified 05-05-2014


Pos	Qty.	Part no.	Description	Remarks
		6341060	Valve br., cpl.2fcts.+2 avail.	
		6341600	Hose kit, 2 functions	
1	1	6340255	Valve bracket (4 functions)	
2	1	55226	Stabilizer valve	
3	4	59224	Knob for lever	
4	4	1330187	Control lever, long, straight	
5	4	30856	Nut, stainless	M8
6	10	31147	Face washer, 8 mm	8 mm
7	4	63450	Adapter for dual controls	
8	3	30259	Steel bolt, stainless	M8 x 65
9	3	30886	Lock nut, stainless	M8
10	4	25253	Connection	P-GEV 10 LR 3/8-WD
11	5	25244	Connection	GES 8 LR 3/8-WD
12	4	31565	Washer, stainless	10 mm
13	2	31564	Lock nut, stainless	M10
14	2	31513	Set screw, stainless	M10 x 25
15	1	6341600	Hose kit, 2 functions	
16	2	56393	Hose	5/16"x950mm L/V
17	2	56394	Hose	5/16"x600mm S/V
18	4	26166	Blanking plug	VSD 8 L
19	4	25181	Coupling nut	M 8 L



1910K-RCS

569 05 205 A

63 41 600
Internal ref. 63 41 060



Valve bracket, cpl., 2 fcts. + 2 available fcts.


Pos	Qty.	Part no.	Description	Remarks
		6341060	Valve br., cpl.2fcts.+2 avail.	
		6341600	Hose kit, 2 functions	
1	1	6344872	Valve bracket (HS)	
2	1	55737	Stabilizer control valve	
3	4	59224	Knob for lever	
4	4	1330187	Control lever, long, straight	
5	4	30856	Nut, stainless	M8
6	6	31147	Face washer, 8 mm	8 mm
7	4	63450	Adapter for dual controls	
8	2	30469	Screw	MC8 x 60
9	2	30886	Lock nut, stainless	M8
10	4	25253	Connection	P-GEV 10 LR 3/8-WD
11	4	25244	Connection	GES 8 LR 3/8-WD
12	4	31565	Washer, stainless	10 mm
13	2	31564	Lock nut, stainless	M10
14	2	31513	Set screw, stainless	M10 x 25
15	4	26166	Blanking plug	VSD 8 L
16	4	25181	Coupling nut	M 8 L
17	1	25687	Straight connection 8l 182"	24-SDS-L8-G1/2E
18	1	6341600	Hose kit, 2 functions	
19	2	56393	Hose	5/16"x950mm L/V
20	2	56394	Hose	5/16"x600mm S/V



Obsolete
1910K-RCS

569 05 210

63 41 610
Internal ref. 63 41 220



Obsolete

569 05 210

From loader 1540001

To loader

Valve bracket, cpl. 4 fcts.

Created 20-11-2008

Modified 05-05-2014

Pos	Qty.	Part no.	Description	Remarks
		6341220	Valve bracket, cpl., 4 funct.	
		6341610	Hose kit, 4 functions	
1	1	6340255	Valve bracket (4 functions)	
2	1	55226	Stabilizer valve	
3	3	59224	Knob for lever	
4	3	1330187	Control lever, long, straight	
5	3	30856	Nut, stainless	M8
6	10	31147	Face washer, 8 mm	8 mm
7	3	63450	Adapter for dual controls	
8	1	30136	Steel bolt, stainless	M8 x 35
9	3	30259	Steel bolt, stainless	M8 x 65
10	3	30886	Lock nut, stainless	M8
11	4	25253	Connection	P-GEV 10 LR 3/8-WD
12	5	25244	Connection	GES 8 LR 3/8-WD
13	4	31565	Washer, stainless	10 mm
14	2	31564	Lock nut, stainless	M10
15	2	31513	Set screw, stainless	M10 x 25
16	1	6341610	Hose kit, 4 functions	
17	4	56381	Hose	1/4"x600mm L/V 8Let / vinkel 45 gr.
18	2	56393	Hose	5/16"x950mm L/V 10Let / vinkel 45
19	2	56394	Hose	5/16"x600mm S/V 10L studs / vinke
20	2	25246	Double connection	GS 8 L

Valve bracket, cpl. 4 fcts.


Pos	Qty.	Part no.	Description	Remarks
		6341220	Valve bracket, cpl., 4 funct.	
		6341610	Hose kit, 4 functions	
1	1	6344872	Valve bracket (HS)	
2	1	55737	Stabilizer control valve	
3	3	59224	Knob for lever	
4	3	1330187	Control lever, long, straight	
5	3	30856	Nut, stainless	M8
6	6	31147	Face washer, 8 mm	8 mm
7	3	63450	Adapter for dual controls	
8	1	30136	Steel bolt, stainless	M8 x 35
9	2	30469	Screw	MC8 x 60
10	2	30886	Lock nut, stainless	M8
11	4	25253	Connection	P-GEV 10 LR 3/8-WD
12	4	25244	Connection	GES 8 LR 3/8-WD
13	4	31565	Washer, stainless	10 mm
14	2	31564	Lock nut, stainless	M10
15	2	31513	Set screw, stainless	M10 x 25
16	1	25687	Straight connection 8l 182"	24-SDS-L8-G1/2E
17	1	6341610	Hose kit, 4 functions	
18	4	56381	Hose	1/4"x600mm L/V 8Let / vinkel 45 gr.
19	2	56393	Hose	5/16"x950mm L/V 10Let / vinkel 45
20	2	56394	Hose	5/16"x600mm S/V 10L studs / vinke
21	2	25246	Double connection	GS 8 L



Obsolete
1910K-RCS

569 05 220

63 41 620
Internal ref. 63 41 250



Obsolete**569 05 220**

From loader 1540001

To loader

Valve bracket, cpl. 4 fcts. + 4 available

Created 20-11-2008

Modified 05-05-2014


Pos	Qty.	Part no.	Description	Remarks
		6341250	Valve br., cpl.4fcts.+4 avail.	
		6341620	Hose kit, 4 fcts + 4 available	
1	1	6340271	Valve bracket (4 + 4 fcts.)	
2	1	55277	Valve block, complete	
3	4	59224	Knob for lever	
4	4	1330187	Control lever, long, straight	
5	5	30856	Nut, stainless	M8
6	11	31147	Face washer, 8 mm	8 mm
7	4	6340229	Adapter	
8	3	30259	Steel bolt, stainless	M8 x 65
9	1	30134	Set screw, stainless	M8 x 25
10	3	30886	Lock nut, stainless	M8
11	4	25253	Connection	P-GEV 10 LR 3/8-WD
12	4	31565	Washer, stainless	10 mm
13	2	31564	Lock nut, stainless	M10
14	2	31513	Set screw, stainless	M10 x 25
15	1	25127	Connection	P-GEV 12 LR-WD
16	2	26166	Blanking plug	VSD 8 L
17	2	25181	Coupling nut	M 8 L
18	5	25244	Connection	GES 8 LR 3/8-WD
19	2	60963	Washer	
20	2	25182	Coupling nut	M 10 L
21	2	25202	Blanking plug	VSD 10 L
22	1	6341620	Hose kit, 4 fcts + 4 available	
23	2	56381	Hose	1/4"x600mm L/V 8Let / vinkel 45 gr.
24	1	56394	Hose	5/16"x600mm S/V 10L studs / vinke
25	1	56511	Hose	3/8 X 900 mm 45/L 12Let
26	1	56393	Hose	5/16"x950mm L/V 10Let / vinkel 45
27	1	56460	Hose	1/4" x 550mm L/S-10mm
28	1	56510	Hose	1/4 X 600 mm L/L 10Let
29	1	62525	Hose	1/4 X 400 M14 X 1.5 L/90
30	1	62569	Hose	1/4 X 800 M14 X 1.5 L/L
31	1	25247	Elbow connection	WV 8 L
32	1	25246	Double connection	GS 8 L



1910K-RCS

569 05 220 A

63 41 620
Internal ref. 63 41 250



Valve bracket, cpl. 4 fcts. + 4 available

Pos	Qty.	Part no.	Description	Remarks
		6341250	Valve br., cpl.4fcts.+4 avail.	
		6341620	Hose kit, 4 fcts + 4 available	
1	1	6344875	Valve bracket (HS)	
2	1	55739	Stabilizer Valve	
3	4	59224	Knob for lever	
4	4	1330187	Control lever, long, straight	
5	5	30856	Nut, stainless	M8
6	7	31147	Face washer, 8 mm	8 mm
7	4	6340229	Adapter	
8	2	30469	Screw	MC8 x 60
9	1	30134	Set screw, stainless	M8 x 25
10	2	30886	Lock nut, stainless	M8
11	4	25253	Connection	P-GEV 10 LR 3/8-WD
12	4	31565	Washer, stainless	10 mm
13	2	31564	Lock nut, stainless	M10
14	2	30156	Set screw, stainless	M10 x 30
15	1	25127	Connection	P-GEV 12 LR-WD
16	2	26166	Blanking plug	VSD 8 L
17	2	25181	Coupling nut	M 8 L
18	4	25244	Connection	GES 8 LR 3/8-WD
19	2	60963	Washer	
20	2	25182	Coupling nut	M 10 L
21	2	25202	Blanking plug	VSD 10 L
22	1	6344879	Interm. flange / valve bracket	
23	1	25687	Straight connection 8l 182"	24-SDS-L8-G1/2E
24	1	6341620	Hose kit, 4 fcts + 4 available	
25	2	56381	Hose	1/4"x600mm L/V 8Let / vinkel 45 gr.
26	1	56394	Hose	5/16"x600mm S/V 10L studs / vinke
27	1	56511	Hose	3/8 X 900 mm 45/L 12Let
28	1	56393	Hose	5/16"x950mm L/V 10Let / vinkel 45
29	1	56460	Hose	1/4" x 550mm L/S-10mm
30	1	56510	Hose	1/4 X 600 mm L/L 10Let
31	1	62525	Hose	1/4 X 400 M14 X 1.5 L/90
32	1	62569	Hose	1/4 X 800 M14 X 1.5 L/L
33	1	25247	Elbow connection	WV 8 L
34	1	25246	Double connection	GS 8 L




1910K-RCS

569 05 230

63 53 600

63 47 170

Internal ref. 63 47 160



Valve bracket, cpl. 4 fcts. - RC


Pos	Qty.	Part no.	Description	Remarks
		6347160		Pos. 1 - 16
		6347170	Hose kit, 4 functions	Pos. 17 - 28
		6353600	Parts f.acknowledgement button	Pos. 29 - 32
1	1	50548	Stabilizer control valve	
2	1	69466	Valve housing	
3	4	69467	Cartridge	
4	4	69468	Solenoid. 24V	
5	1	26355	Plug	VS-R-3/4 WD
6	1	26390	Connection	P-GEV 16 SR 3/4-WD
7	1	26340	Elbow connection	EWSD 16 S
8	1	6353274	Valve bracket, 4 functions RCS	
9	4	32302	Face washer, stainless	6 mm
10	2	30150	Steel bolt, stainless	M6 x 70
11	2	30156	Set screw, stainless	M10 x 30
12	4	31565	Washer, stainless	10 mm
13	2	31564	Lock nut, stainless	M10
14	2	30884	Lock nut, stainless	M6
15	2	25244	Connection	GES 8 LR 3/8-WD
16	2	25253	Connection	P-GEV 10 LR 3/8-WD
17	1	6347170	Hose kit, 4 functions	
18	1	56393	Hose	5/16"x950mm L/V
19	1	56394	Hose	5/16"x600mm S/V
20	1	56381	Hose	
21	1	56963	Hose 1/4"x700mm L/V	
22	1	62525	Hose	1/4 X 400 M14 X 1.5 L/90
23	1	62569	Hose	
24	1	56460	Hose	
25	1	56510	Hose	
26	1	25247	Elbow connection	WV 8 L
27	1	25246	Double connection	GS 8 L
28	1	60960	Washer	
29	1	6353600	Parts f.acknowledgement button	
30	1	6353271	Bracket f. acknowledgement button	
31	2	31513	Set screw, stainless	M10 x 25
32	4	31565	Washer, stainless	10 mm
33	2	31564	Lock nut, stainless	M10
34	1	60960	Washer	



1910K-RCS

569 05 300

Internal ref. 63 91 200



569 05 300

From loader 1540001

To loader

Created 17-08-2010

Modified 14-09-2016

Stabilizer valve block, 5 available functions


Pos	Qty.	Part no.	Description	Remarks
1	1	25195	Connection	P-GEV 12 LR 1/4-WD
2	1	0015020	Hose	3/8" x 1600 mm L/90°
3	1	25129	Elbow connection	WV 12 L
4	1	25240	Connection	EGESD 12 LR-WD
5	2	30118	Steel pin, stainless	M6 x 45
6	4	32302	Face washer, stainless	6 mm
7	2	30884	Lock nut, stainless	M6
8	2	6301202	Bracket	
9	1	25130	Banjo connection	RSWV 12 LR
10	1	59771	Valve housing	
11	1	61778	Solenoid	
12	1	59057	Solenoid valve	



1910K-RCS

569 05 310

Internal ref. 63 91 210



Stabilizer valve block, 6 available functions


Pos	Qty.	Part no.	Description	Remarks
1	1	25195	Connection	P-GEV 12 LR 1/4-WD
2	1	0015020	Hose	3/8" x 1600 mm L/90°
3	1	25129	Elbow connection	WV 12 L
4	2	25240	Connection	EGESD 12 LR-WD
5	1	30124	Steel bolt, stainless	M6 x 90
6	6	32302	Face washer, stainless	6 mm
7	2	30884	Lock nut, stainless	M6
8	2	6301202	Bracket	
9	2	25130	Banjo connection	RSWV 12 LR
10	2	59771	Valve housing	
11	2	30118	Steel pin, stainless	M6 x 45
12	1	6301203	Pipe	
13	1	30854	Nut, stainless	M6
14	1	25270	Connection	ELSD 12 L
15	2	61778	Solenoid	
16	2	59057	Solenoid valve	



1910K-RCS

569 05 320

Internal ref. 63 91 220



Stabilizer valve block, 7 available functions


Pos	Qty.	Part no.	Description	Remarks
1	1	25195	Connection	P-GEV 12 LR 1/4-WD
2	1	0015020	Hose	3/8" x 1600 mm L/90°
3	1	25129	Elbow connection	WV 12 L
4	3	25240	Connection	EGESD 12 LR-WD
5	1	32922	Steel bolt	M6 x 140
6	3	30884	Lock nut, stainless	M6
7	5	32302	Face washer, stainless	6 mm
8	2	6301202	Bracket	
9	3	25130	Banjo connection	RSWV 12 LR
10	3	59771	Valve housing	
11	2	30118	Steel pin, stainless	M6 x 45
12	2	6301203	Pipe	
13	2	25270	Connection	ELSD 12 L
14	3	61778	Solenoid	
15	3	59057	Solenoid valve	



1910K-RCS

569 05 330

Internal ref. 63 91 230



Stabilizer valve block, 8 available functions


Pos	Qty.	Part no.	Description	Remarks
1	1	25195	Connection	P-GEV 12 LR 1/4-WD
2	1	0015020	Hose	3/8" x 1600 mm L/90°
3	1	25129	Elbow connection	WV 12 L
4	4	25240	Connection	EGESD 12 LR-WD
5	1	32257	Steel bolt	M6 x 180
6	2	30884	Lock nut, stainless	M6
7	4	32302	Face washer, stainless	6 mm
8	2	6301202	Bracket	
9	4	25130	Banjo connection	RSWV 12 LR
10	4	59771	Valve housing	
11	2	30118	Steel pin, stainless	M6 x 45
12	3	6301203	Pipe	
13	1	30854	Nut, stainless	M6
14	3	25270	Connection	ELSD 12 L
15	4	61778	Solenoid	
16	4	59057	Solenoid valve	



1910K-RCS

569 05 340

Internal ref. 63 44 790



Dual control, 2 fcts. std.


Pos	Qty.	Part no.	Description	Remarks
1	1	6340256	Bracket for dual control	
2	2	31564	Lock nut, stainless	M10
3	4	31565	Washer, stainless	10 mm
4	2	31513	Set screw, stainless	M10 x 25
5	2	31271	Cotter bolt	ø6 x 21
6	2	31601	Split pin, stainless	ø1,6 x 20
7	2	6340263	Connecting rod	
8	2	63468	Split pin with spring lock	
9	2	63444	Lever for dual controls	
10	1	6340261	Pin (2 functions)	
11	1	33104	Circlip	15U



1910K-RCS

569 05 350

Internal ref. 63 44 850



Dual control, 4 fcts. std.


Pos	Qty.	Part no.	Description	Remarks
1	1	6340257	Bracket for dual control	
2	2	31564	Lock nut, stainless	M10
3	4	31565	Washer, stainless	10 mm
4	2	31513	Set screw, stainless	M10 x 25
5	3	31271	Cotter bolt	ø6 x 21
6	3	31601	Split pin, stainless	ø1,6 x 20
7	3	6340263	Connecting rod	
8	3	63468	Split pin with spring lock	
9	3	63444	Lever for dual controls	
10	1	6340262	Pin (4 functions)	
11	1	33104	Circlip	15U



1910K-RCS

569 05 360

Internal ref. 63 45 870



Dual control.4 fcts. + 4 available functions (std.)


Pos	Qty.	Part no.	Description	Remarks
1	1	6340258	Bracket, dual control (4 + 4)	
2	2	31564	Lock nut, stainless	M10
3	4	31565	Washer, stainless	10 mm
4	2	31513	Set screw, stainless	M10 x 25
5	4	31271	Cotter bolt	ø6 x 21
6	4	31601	Split pin, stainless	ø1,6 x 20
7	4	6340263	Connecting rod	
8	4	63468	Split pin with spring lock	
9	4	63444	Lever for dual controls	
10	1	6340264	Pin(4 fcts.+4 available fcts.)	
11	1	33104	Circlip	15U



1910K-RCS

569 05 370

Internal ref. 63 44 860



Dual control, 4 fcts., hydr. swing-up stabilizer legs


Pos	Qty.	Part no.	Description	Remarks
1	1	6340259	Bracket for dual control	
2	2	31564	Lock nut, stainless	M10
3	4	31565	Washer, stainless	10 mm
4	2	31513	Set screw, stainless	M10 x 25
5	3	31271	Cotter bolt	ø6 x 21
6	3	31601	Split pin, stainless	ø1,6 x 20
7	3	6340263	Connecting rod	
8	3	63468	Split pin with spring lock	
9	3	63483	Lever for dual control	
10	1	6340262	Pin (4 functions)	
11	1	33104	Circlip	15U



1910K-RCS

569 05 380

Internal ref. 63 45 880



Dual control, 4 fcts. + 4 available fcts. (hydr. swing-up stabilizer legs)


Pos	Qty.	Part no.	Description	Remarks
1	1	6340269	Bracket for dual control	
2	2	31564	Lock nut, stainless	M10
3	4	31565	Washer, stainless	10 mm
4	2	31513	Set screw, stainless	M10 x 25
5	4	31271	Cotter bolt	ø6 x 21
6	4	31601	Split pin, stainless	ø1,6 x 20
7	4	6340263	Connecting rod	
8	4	63468	Split pin with spring lock	
9	4	63483	Lever for dual control	
10	1	6340264	Pin(4 fcts.+4 available fcts.)	
11	1	33104	Circlip	15U



1910K-RCS

569 05 400

63 55 110
63 46 450
63 43 250 63 43 090
63 55 470 63 43 080
Internal ref. 63 43 010



Hose kit, loader functions, std.


Pos	Qty.	Part no.	Description	Remarks
		6343010	Hose kit, column, std.	
		6343080	Hose kit, boom cylinder	
		6343090	Hose kit, main boom, std.	
		6346450	Hose kit, main boom, std.V	
		6355110	Hose kit, main boom, std.	1210L/1730L
		6355470	Hose kit, main boom, std.	1710L/2530L
		6343250	Clamp kit, std.	
1	1	25201	Bulkhead connection	GSS 12 L
2	1	26335	Bulkhead connection	P-GSV 16 S
3	1	6340315	Bracket, bulkhead connections	
4	2	30886	Lock nut, stainless	M8
5	6	31147	Face washer, 8 mm	8 mm
6	2	30134	Set screw, stainless	M8 x 25
7	2	0017690	Hose	3/8" x 1300 mm V90/L
8	1	56382	Hose	
9	1	0017600	Hose	
10	1	56529	Hose	1/2 X 3500 mm L/L
11	1	0017770	Hose	
12	2	56950	Hose 3/8" x 2450 L/90 (12L)	
13	1	56951	Hose 3/8" x 4650 L/L (12L)	
14	1	56952	Hose 1/2" x 4650 L/L(16S)	
15	2	56917	Hose	
16	1	56918	Hose	
17	1	56916	Hose	
18	2	6341002	Hose clamp, back plate	
19	4	33292	Circlip	
20	4	6341004	Distance pipe (Ø12/6,5x23,5)	
21	2	63563	Clamp	
22	4	30436	Screw	MC8 x 45
23	3	6341001	Hose clamp	
24	6	30438	Screw	MC8 x 20
25	3	63561	Clamp	
26	1	6340252	Bracket for swivel coupling	
27	5	58478	Swivel coupling	M18 x 1,5 12L
28	1	58479	Swivel coupling	M24 x 1,5 16L
29	2	30131	Set screw, stainless	M8 x 16
30	1	62846	Hose	1/2" x 2750 L/L (16S, M24X1.5)
31	3	0015130	Hose	3/8" x 2750 L/L (12L)
32	2	0015120	Hose	3/8" x 1400 L/L (12L)
33	2	0015500	Hose	
34	3	30199	Steel bolt, stainless	M6 x 65



1910K-RCS

569 05 400

63 55 110
63 46 450
63 43 250 63 43 090
63 55 470 63 43 080
Internal ref. 63 43 010



Hose kit, loader functions, std.

Pos	Qty.	Part no.	Description	Remarks
35	6	32302	Face washer, stainless	6 mm
36	1	63562	Clamp	
37	1	6340238	Clamp, complete	
38	3	30884	Lock nut, stainless	M6
39	2	29131	Protective cover	400 mm
40	2	27275	Cable tie, black, 7.6x385mm	



1910K-RCS

569 05 410


63 43 260

63 43 080

63 46 470

63 43 110

Internal ref. 63 43 040



* 1300/1620: Pos.8+9
1800/2820: Pos.10+11

Hose kit, loader functions, 1 EXV.

Pos	Qty.	Part no.	Description	Remarks
		6343040	Hose kit, column, 1 EXV	
		6343110	Hose kit, main boom, 1 EXV	
		6346470	Hose kit, main boom, 1 EXV	
		6343080	Hose kit, boom cylinder	
		6343260	Clamp, 1 EXV	
1	3	25201	Bulkhead connection	GSS 12 L
2	1	26335	Bulkhead connection	P-GSV 16 S
3	1	6340315	Bracket, bulkhead connections	
4	2	30886	Lock nut, stainless	M8
5	6	31147	Face washer, 8 mm	8 mm
6	2	30134	Set screw, stainless	M8 x 25
7	2	0017690	Hose	3/8" x 1300 mm V90/L
8	1	56382	Hose	
9	3	0017600	Hose	
10	1	56529	Hose	1/2 X 3500 mm L/L
11	3	0017770	Hose	
12	2	6341002	Hose clamp, back plate	
13	3	63562	Clamp	
14	6	63561	Clamp	
15	4	33292	Circlip	
16	4	6341004	Distance pipe (Ø12/6,5x23,5)	
17	4	30436	Screw	MC8 x 45
18	3	6341001	Hose clamp	
19	6	30438	Screw	MC8 x 20
20	1	6340252	Bracket for swivel coupling	
21	7	58478	Swivel coupling	M18 x 1,5 12L
22	1	58479	Swivel coupling	M24 x 1,5 16L
23	2	30131	Set screw, stainless	M8 x 16
24	1	62846	Hose	1/2" x 2750 L/L (16S, M24X1.5)
25	5	0015130	Hose	3/8" x 2750 L/L (12L)
26	2	0015120	Hose	3/8" x 1400 L/L (12L)
27	2	0015500	Hose	
28	3	30199	Steel bolt, stainless	M6 x 65
29	6	32302	Face washer, stainless	6 mm
30	1	6340238	Clamp, complete	
31	3	30884	Lock nut, stainless	M6
32	2	29131	Protective cover	400 mm
33	2	27275	Cable tie, black, 7.6x385mm	



1910K-RCS

569 05 420


63 43 270

63 43 080

63 46 480

63 43 120

Internal ref. 63 43 050



Hose kit, loader functions, 2 EXV.

Pos	Qty.	Part no.	Description	Remarks
		6343050	Hose kit, column, 2 EXV	
		6343120	Hose kit, main boom, 2 EXV	1300K-1830K, 2310S
		6346480	Hose kit, main boom, 2 EXV	1800K-2630K
		6343080	Hose kit, boom cylinder	
		6343270	Clamp, 2 EXV	
1	5	25201	Bulkhead connection	GSS 12 L
2	1	26335	Bulkhead connection	P-GSV 16 S
3	1	6340315	Bracket, bulkhead connections	
4	2	30886	Lock nut, stainless	M8
5	6	31147	Face washer, 8 mm	8 mm
6	2	30134	Set screw, stainless	M8 x 25
7	2	0017690	Hose	
8	1	56382	Hose	
9	5	0017600	Hose	
10	1	56529	Hose	1/2 X 3500 mm L/L
11	5	0017770	Hose	
12	2	6341002	Hose clamp, back plate	
13	3	63562	Clamp	
14	11	63561	Clamp	
15	4	33292	Circlip	
16	4	6341004	Distance pipe (Ø12/6,5x23,5)	
17	4	30436	Screw	MC8 x 45
18	3	6341001	Hose clamp	
19	6	30438	Screw	MC8 x 20
20	1	6340252	Bracket for swivel coupling	
21	9	58478	Swivel coupling	M18 x 1,5 12L
22	1	58479	Swivel coupling	M24 x 1,5 16L
23	2	30131	Set screw, stainless	M8 x 16
24	1	62846	Hose	1/2 X 2750 M24X1.5 L/L
25	7	0015130	Hose	
26	2	0015120	Hose	
27	2	0015500	Hose	
28	3	30199	Steel bolt, stainless	M6 x 65
29	6	32302	Face washer, stainless	6 mm
30	1	6340238	Clamp, complete	
31	3	30884	Lock nut, stainless	M6
32	2	29131	Protective cover	400 mm
33	2	27275	Cable tie, black, 7.6x385mm	



1910K-RCS

569 05 430


63 43 290

63 46 460

63 43 100

63 43 080

Internal ref. 63 43 020



Hose kit, loader functions, std./winch


Pos	Qty.	Part no.	Description	Remarks
		6343020	Hose kit, column, winch	
		6343080	Hose kit, boom cylinder	
		6343100	Hose kit, main boom, winch	
		6346460	Hose kit, main boom, winch	
		6343290	Clamp, winch	
1	1	25261	Bulkhead connection	P-GSV 8 L
2	1	6340986	Bracket, bulkhead connections	
3	1	25201	Bulkhead connection	GSS 12 L
4	3	26335	Bulkhead connection	P-GSV 16 S
5	2	30886	Lock nut, stainless	M8
6	6	31147	Face washer, 8 mm	8 mm
7	2	30134	Set screw, stainless	M8 x 25
8	1	62539	Hose	1/4 X 3430 M14 X 1.5 L/L
9	2	0017690	Hose	3/8" x 1300 mm V90/L
10	3	56382	Hose	1/2 X 3400 mm L/L
11	1	0017600	Hose	
12	3	56529	Hose	1/2 X 3500 mm L/L
13	1	0017770	Hose	
14	4	27275	Cable tie, black, 7.6x385mm	
15	2	6341002	Hose clamp, back plate	
16	3	63562	Clamp	
17	3	63563	Clamp	
18	4	33292	Circlip	
19	4	6341004	Distance pipe (Ø12/6,5x23,5)	
20	4	30436	Screw	MC8 x 45
21	3	6341001	Hose clamp	
22	6	30438	Screw	MC8 x 20
23	3	63561	Clamp	
24	1	6340253	Bracket for swivel coupling	
25	6	58478	Swivel coupling	M18 x 1,5 12L
26	3	58479	Swivel coupling	M24 x 1,5 16L
27	2	26101	Reducing connection	REDSDN 12/8 L
28	2	30131	Set screw, stainless	M8 x 16
29	3	62846	Hose	1/2" x 2750 L/L (16S, M24X1.5)
30	1	56024	Hose	1/4X2800 M14X1.5 L/90
31	3	0015130	Hose	3/8" x 2750 L/L (12L)
32	2	0015120	Hose	3/8" x 1400 L/L (12L)
33	2	0015500	Hose	
34	3	30199	Steel bolt, stainless	M6 x 65
35	6	32302	Face washer, stainless	6 mm
36	1	6340238	Clamp, complete	



1910K-RCS

569 05 430

63 43 290
63 46 460
63 43 100
63 43 080
Internal ref. 63 43 020



569 05 430

From loader 1540001

To loader

Created 11-01-2019

Modified

Hose kit, loader functions, std./winch

Pos	Qty.	Part no.	Description	Remarks
37	3	30884	Lock nut, stainless	M6
38	1	26149	Connection	ELSD 22 L
39	1	25286	Reducing connection	REDSDN 22/8 L
40	2	29131	Protective cover	400 mm




1910K-RCS

569 05 440

63 43 280
63 43 080
63 46 490
63 43 130

Internal ref. 63 43 030



Hose kit, loader functions, 2 EXV/winch

Pos	Qty.	Part no.	Description	Remarks
		6343030	Hose kit, column, 2 EXV/winch	
		6343130	Hose kit, main boom, 2 EXV/win	
		6346490	Hose kit, main boom, 2 EXV	
		6343080	Hose kit, boom cylinder	
		6343280	Clamp, 2 EXV/winch	
1	1	25261	Bulkhead connection	P-GSV 8 L
2	5	25201	Bulkhead connection	GSS 12 L
3	3	26335	Bulkhead connection	P-GSV 16 S
4	2	30886	Lock nut, stainless	M8
5	6	31147	Face washer, 8 mm	8 mm
6	1	6340986	Bracket, bulkhead connections	
7	2	30134	Set screw, stainless	M8 x 25
8	1	62539	Hose	1/4 X 3430 M14 X 1.5 L/L
9	2	0017690	Hose	3/8" x 1300 mm V90/L
10	3	56382	Hose	1/2 X 3400 mm L/L
11	5	0017600	Hose	
12	3	56529	Hose	1/2 X 3500 mm L/L
13	5	0017770	Hose	
14	4	27275	Cable tie, black, 7.6x385mm	7,6 x 390mm
15	2	6341002	Hose clamp, back plate	
16	3	63562	Clamp	
17	9	63561	Clamp	
18	3	63563	Clamp	
19	4	33292	Circlip	
20	4	6341004	Distance pipe (Ø12/6,5x23,5)	
21	4	30436	Screw	MC8 x 45
22	3	6341001	Hose clamp	
23	6	30438	Screw	MC8 x 20
24	1	6340253	Bracket for swivel coupling	
25	10	58478	Swivel coupling	M18 x 1,5 12L
26	3	58479	Swivel coupling	M24 x 1,5 16L
27	2	26101	Reducing connection	REDSDN 12/8 L
28	1	56024	Hose	1/4X2800 M14X1.5 L/90
29	2	30131	Set screw, stainless	M8 x 16
30	2	0015120	Hose	3/8" x 1400 L/L (12L)
31	2	0015500	Hose	
32	7	0015130	Hose	3/8" x 2750 L/L (12L)
33	3	62846	Hose	1/2" x 2750 L/L (16S, M24X1.5)
34	3	30199	Steel bolt, stainless	M6 x 65
35	6	32302	Face washer, stainless	6 mm
36	1	6340238	Clamp, complete	



1910K-RCS

569 05 440


63 43 280

63 43 080

63 46 490

63 43 130

Internal ref. 63 43 030



569 05 440

From loader 1540001

To loader

Created 11-01-2019

Modified

Hose kit, loader functions, 2 EXV/winch


Pos	Qty.	Part no.	Description	Remarks
37	3	30884	Lock nut, stainless	M6
38	1	25286	Reducing connection	REDSDN 22/8 L
39	1	26149	Connection	ELSD 22 L
40	2	29131	Protective cover	400 mm



1910K-RCS

569 05 500

63 47 830
Internal ref. 63 47 820



Hydraulic system, slewing


Pos	Qty.	Part no.	Description	Remarks
		6347820		
		6347830		
1	2	25130	Banjo connection	RSWV 12 LR
2	1	6340279	Pipe	
3	1	6340278	Pipe	
4	4	25127	Connection	P-GEV 12 LR-WD
5	1	55713	Load holding valve	
6	1	6340237	Bracket for load-holding valve	
7	2	30112	Set screw, stainless	M6 x 16
8	2	30113	Set screw, stainless	M6 x 20
9	4	32302	Face washer, stainless	6 mm
10	2	0017970	Hose	
11	1	62526	Hose	63 47 820
12	1	62751	Hose	63 47 830
13	1	56668	Hose	5/16"x 650 mm L/V
14	1	62571	Hose	
15	2	25109	Connection	GES 8 LR-WD
16	1	25121	Connection	P-GEV 10 LR-WD
17	1	29865	Cable, 5 m	
18	1	61736	Solenoid 26V	



1910K-RCS

569 05 700

Internal ref. 63 41 190



569 05 700

From loader 1540001

To loader

Created 13-11-2008

Modified 11-10-2011

Hydr. syst., stabilizers, manual extension


Pos	Qty.	Part no.	Description	Remarks
		6341190	Hydr. syst. stabilizers, 2 fct	
1	1	6340265	Pipe, stabilizers	
2	1	6340266	Pipe, stabilizers	
3	1	6340236	Plate	
4	2	32302	Face washer, stainless	6 mm
5	2	30113	Set screw, stainless	M6 x 20
6	8	32478	Screw	M8 x 15
7	8	31147	Face washer, 8 mm	8 mm



1910K-RCS

569 05 710

Internal ref. 63 41 200



569 05 710

From loader 1540001

To loader

Created 13-11-2008

Modified 24-04-2013

Hydr. syst., stabilizers, hydr. extension


Pos	Qty.	Part no.	Description	Remarks
		6341200	Hydr. syst. stabilizers,4func.	
1	1	6340265	Pipe, stabilizers	
2	1	6340266	Pipe, stabilizers	
3	1	6340267	Pipe, stabilizers	
4	1	6340268	Pipe, stabilizers	
5	1	6340236	Plate	
6	2	32302	Face washer, stainless	6 mm
7	2	30113	Set screw, stainless	M6 x 20
8	2	26898	Elbow connection	8 mm - 1/4"
9	8	32486	Screw	MCL8 x 20
10	8	31147	Face washer, 8 mm	8 mm
11	2	63430	Guide	ø30 x 2 mm



1910K-RCS

569 05 750

Internal ref. 63 40 850



★ Loctite 270

Hydraulic system, SV (+ SR-20° -Obsolete) 4600, manual extension


Pos	Qty.	Part no.	Description	Remarks
1	2	31539	Screw, stainless	MC6 x 16
2	2	32302	Face washer, stainless	6 mm
3	2	26894	Elbow connection	10mm - 90 gr.
4	1	6344095	End plate	
5	1	56279	Hose	
6	1	32490	Screw	MCL6 x 16
7	1	6344109	Clamp	
8	1	6306097	Clamp	
9	2	6340798	Pipe	
10	2	56460	Hose	1/4" x 550 mm L/S - 10
11	2	25635	Screw	VSK 10L
12	1	31262	Threaded pin	
13	2	32317	Lock nut	M14
14	2	32145	Nut, stainless	M14
15	6	27275	Cable tie, black, 7.6x385mm	7,6 x 390mm
16	1	6344107	Clamp	



1910K-RCS

569 05 755

63 43 600
Internal ref. 63 43 850



★ Loctite 270

Hydraulic system, SR-60°/180°, 4600, manual extension


Pos	Qty.	Part no.	Description	Remarks
		6343850	Hydr. syst., SR-60°- 4600 man	
		6343600	Hydr.system, SR180°, 4600 man.	
1	2	31539	Screw, stainless	MC6 x 16
2	2	32302	Face washer, stainless	6 mm
3	2	26894	Elbow connection	10mm - 90 gr.
4	1	6344095	End plate	
5	1	56279	Hose	
6	1	32490	Screw	MCL6 x 16
7	1	6344109	Clamp	
8	1	6306097	Clamp	
9	1	31262	Threaded pin	
10	2	32317	Lock nut	M14
11	2	32145	Nut, stainless	M14
12	1	6340797	Pipe	
13	1	6340796	Pipe	
14	6	27275	Cable tie, black, 7.6x385mm	
15	1	6306164	Bracket	
16	1	30113	Set screw, stainless	M6 x 20
17	2	31134	Washer, stainless	6 mm
18	1	30884	Lock nut, stainless	M6
19	2	25125	Elbow connection	WV 10 L
20	2	56363	Hose	L=8mm / V=10 mm
21	2	25635	Screw	VSK 10L
22	1	6344107	Clamp	
23	1	56905	Hose 1/4 X 550 mm	L=8mm/L=10mm
24	1	56904	Hose 1/4 X 500 mm	L=8mm/L=10mm



1910K-RCS

569 05 760

Internal ref. 63 40 860



Hydraulic system, SV (+ SR-20° -Obsolete) 4600, hydr. extension


Pos	Qty.	Part no.	Description	Remarks
1	2	31539	Screw, stainless	MC6 x 16
2	2	32302	Face washer, stainless	6 mm
3	1	30585	Countersunk screw	MK6 x 30
4	2	64408	Clamp	
5	1	26864	Elbow connection	WSS 8L
6	2	26894	Elbow connection	10mm - 90 gr.
7	3	32478	Screw	M8 x 16
8	1	6344097	End plate	
9	1	6344098	Bracket	
10	1	6340799	Pipe, extension cylinder	
11	1	55228	Sequence valve	
12	1	6340790	Beam cylinder	
13	2	30586	Countersunk screw	MK12 x 25
14	2	6306241	Mounting plate	
15	1	6340118	Pin	Serie 1300/1500
16	2	33117	Circlip	35U
17	1	32490	Screw	MCL6 x 16
18	1	6344096	Clamp	
19	1	6306097	Clamp	
20	2	56364	Hose	5/16" x 2300 mm L/S - 10
21	1	28718	Nylon drag chain (26 links)	
22	2	30542	Counter-sunk screw	MK6 x 12
23	2	6340798	Pipe	
24	2	56460	Hose	1/4" x 550 mm L/S - 10
25	1	27275	Cable tie, black, 7.6x385mm	
26	2	25635	Screw	VSK 10L
27	1	6344106	Welding plate	



1910K-RCS

569 05 770

63 43 590
Internal ref. 63 40 870



Hydraulic system, SH + SR-60°/180° - 4600, hydr. extension


Pos	Qty.	Part no.	Description	Remarks
		6340870	Hydraulic system, SH - 4600	
		6343590	Hydr.system, SR180°, 4600 hydr	
1	2	31539	Screw, stainless	MC6 x 16
2	2	32302	Face washer, stainless	6 mm
3	2	64408	Clamp	
4	1	30585	Countersunk screw	MK6 x 30
5	1	26864	Elbow connection	WSS 8L
6	2	26894	Elbow connection	10mm - 90 gr.
7	3	32478	Screw	M8 x 16
8	1	6344097	End plate	
9	1	6344098	Bracket	
10	1	6340799	Pipe, extension cylinder	
11	1	55228	Sequence valve	
12	1	6340790	Beam cylinder	
13	2	30586	Countersunk screw	MK12 x 25
14	2	6306241	Mounting plate	
15	1	6340118	Pin	Serie 1300/1500
16	2	33117	Circlip	35U
17	1	32490	Screw	MCL6 x 16
18	1	6344096	Clamp	
19	1	6306097	Clamp	
20	2	56364	Hose	5/16" x 2300 mm L/S - 10
21	1	28718	Nylon drag chain (26 links)	
22	2	30542	Counter-sunk screw	MK6 x 12
23	1	6340797	Pipe	
24	1	6340796	Pipe	
25	1	27275	Cable tie, black, 7.6x385mm	7,6 x 390mm
26	2	25635	Screw	VSK 10L
27	1	6306164	Bracket	
28	1	30113	Set screw, stainless	M6 x 20
29	2	31134	Washer, stainless	6 mm
30	1	30884	Lock nut, stainless	M6
31	2	25125	Elbow connection	WV 10 L
32	2	56363	Hose	1/4" x 450 L/V
33	1	6344106	Welding plate	
34	1	56905	Hose 1/4 X 550 mm	L=8mm/L=10mm
35	1	56904	Hose 1/4 X 500 mm	L=8mm/L=10mm



1910K-RCS

569 05 780

Internal ref. 63 44 520



★ Loctite 270

569 05 780

From loader 1540001

To loader

Created 27-02-2007

Modified 22-09-2014

**Hydraulic system, SV (+ SR-20° -Obsolete) 5570,
manual extension**


Pos	Qty.	Part no.	Description	Remarks
1	2	31539	Screw, stainless	MC6 x 16
2	2	26894	Elbow connection	10mm - 90 gr.
3	2	31791	Washer M16, stainless	16 mm
4	1	6344095	End plate	
5	1	56279	Hose	
6	1	32490	Screw	MC6 x 16
7	1	6344109	Clamp	
8	1	6306097	Clamp	
9	2	6344218	Pipe	
10	2	56460	Hose	1/4" x 550 mm L/S - 10
11	2	25635	Screw	VSK 10L
12	2	32302	Face washer, stainless	6 mm
13	1	31262	Threaded pin	
14	2	32317	Lock nut	M14
15	2	32145	Nut, stainless	M14
16	6	27275	Cable tie, black, 7.6x385mm	
17	1	6344107	Clamp	



1910K-RCS

569 05 785

63 43 620
Internal ref. 63 45 520



★ Loctite 270

Hydraulic system, SR-60°/180°, 5570, manual extension


Pos	Qty.	Part no.	Description	Remarks
		6345520	Hydr. syst., SR-60°- 5570 man	
		6343620	Hydraulic syst.,SR180°,5570man	
1	2	31539	Screw, stainless	MC6 x 16
2	2	26894	Elbow connection	10mm - 90 gr.
3	2	31791	Washer M16, stainless	16 mm
4	1	6344095	End plate	
5	1	56279	Hose	
6	1	32490	Screw	MC6 x 16
7	1	6344109	Clamp	
8	1	6306097	Clamp	
9	1	6344234	Pipe	
10	1	6344233	Pipe	
11	2	32302	Face washer, stainless	6 mm
12	1	31262	Threaded pin	
13	2	32317	Lock nut	M14
14	2	32145	Nut, stainless	M14
15	6	27275	Cable tie, black, 7.6x385mm	
16	1	6306164	Bracket	
17	1	30113	Set screw, stainless	M6 x 20
18	2	31134	Washer, stainless	6 mm
19	1	30884	Lock nut, stainless	M6
20	2	25125	Elbow connection	WV 10 L
21	2	56363	Hose	L=8mm / V=10 mm
22	2	25635	Screw	VSK 10L
23	1	6344107	Clamp	
24	1	56905	Hose 1/4 X 550 mm	L=8mm/L=10mm
25	1	56904	Hose 1/4 X 500 mm	L=8mm/L=10mm



1910K-RCS

569 05 790

63 44 530
Internal ref. 63 40 880



★ Loctite 243

Hydraulic system, SV (+ SR-20° -Obsolete) 5570, hydr. extension

Pos	Qty.	Part no.	Description	Remarks
		6340880	Hydraulic system, SV-SR - 5570	
		6344530	Hydraulic system, SV-SR - 5570	
1	4	32481	Screw	MCL8 x 16
2	2	32222	Button head screw	M6 x 16
3	2	63556	Guide	
4	1	26864	Elbow connection	WSS 8L
5	2	26894	Elbow connection	10mm - 90 gr.
6	2	31791	Washer M16, stainless	16 mm
7	3	32478	Screw	M8 x 16
8	1	6344097	End plate	
9	1	6344098	Bracket	
10	1	6344219	Pipe	
11	1	30884	Lock nut, stainless	M6
12	3	32302	Face washer, stainless	6 mm
13	1	55228	Sequence valve	
14	1	6344210	Beam cylinder	
15	2	30586	Countersunk screw	MK12 x 25
16	2	6306241	Mounting plate	
17	1	6340118	Pin	Serie 1300/1500
18	1	6344118	Pin	Serie 1800/2200
19	1	32490	Screw	MCL6 x 16
20	1	6344096	Clamp	
21	1	6306097	Clamp	
22	2	56364	Hose	5/16" x 2300 mm L/S - 10
23	1	28886	Nylon drag chain	
24	2	30542	Counter-sunk screw	MK6 x 12
25	2	6344218	Pipe	
26	2	64408	Clamp	
27	1	32352	Countersunk screw	MK6 x 40
28	2	56460	Hose	1/4" x 550 mm L/S - 10
29	2	33117	Circlip	35U
30	2	25635	Screw	VSK 10L
31	1	6344106	Welding plate	



1910K-RCS


569 05 800

63 43 740

63 43 610

63 46 530

Internal ref. 63 42 540



★ Loctite 243

Hydraulic system, SH + SR-60°/180° - 5570, hydr. extension

Pos	Qty.	Part no.	Description	Remarks
		6342540	Hydraulic system, SH - 5570	1300/1500
		6346530	Hydraulic system, SH - 5570	1800/2200/2310S
		6343610	Hydr.system,SR180°, 5570 hydr	1300/1500
		6343740	Hydr.system,SR180°, 5570 hydr	1800/2200/2310S
1	4	32481	Screw	MCL8 x 16
2	2	32222	Button head screw	M6 x 16
3	2	63556	Guide	
4	1	26864	Elbow connection	WSS 8L
5	2	26894	Elbow connection	10mm - 90 gr.
6	2	31791	Washer M16, stainless	16 mm
7	3	32478	Screw	M8 x 16
8	1	6344097	End plate	
9	1	6344098	Bracket	
10	1	6344219	Pipe	
11	2	30884	Lock nut, stainless	M6
12	3	32302	Face washer, stainless	6 mm
13	1	55228	Sequence valve	
14	1	6344210	Beam cylinder	
15	2	30586	Countersunk screw	MK12 x 25
16	2	6306241	Mounting plate	
17	1	6340118	Pin	Serie 1300/1500
18	1	6344118	Pin	Serie 1800/2200
19	1	32490	Screw	MCL6 x 16
20	1	6344096	Clamp	
21	1	6306097	Clamp	
22	2	56364	Hose	5/16" x 2300 mm L/S - 10
23	2	30542	Counter-sunk screw	MK6 x 12
24	1	28886	Nylon drag chain	
25	1	6344234	Pipe	
26	1	6344233	Pipe	
27	2	64408	Clamp	
28	1	32352	Countersunk screw	MK6 x 40
29	2	33117	Circlip	35U
30	2	25635	Screw	VSK 10L
31	2	25125	Elbow connection	WV 10 L
32	2	56363	Hose	L=8mm / V=10 mm
33	1	6306164	Bracket	
34	1	30113	Set screw, stainless	M6 x 20
35	2	31134	Washer, stainless	6 mm
36	1	27275	Cable tie, black, 7.6x385mm	
37	1	6344106	Welding plate	



1910K-RCS


569 05 800

63 43 740

63 43 610

63 46 530

Internal ref. 63 42 540



★ Loctite 243

569 05 800

From loader 1540001

To loader

Created 15-01-2010

Modified 23-09-2014

**Hydraulic system, SH + SR-60°/180° - 5570, hydr.
extension**


Pos	Qty.	Part no.	Description	Remarks
38	1	56905	Hose 1/4 X 550 mm	L=8mm/L=10mm
39	1	56904	Hose 1/4 X 500 mm	L=8mm/L=10mm



1910K-RCS

569 05 810

Internal ref. 63 44 550



★ Loctite 243

Hydraulic system, DV (+ DR-20° -Obsolete) 6450, hydr. extension


Pos	Qty.	Part no.	Description	Remarks
1	4	32481	Screw	MCL8 x 16
2	2	30925	Round-head screw	M8 x 16
3	2	31147	Face washer, 8 mm	
4	1	6306099	Spring holder	
5	2	63556	Guide	
6	3	32302	Face washer, stainless	6 mm
7	3	64408	Clamp	
8	1	32410	Screw	MC6 x 40
9	2	32491	Round-head screw	M6 x 20
10	1	26864	Elbow connection	WSS 8L
11	2	26894	Elbow connection	10mm - 90 gr.
12	2	31791	Washer M16, stainless	16 mm
13	3	30475	Screw	MC12 x 40
14	1	6344097	End plate	
15	1	6344098	Bracket	
16	1	6344229	Pipe	
17	1	55228	Sequence valve	
18	1	6344220	Beam cylinder	
19	1	6340119	Pin	
20	2	33117	Circlip	35U
21	2	6306241	Mounting plate	
22	2	30586	Countersunk screw	MK12 x 25
23	1	32490	Screw	MC6 x 16
24	1	6344096	Clamp	
25	1	6306097	Clamp	
26	2	56365	Hose	5/16" x 3340 mm L/S - 10
27	2	30542	Counter-sunk screw	MK6 x 12
28	1	28887	Nylon drag chain	
29	2	6344228	Pipe	
30	2	56366	Hose	1/4" x 260 mm L/S - 10
31	2	25635	Screw	VSK 10L
32	1	6342561	Guide rail	



1910K-RCS

569 05 815

63 43 630
Internal ref. 63 42 560



Hydraulic system, DH + DR-60°/180° - 6450, hydr. extension


Pos	Qty.	Part no.	Description	Remarks
		6342560	Hydraulic system, DH - 6450	
		6343630	Hydr.system, DR180°, 6450 hydr	
1	4	32481	Screw	MCL8 x 16
2	2	30925	Round-head screw	M8 x 16
3	2	31147	Face washer, 8 mm	
4	1	6306099	Spring holder	
5	2	63556	Guide	
6	2	32491	Round-head screw	M6 x 20
7	3	64408	Clamp	
8	1	32410	Screw	MC6 x 40
9	3	32302	Face washer, stainless	6 mm
10	1	26864	Elbow connection	WSS 8L
11	2	26894	Elbow connection	10mm - 90 gr.
12	2	31791	Washer M16, stainless	16 mm
13	3	32459	Screw	MC10 x 85
14	1	6344097	End plate	
15	1	6344098	Bracket	
16	1	6344229	Pipe	
17	1	55228	Sequence valve	
18	1	6344220	Beam cylinder	
19	1	6340119	Pin	
20	2	33117	Circlip	35U
21	2	6306241	Mounting plate	
22	2	30586	Countersunk screw	MK12 x 25
23	1	32490	Screw	MC6 x 16
24	1	6344096	Clamp	
25	1	6306097	Clamp	
26	2	56365	Hose	5/16" x 3340 mm L/S - 10
27	2	30542	Counter-sunk screw	MK6 x 12
28	1	28887	Nylon drag chain	
29	1	6344236	Pipe	
30	1	6344235	Pipe, stabilizers	
31	2	25125	Elbow connection	WV 10 L
32	2	56363	Hose	L=8mm / V=10 mm
33	2	25635	Screw	VSK 10L
34	1	6306164	Bracket	
35	1	30113	Set screw, stainless	M6 x 20
36	2	31134	Washer, stainless	
37	1	30884	Lock nut, stainless	M6
38	1	6342561	Guide rail	
39	1	56905	Hose 1/4 X 550 mm	L=8mm/L=10mm



1910K-RCS

569 05 815

63 43 630
Internal ref. 63 42 560



569 05 815

From loader 1540001

To loader

Created 15-05-2009

Modified 03-04-2019

**Hydraulic system, DH + DR-60°/180° - 6450, hydr.
extension**



Pos	Qty.	Part no.	Description	Remarks
40	1	56904	Hose 1/4 X 500 mm	L=8mm/L=10mm




1910K-RCS

569 06 030

63 46 960
Internal ref. 63 46 950



* 90L
** 150L



Hydr. syst. pump + return hoses


Pos	Qty.	Part no.	Description	Remarks
		6346950		
		6346960		
1	1	26149	Connection	ELSD 22 L
2	1	25286	Reducing connection	REDSDN 22/8 L
3	1	62763	Hose	1/2 X 750 M24 X 1.5 L/90
4	1	0017970	Hose	
5	1	59355	Return block	
6	1	25103	Plug	VS-R-1/2 WD
7	1	25277	Plug	VS-R-3/8 WD
8	1	25180	Reducing connection	RED-R 1/2-WD/R 1/4
9	1	25279	Connection	EGESD 22 LR-WD
10	1	25244	Connection	GES 8 LR 3/8-WD
11	2	25169	Connection	P-GEV 22 LR-WD
12	1	25195	Connection	P-GEV 12 LR 1/4-WD
13	1	25904	Socket	
14	1	55239	Sequence valve	
15	2	26122	Connection	P-GEV 22 LR 1-WD
16	1	25209	Elbow connection	EWSD 22 L
17	1	56501	Hose	Til køler/tank
18	1	57859		
19	1	26900		24-SWOE 45-22L
20	1	62648	Hose	Til tank
21	1	26163	Connection	P-GEV 28 LR-WD
22	1	25892	Straight connection	GA 28 LR 1.1/4
23	1	26192	Elbow connection	EWSD 22 L
24	1	62762	Hose	1" x 750mm L/90



1910K-RCS

569 06 040

63 47 860
Internal ref. 63 47 850



Hydr. syst. pump + return hoses


Pos	Qty.	Part no.	Description	Remarks
		6347850		
		6347860		
1	1	26149	Connection	ELSD 22 L
2	1	25298	Connection	REDSDN 22/15 L
3	1	25284	Elbow connection	EWSD 15 L
4	3	25273	Connection	GES 15 LR 3-8 A3L
5	2	56504	Hose	
6	1	59355	Return block	
7	1	25103	Plug	VS-R-1/2 WD
8	1	25277	Plug	VS-R-3/8 WD
9	1	25180	Reducing connection	RED-R 1/2-WD/R 1/4
10	1	25279	Connection	EGESD 22 LR-WD
11	2	25169	Connection	P-GEV 22 LR-WD
12	2	26122	Connection	P-GEV 22 LR 1-WD
13	1	25209	Elbow connection	EWSD 22 L
14	1	56501	Hose	Til køler/tank
15	1	57859		Til køler
16	1	26900		24-SWOE 45-22L
17	1	62648	Hose	Til tank
18	1	26163	Connection	P-GEV 28 LR-WD
19	1	25892	Straight connection	GA 28 LR 1.1/4
20	1	26192	Elbow connection	EWSD 22 L
21	1	26326	Reducing connection	REDSDN 28/22 L
22	1	62762	Hose	Til køler/tank
23	1	6301067	Fitting	Til tank
24	1	31468	Clamp	Til tank
25	2	30966	Screw	Til tank
26	2	32302	Face washer, stainless	Til tank
27	2	30884	Lock nut, stainless	Til tank



1910K-RCS

569 06 070

Internal ref. 63 41 580



569 06 070

From loader 1540001

To loader

Created 24-11-2008

Modified 12-11-2018

Tank, cpl.


Pos	Qty.	Part no.	Description	Remarks
1	1	6340531	Tank	
2	1	49405	Return filter	
3	1	49406	Filter	
4	1	49407	Air filter	
5	1	49418	Seal kit	
6	2	25277	Plug	VS-R-3/8 WD
7	2	64500	Elbow	WES 8/R-3/8"
8	1	62511	Plastic hose	
9	2	30135	Set screw, stainless	M8 x 30
10	2	31452	Clamp	
11	1	64588	Plastic plug	
12	2	31147	Face washer, 8 mm	




1910K-RCS

569 06 080


63 95 290
Internal ref. 63 47 500



Placement of mounting brackets 6340557
1300K/1730K



Placement of mounting brackets 6340557
1800K/2430K



569 06 080

From loader 1540001

To loader

Created 12-10-2017

Modified 05-04-2019

Tank incl. fittings, (90L)


Pos	Qty.	Part no.	Description	Remarks
1	1	6341580	Tank with fittings	
2	4	62000	Torsion balancer Type 2	
3	4	30130	Set screw, stainless	M8 x 12
4	4	30856	Nut, stainless	M8
5	2	30177	Set screw	M12 x 30
6	4	31147	Face washer, 8 mm	
7	4	32338	Washer	12 mm
8	1	6340557	Mounting fittings	
9	2	30860	Nut, stainless	M12
10	1	25398	Plug	
11	1	6395290	Ball valve for tank	
12	1	25342	Hexagon nipple	2"
13	2	25430	Elbow	
14	1	25595	Union nut 2"	
15	1	58787	3-way ball valve	2"
16	1	60991	Nipple	CN 200 / HMF



1910K-RCS

569 06 095

Internal ref. 63 47 540



569 06 095

From loader 1540001

To loader

Created 12-10-2017

Modified

Tank bracket


Pos	Qty.	Part no.	Description	Remarks
1	1	6340587	Tank bracket	
2	3	31177	Washer	10 mm
3	3	31517	Set screw, stainless	M10 x 20



1910K-RCS

569 06 100

63 47 810
Internal ref. 63 47 800



Oil cooler

569 06 100

From loader 1540001

To loader

Created 22-09-2017

Modified


Pos	Qty.	Part no.	Description	Remarks
		6347800		
		6347810		
1	1	50272	Oil cooler, 24 V + Smartdrive	63 47 810
2	1	50273	Oil cooler 12 V + Smartdrive	63 47 800
3	6	31517	Set screw, stainless	M10 x 20
4	6	31565	Washer, stainless	10 mm
5	1	6354757	Cooler bracket	
6	1	6340928	Protection plate	



1910K-RCS

569 06 110

63 47 780
Internal ref. 63 47 790



Oil cooler

569 06 110

From loader 1540001

To loader

Created 20-06-2017

Modified


Pos	Qty.	Part no.	Description	Remarks
		6347790		
		6347780		
1	1	50274	Oil cooler 24 V + Smartdrive	
2	1	50275	Oil cooler 12 V + Smartdrive	
3	6	31517	Set screw, stainless	M10 x 20
4	6	31565	Washer, stainless	10 mm
5	1	6354757	Cooler bracket	



1910K-RCS

569 06 130

Internal ref. 63 47 550



569 06 130

From loader 1540001

To loader

Created 23-06-2017

Modified 12-12-2017

High-pressure filter


Pos	Qty.	Part no.	Description	Remarks
1	2	26840	Straight connection	P-GEV 25 SR A3L
2	1	49401	High pressure filter	
3	1	49417	Seal kit	
4	1	49402	Filter	
5	1	56681	Hose 3/4 X 1800	
6	1	6882974	Bracket, high pressure filter	
7	3	30131	Set screw, stainless	M8 x 16
8	3	31155	Spring washer	8 mm




1910K-RCS

569 06 200

66 53 720
66 53 730
66 53 700 66 53 740
66 53 710 66 53 750
Internal ref. 66 53 760



	A	B	C
66 53 700	55 925	X	
66 53 710	55 926	X	
66 53 720	55 927		X
66 53 730	55 928	X	
66 53 740	55 929		X
66 53 750	55 930	X	
66 53 760	55 931		X



Control valves, Danfoss, 7 sects., fixed


Pos	Qty.	Part no.	Description	Remarks
		6653760		
		6653750		
		6653740		
		6653730		
		6653720		
		6653710		
		6653700		
1	1	55925	Control valve PVG 32	Ventilblok, 4 sekt._F
2	1	55926	Control valve PVG 32	Ventilblok, 5 sekt._1X_F
3	1	55927	Control valve PVG 32	Ventilblok. 5 sekt._Wi_F
4	1	55928	Control valve PVG 32	Ventilblok, 6 sekt._2X_F
5	1	55929	Control valve PVG 32	Ventilblok, 7 sekt._2X_Wi_F
6	1	55930	Control valve PVG 32	Ventilblok, 6 sekt._FJ_F
7	1	55931	Control valve PVG 32	Ventilblok, 7 sekt._FJ_Wi_F
8	1	25169	Connection	P-GEV 22 LR-WD
9	1	26805	Straight connection	GES 25 SR 3-4-WD
10	11	25108	Connection	GES 12 LR 1/2-WD
11	2	26319	Reducing connection	RED-R 3/4-WD/R 3/8
12	1	25253	Connection	P-GEV 10 LR 3/8-WD
13	1	25273	Connection	GES 15 LR 3-8 A3L
14	1	26103	Pressure-gauge connect.	
15	1	25113	Banjo connection	RSWV 8 LR
16	7	28771	Connection cable 0.75 mm2	
17	3	26334	Connection	P-GEV 16 SR-WD
18	1	64416	Cover for sealing	




1910K-RCS

569 06 210

66 53 790
66 53 800
66 53 770 66 53 810
66 53 780 66 53 820
Internal ref. 66 53 830



	A	B	C
66 53 770	55 932	X	
66 53 780	55 933	X	
66 53 790	55 934		X
66 53 800	55 935	X	
66 53 810	55 936		X
66 53 820	55 937	X	
66 53 830	55 938		X



Control valves Danfoss, 7 sect.(crane) + RC stb, fixed flow


Pos	Qty.	Part no.	Description	Remarks
		6653830		
		6653820		
		6653810		
		6653800		
		6653790		
		6653780		
		6653770		
1	1	55932	Control valve PVG 32	Ventilblok, 4 sekt._StbRC_F
2	1	55933	Control valve PVG 32	Ventilblok, 5 sekt._1X_StbRC_F
3	1	55934	Control valve PVG 32	Ventilblok, 5 sekt._Wi_StbRC_F
4	1	55935	Control valve PVG 32	Ventilblok, 6 sekt._2X_StbRC_F
5	1	55936	Control valve PVG 32	Ventilblok, 7 s._2X_Wi_StbRC_F
6	1	55937	Control valve PVG 32	Ventilblok, 6 sekt._FJ_StbRC_F
7	1	55938	Control valve PVG 32	Ventilblok, 7 s._FJ_Wi_StbRC_F
8	1	26805	Straight connection	GES 25 SR 3-4-WD
9	1	25169	Connection	P-GEV 22 LR-WD
10	11	25108	Connection	GES 12 LR 1/2-WD
11	1	26355	Plug	VS-R-3/4 WD
12	1	26319	Reducing connection	RED-R 3/4-WD/R 3/8
13	1	25253	Connection	P-GEV 10 LR 3/8-WD
14	1	26103	Pressure-gauge connect.	
15	1	25113	Banjo connection	RSWV 8 LR
16	6	28771	Connection cable 0.75 mm2	
17	1	7009995	Con. cable Deutsch - AMP black	sort
18	1	7009996	Con. cable Deutsch - AMP grey	grå
19	4	26334	Connection	P-GEV 16 SR-WD
20	1	64416	Cover for sealing	
21	1	25241	Connection	EGESD 12 LR 1/4-WD
22	1	25180	Reducing connection	RED-R 1/2-WD/R 1/4




1910K-RCS

569 06 220

66 53 860
66 53 870
66 53 840 66 53 880
66 53 850 66 53 890
Internal ref. 66 53 900



	A	B	C
66 53 840	55 939		
66 53 850	55 940		
66 53 860	55 941		
66 53 870	55 942		
66 53 880	55 943		
66 53 890	55 944		
66 53 900	55 945		



Control valves, Danfoss, 7 sections, variable


Pos	Qty.	Part no.	Description	Remarks
		6653900		
		6653890		
		6653880		
		6653870		
		6653860		
		6653850		
		6653840		
1	1	55939	Control valve PVG 32	Ventilblok, 4 sekt._V
2	1	55940	Control valve PVG 32	Ventilblok, 5 sekt._1X_V
3	1	55941	Control valve PVG 32	Ventilblok, 5 sekt._Wi_V
4	1	55942	Control valve PVG 32	Ventilblok, 6 sekt._2X_V
5	1	55943	Control valve PVG 32	Ventilblok, 7 sekt._2X_Wi_V
6	1	55944	Control valve PVG 32	Ventilblok, 6 sekt._FJ_V
7	1	55945	Control valve PVG 32	Ventilblok, 7 sekt._FJ_Wi_V
8	1	25169	Connection	P-GEV 22 LR-WD
9	1	26805	Straight connection	GES 25 SR 3-4-WD
10	11	25108	Connection	GES 12 LR 1/2-WD
11	2	26319	Reducing connection	RED-R 3/4-WD/R 3/8
12	1	25253	Connection	P-GEV 10 LR 3/8-WD
13	1	25273	Connection	GES 15 LR 3-8 A3L
14	1	26103	Pressure-gauge connect.	
15	1	25109	Connection	GES 8 LR-WD
16	1	62766	Hose	1/4 X 400 S/90 8L (studs/90grader
17	1	26166	Blanking plug	VSD 8 L
18	1	25181	Coupling nut	M 8 L
19	1	25113	Banjo connection	RSWV 8 LR
20	7	28771	Connection cable 0.75 mm2	
21	3	26334	Connection	P-GEV 16 SR-WD
22	1	64416	Cover for sealing	




1910K-RCS

569 06 230

66 53 930
66 53 940
66 53 910 66 53 950
66 53 920 66 53 960
Internal ref. 66 53 970



	A	B	C
66 53 910	55 946	X	
66 53 920	55 947	X	
66 53 930	55 948		X
66 53 940	55 949	X	
66 53 950	55 950		X
66 53 960	55 951	X	
66 53 970	55 952		X



Control valves Danfoss, 7 sect.(crane) + RC stb, variable flow


Pos	Qty.	Part no.	Description	Remarks
		6653970		
		6653960		
		6653950		
		6653940		
		6653930		
		6653920		
		6653910		
1	1	55946	Control valve PVG 32	Ventilblok, 4 sekt._StbRC_V
2	1	55947	Control valve PVG 32	Ventilblok, 5 sekt._1X_StbRC_V
3	1	55948	Control valve PVG 32	Ventilblok, 5 sekt._Wi_StbRC_V
4	1	55949	Control valve PVG 32	Ventilblok, 6 sekt._2X_StbRC_V
5	1	55950	Control valve PVG 32	Ventilblok, 7 s._2X_Wi_StbRC_V
6	1	55951	Control valve PVG 32	Ventilblok, 6 sekt._FJ_StbRC_V
7	1	55952	Control valve PVG 32	Ventilblok, 7 s._FJ_Wi_StbRC_V
8	1	26805	Straight connection	GES 25 SR 3-4-WD
9	1	25169	Connection	P-GEV 22 LR-WD
10	11	25108	Connection	GES 12 LR 1/2-WD
11	1	26355	Plug	VS-R-3/4 WD
12	1	26319	Reducing connection	RED-R 3/4-WD/R 3/8
13	1	25253	Connection	P-GEV 10 LR 3/8-WD
14	1	26103	Pressure-gauge connect.	
15	1	25109	Connection	GES 8 LR-WD
16	1	62766	Hose	1/4 X 400 S/90 8L (studs/90grader
17	1	26166	Blanking plug	VSD 8 L
18	1	25181	Coupling nut	M 8 L
19	1	25113	Banjo connection	RSWV 8 LR
20	6	28771	Connection cable 0.75 mm2	
21	1	7009995	Con. cable Deutsch - AMP black	sort
22	1	7009996	Con. cable Deutsch - AMP grey	grå
23	4	26334	Connection	P-GEV 16 SR-WD
24	1	64416	Cover for sealing	
25	1	25241	Connection	EGESD 12 LR 1/4-WD
26	1	25180	Reducing connection	RED-R 1/2-WD/R 1/4



1910K-RCS

569 06 500

Internal ref. 63 58 200



1 extra funct., stabilizer mode


Pos	Qty.	Part no.	Description	Remarks
1	2	30118	Steel pin, stainless	M6 x 45
2	4	32302	Face washer, stainless	6 mm
3	2	30884	Lock nut, stainless	M6
4	2	6301202	Bracket	
5	1	59771	Valve housing	
6	1	61778	Solenoid	
7	1	59057	Solenoid valve	
8	2	25127	Connection	P-GEV 12 LR-WD
9	1	25108	Connection	GES 12 LR 1/2-WD
10	1	25277	Plug	VS-R-3/8 WD
11	1	64221	Plug	



1910K-RCS

569 06 510

Internal ref. 63 58 210



2 extra funct., stabilizer mode

Pos	Qty.	Part no.	Description	Remarks
1	2	30124	Steel bolt, stainless	M6 x 90
2	4	32302	Face washer, stainless	6 mm
3	2	30884	Lock nut, stainless	M6
4	2	6301202	Bracket	
5	2	59771	Valve housing	
6	2	61778	Solenoid	
7	2	59057	Solenoid valve	
8	1	25127	Connection	P-GEV 12 LR-WD
9	1	25108	Connection	GES 12 LR 1/2-WD
10	2	25277	Plug	VS-R-3/8 WD
11	1	64221	Plug	
12	2	6301203	Pipe	
13	2	25240	Connection	EGESD 12 LR-WD
14	1	25270	Connection	ELSD 12 L
15	1	25129	Elbow connection	WV 12 L



1910K-RCS

Internal ref. 63 58 220



3 extra funct., stabilizer mode


Pos	Qty.	Part no.	Description	Remarks
1	2	32922	Steel bolt	M6 x 140
2	4	32302	Face washer, stainless	6 mm
3	2	30884	Lock nut, stainless	M6
4	2	6301202	Bracket	
5	3	59771	Valve housing	
6	3	61778	Solenoid	
7	3	59057	Solenoid valve	
8	1	25127	Connection	P-GEV 12 LR-WD
9	1	25108	Connection	GES 12 LR 1/2-WD
10	3	25277	Plug	VS-R-3/8 WD
11	1	64221	Plug	
12	4	6301203	Pipe	
13	3	25240	Connection	EGESD 12 LR-WD
14	2	25270	Connection	ELSD 12 L
15	1	25129	Elbow connection	WV 12 L



1910K-RCS

569 06 530


Internal ref. 63 58 230







4 extra funct., stabilizer mode

Pos	Qty.	Part no.	Description	Remarks
1	2	32257	Steel bolt	M6 x 180
2	4	32302	Face washer, stainless	6 mm
3	2	30884	Lock nut, stainless	M6
4	2	6301202	Bracket	
5	4	59771	Valve housing	
6	4	61778	Solenoid	
7	4	59057	Solenoid valve	
8	1	25127	Connection	P-GEV 12 LR-WD
9	1	25108	Connection	GES 12 LR 1/2-WD
10	4	25277	Plug	VS-R-3/8 WD
11	1	64221	Plug	
12	6	6301203	Pipe	
13	4	25240	Connection	EGESD 12 LR-WD
14	3	25270	Connection	ELSD 12 L
15	1	25129	Elbow connection	WV 12 L


DECAL PARTS LIST

	PART NO.	DESCRIPTION	QTY.														
 Crush Hazard Before extending stabilizers: Look around vehicle. Clear area of all people. Extending stabilizers on people may injure or kill.	70392864	DECAL-WARNING STAB STAND CLEAR	2														
 Electrocution Hazard Never approach this vehicle or the load if it is near power lines. Death or serious injury will result from touching or being near this vehicle if it becomes charged.	70392865	DECAL-DANGER ELEC HAZARD LG	4														
 Fall Hazard Never use crane to hoist personnel. Never ride on boom, hook, load or any other device attached to crane boom or load line. Riding on boom, hook, or loadline may injure or kill.	70392868	DECAL-WARNING CR LOADLINE (TRK) LARGE	4														
 Rotating Shaft Hazard Keep body, hands, hair, clothes away. Do not work around shafts with engine on. Rotating parts will injure or kill.	70392891	DECAL-DANGER DRIVE-LINE	2														
 Iowa Mold Tooling Co., Inc. Garner, Iowa USA 841-823-3711 HYDRAULIC OIL RESERVOIR FILL RECOMMENDATIONS <table><tr><th rowspan="2">HYDRAULIC OIL</th><th colspan="2">AMBIENT TEMPERATURE RANGE</th></tr><tr><th>°F</th><th>°C</th></tr><tr><td>ISO 32</td><td>0° to 50°</td><td>-18° to 32°</td></tr><tr><td>ISO 15</td><td>Below 0°</td><td>Below -18°</td></tr><tr><td>ISO 46</td><td>Above 50°</td><td>Above 32°</td></tr></table> For Arctic conditions, consult your oil supplier.	HYDRAULIC OIL	AMBIENT TEMPERATURE RANGE		°F	°C	ISO 32	0° to 50°	-18° to 32°	ISO 15	Below 0°	Below -18°	ISO 46	Above 50°	Above 32°	70394189	DECAL-HYDRAULIC OIL RESERVOIR	1
HYDRAULIC OIL		AMBIENT TEMPERATURE RANGE															
	°F	°C															
ISO 32	0° to 50°	-18° to 32°															
ISO 15	Below 0°	Below -18°															
ISO 46	Above 50°	Above 32°															
	70396918	DECAL-DANGER ARTICULATED LG	2														
	70396919	DECAL-DANGER ARTICULATING SM	2														

DECAL PARTS LIST

	PART NO.	DESCRIPTION	QTY.
	70396021	DECAL-MADE IN DENMARK	1
	71392365	DECAL-ALIGNMENT CRANE ROTATION	1
	70490078	DECAL-ARTICULATING CRANE HAND SIGNALS	2
	70490117	DECAL-SETUP INSTRUCTIONS	2
	70490167	DECAL-WARNING-PROP 65	2
	70029119	PLACARD-SERIAL NUMBER	1

DECAL PARTS LIST

	PART NO.	DESCRIPTION	QTY.
	70490231-1910 K1 70490232-1910 K2 70490233-1910 K3 70490234-1910 K4 70490235-1910 K5 70490236-1910 K6	DECAL-CP-1910 K1-K6	2
	70490254	DECAL-ID-1910-LG	2
	70490237	DECAL-EVS	1
	66598	MARKING TAPE - DARK-YELLOW	4
	65770	NO HIGH PRESSURE	1
	64793	SWING-UP LEG	2
	68995	EMERGENCY OPER.4 FUNC,RC	1
	66626	OPERATING LABEL	1

DECAL PARTS LIST			
	66636	STAB. OPERATION, VALVE BL.SIDE	1
	66637	STABILIZER OPERATION, DUAL CTRL SIDE	1
	66638	STAB. OPERATION, (HC-M50-2FCTS)	1
	66643	OPERATING LABEL, (PVG 32-4FCTS)	1
	66642	OPERATING LABEL, (PVG 32-6FCTS)	1
	66645	LABEL	1
	66837	OPERATING LABEL	1

MANUAL KIT NUMBER 95720380 PARTS LIST

PART NO.	DESCRIPTION
70392864	DECAL-WARNING STAB STAND CLEAR
70392865	DECAL-DANGER ELEC HAZARD LG
70392868	DECAL-WARNING CR LOADLINE (TRK) LARGE
70392891	DECAL-DANGER DRIVELINE
70394189	DECAL-HYDRAULIC OIL RESERVOIR
70396918	DECAL-DANGER ARTICULATED LG
70396919	DECAL-DANGER ARTICULATING SM
70396021	DECAL-MADE IN DENMARK
71392365	DECAL-ALIGNMENT CRANE ROTATION
70490078	DECAL-ARTICULATING CRANE HAND SIGNALS
70490117	DECAL-SETUP INSTRUCTIONS
70490167	DECAL-WARNING-PROP 65

99906442 1910 / 1920 TECHNICAL SPECIFICATIONS MANUAL






1910K-RCS

569 07 115

68 88 120

68 88 170

Internal ref. 68 88 040



Mounting kit (4 M30 x 2 pins) - 50 mm.

Pos	Qty.	Part no.	Description	Remarks
1	1	6888021	Mounting bolt, M30 x 2 x 350	
2	1	6888022	Monting bolt, M30 x 2 x 450	
3	2	6888023	Mounting bolt, M30 x 2 x 600	
4	1	6888120	Nut/washer/stop - kit	Pos. 5, 6, 7, 8, 9, 10
5	8	31086	Lock nut	M30 x 2
6	4	6394701	Mounting plate 30 mm	
7	2	6394706	Mouting plate 30 mm	
8	2	6394708	Mounting plate 30 mm	
9	4	6658094	Washer	
10	6	6644084	Stop block	
11	1	6888170	Fittings	Pos. 12
12	4	6668244	Bracket	




1910K-RCS

569 07 120

68 88 120

68 88 180

Internal ref. 68 88 010



Mounting kit (4 M30 x 2 pins) - 150 mm.

Pos	Qty.	Part no.	Description	Remarks
1	1	6888022	Monting bolt, M30 x 2 x 450	
2	3	6888023	Mounting bolt, M30 x 2 x 600	
3	1	6888120	Nut/washer/stop - kit	Pos. 4, 5, 6, 7, 8, 9,
4	8	31086	Lock nut	M30 x 2
5	4	6394701	Mounting plate 30 mm	
6	2	6394706	Mouting plate 30 mm	
7	2	6394708	Mounting plate 30 mm	
8	4	6658094	Washer	
9	6	6644084	Stop block	
10	1	6888180	Fittings	Pos. 11
11	4	6887599	Mounting block	




1910K-RCS

569 07 130

66 68 980

68 88 120

Internal ref. 68 88 050



Mounting kit (4 M30 x 2 pins) - 250 mm.

Pos	Qty.	Part no.	Description	Remarks
1	1	6888023	Mounting bolt, M30 x 2 x 600	
2	3	6888024	Mounting bolt, M30 x 2 x 850	
3	1	6888120	Nut/washer/stop - kit	Pos. 4, 5, 6, 7, 8, 9
4	8	31086	Lock nut	M30 x 2
5	4	6394701	Mounting plate 30 mm	
6	2	6394706	Mouting plate 30 mm	
7	2	6394708	Mounting plate 30 mm	
8	4	6658094	Washer	
9	6	6644084	Stop block	
10	1	6668980	Mouting brackets	Pos. 11, 12, 13, 14, 15, 16, 17
11	4	6881704	Mounting plate	
12	2	6887354	U-profile	
13	1	6881684	Plate, left	
14	1	6881694	Plate, right	
15	24	31496	Tight-fitting bolt	M16 x 40
16	48	31103	Washer, 16 mm	16 mm
17	24	30892	Lock nut	M16




1910K-RCS

569 07 140

68 88 130

66 68 960

Internal ref. 68 88 030



569 07 140

From loader 1540001

To loader

Created 03-02-2014

Modified

Mounting kit (8 M24 x 2 pins)


Pos	Qty.	Part no.	Description	Remarks
1	8	6888011	Mouting bolt, M24 x 2 x 1000	
2	1	6888130	Nut/washer/stop - kit	Pos. 3, 4, 5
3	8	6340496	Mounting plate	
4	16	31051	Lock nut	M24 x 2
5	6	6644084	Stop block	
6	1	6668960	Mounting bracket	Pos. 7, 8, 9
7	4	6887384	Clamp	
8	4	6659924	Spacer	
9	4	6659914	U-section	



1910K-RCS

569 09 100

63 63 720
63 65 720
Internal ref. 63 42 720



Hose guides, K1-1EXV.

Pos	Qty.	Part no.	Description	Remarks
		6342720	Hose guide, K1-1 EXV	1300K-1830K
		6365720	Hose guide, K1-1 EXV.	1100K-1330K
		6363720	Hose guide, K1-1 EXV.	900K-1130K
1	1	6340721	Guide (jib)	
2	1	6340748	Guide (extension K3)	
3	1	28713	Nylon drag chain, 33 links	
4	2	30128	Set screw	M4 x 40
5	2	30857	Lock nut	M4
6	4	31188	Washer, stainless	4 mm
7	2	6340719	Nut	
8	2	30111	Set screw, stainless	
9	8	32302	Face washer, stainless	6 mm
10	6	31147	Face washer, 8 mm	
11	4	30131	Set screw, stainless	M8 x 16
12	2	30105	Set screw, stainless	M8 x 10
13	1	6340717	Washer	
14	6	63561	Clamp	
15	1	32488	Screw	MC12 x 150
16	3	6340769	Adaptor	
17	3	30118	Steel pin, stainless	M6 x 45
18	3	30854	Nut, stainless	M6
19	1	6340299	Protective guard	Serie 1300/1500
20	1	6365299	Hose shield	Serie 1100/1110, 900/910
21	2	56566	Hose	Serie 1300/1500, 1100/1110
22	1	68028	Clamp	
23	1	30167	Steel bolt	M6 x 60
24	1	30884	Lock nut, stainless	M6
25	1	6340724	Distance pipe	
26	1	31134	Washer, stainless	
27	2	56910	Hose 3/8" x 4370 mm	Serie 900/910/1100KS/1221KS



1910K-RCS


569 09 130

63 63 750

63 65 750

63 46 750

Internal ref. 63 42 750



Hose guides, K4-1 EXV.

Pos	Qty.	Part no.	Description	Remarks
		6342750	Hose guides, K4-1 EXV	
		6346750	Hose guides, K4-1 EXV	
		6365750	Hose guide, K4-1 EXV.	
		6363750	Hose guide, K4-1 EXV.	
1	1	6340721	Guide (jib)	
2	1	6340741	Guide (Extension II)	
3	1	6340751	Guide (Extension III)	
4	1	6340758	Guide (extension K5)	
5	1	6341731	Hose guide (Extension I)	
6	9	30167	Steel bolt	M6 x 60
7	9	30884	Lock nut, stainless	M6
8	6	56513	Hose	
9	4	32488	Screw	MC12 x 150
10	4	6340717	Washer	
11	11	30111	Set screw, stainless	
12	17	32302	Face washer, stainless	6 mm
13	8	6340719	Nut	
14	3	6340718	Bracket	
15	2	28712	Nylon drag chain, 30 links	
16	2	28713	Nylon drag chain, 33 links	
17	2	30128	Set screw	M4 x 40
18	2	30857	Lock nut	M4
19	4	31188	Washer, stainless	4 mm
20	6	31147	Face washer, 8 mm	
21	4	30131	Set screw, stainless	M8 x 16
22	2	30105	Set screw, stainless	M8 x 10
23	3	6340769	Adaptor	
24	6	63561	Clamp	
25	3	30118	Steel pin, stainless	M6 x 45
26	3	30854	Nut, stainless	M6
27	1	6340299	Protective guard	Serie 1300/1500
28	1	6344299	Protective guard	Serie 1800/2200
29	1	6365299	Hose shield	Serie 1100/1110
30	4	56564	Hose	
31	2	56569	Hose	
32	2	56565	Hose	
33	1	68028	Clamp	
34	1	6340724	Distance pipe	
35	1	31134	Washer, stainless	
36	2	56458	Hose 3/8 x 3750 mm L/L	Serie 900/910



1910K-RCS


569 09 140

63 63 760

63 65 760

63 46 760

Internal ref. 63 42 760



Hose guides, K5-1 EXV.


Pos	Qty.	Part no.	Description	Remarks
		6342760	Hose guides, K5-1 EXV	
		6346760	Hose guides, K5-1 EXV	
		6365760	Hose guide, K5-1 EXV.	
		6363760	Hose guide, K5-1 EXV.	
1	1	6340721	Guide (jib)	
2	1	6340741	Guide (Extension II)	
3	1	6340751	Guide (Extension III)	
4	1	6340755	Guide (Extension IV)	
5	1	6340758	Guide (extension K5)	
6	1	6341731	Hose guide (Extension I)	
7	12	30167	Steel bolt	M6 x 60
8	12	30884	Lock nut, stainless	M6
9	8	56513	Hose	
10	5	32488	Screw	MC12 x 150
11	5	6340717	Washer	
12	14	30111	Set screw, stainless	
13	20	32302	Face washer, stainless	6 mm
14	10	6340719	Nut	
15	4	6340718	Bracket	
16	2	28712	Nylon drag chain, 30 links	
17	3	28713	Nylon drag chain, 33 links	
18	2	30128	Set screw	M4 x 40
19	2	30857	Lock nut	M4
20	4	31188	Washer, stainless	4 mm
21	6	31147	Face washer, 8 mm	
22	4	30131	Set screw, stainless	M8 x 16
23	2	30105	Set screw, stainless	M8 x 10
24	3	6340769	Adaptor	
25	6	63561	Clamp	
26	3	30118	Steel pin, stainless	M6 x 45
27	3	30854	Nut, stainless	M6
28	1	6340299	Protective guard	Serie 1300/1620
29	1	6344299	Protective guard	Serie 1800/2820
30	1	6365299	Hose shield	Serie 1100/1110
31	6	56564	Hose	
32	2	56569	Hose	
33	2	56565	Hose	
34	1	68028	Clamp	
35	1	6340724	Distance pipe	
36	1	31134	Washer, stainless	
37	2	56458	Hose 3/8 x 3750 mm L/L	Serie 900/910



1910K-RCS

569 09 150

63 46 770
Internal ref. 63 42 770



Hose guides, K6-1 EXV.

Pos	Qty.	Part no.	Description	Remarks
		6342770	Hose guides, K6-1 EXV	
		6346770	Hose guides, K6-1 EXV	
1	1	6340721	Guide (jib)	
2	1	6340741	Guide (Extension II)	
3	1	6340751	Guide (Extension III)	
4	1	6340755	Guide (Extension IV)	
5	1	6340761	Guide (Extension V)	
6	1	6340765	Guide (Extension VI)	
7	1	6341731	Hose guide (Extension I)	
8	15	30167	Steel bolt	M6 x 60
9	15	30884	Lock nut, stainless	M6
10	10	56513	Hose	
11	5	32488	Screw	MC12 x 150
12	6	6340717	Washer	
13	17	30111	Set screw, stainless	
14	23	32302	Face washer, stainless	6 mm
15	12	6340719	Nut	
16	5	6340718	Bracket	
17	2	28712	Nylon drag chain, 30 links	
18	4	28713	Nylon drag chain, 33 links	
19	2	30128	Set screw	M4 x 40
20	2	30857	Lock nut	M4
21	4	31188	Washer, stainless	4 mm
22	6	31147	Face washer, 8 mm	
23	2	30105	Set screw, stainless	M8 x 10
24	4	30131	Set screw, stainless	M8 x 16
25	1	32489	Screw	MC12 x 180
26	3	6340769	Adaptor	
27	6	63561	Clamp	
28	3	30118	Steel pin, stainless	M6 x 45
29	3	30854	Nut, stainless	M6
30	1	6340299	Protective guard	Serie 1300/1500
31	1	6344299	Protective guard	Serie 1800/2200
32	8	56564	Hose	
33	2	56569	Hose	
34	2	56565	Hose	
35	1	68028	Clamp	
36	1	6340724	Distance pipe	
37	1	31134	Washer, stainless	



1910K-RCS




569 09 200

63 55 770



63 63 820

63 65 820



Internal ref. 63 40 720



Serie 1300/1500 +
Serie 1210L/1510L



Serie 900/910 +
Serie 1100/1110



120Nm
 Loctite 243

M8

Hose guides, K1-2 EXV.


Pos	Qty.	Part no.	Description	Remarks
		6340720	Hose guide, K1-2 EXV	1300/1500
		6365820	Hose guide, K1-2 EXV.	1100/1110
		6363820	Hose guide, K1-2 EXV.	900/910
		6355770	Hose guides, L1-2 EXV	1210L/1510L
1	1	6340721	Guide (jib)	
2	1	6340748	Guide (extension K3)	
3	1	28713	Nylon drag chain, 33 links	
4	2	30128	Set screw	M4 x 40
5	2	30857	Lock nut	M4
6	4	31188	Washer, stainless	4 mm
7	2	6340719	Nut	
8	2	30111	Set screw, stainless	
9	8	32302	Face washer, stainless	6 mm
10	6	31147	Face washer, 8 mm	
11	4	30131	Set screw, stainless	M8 x 16
12	2	30105	Set screw, stainless	M8 x 10
13	1	6340717	Washer	
14	6	63561	Clamp	
15	1	32488	Screw	MC12 x 150
16	3	6340769	Adaptor	
17	3	30118	Steel pin, stainless	M6 x 45
18	3	30854	Nut, stainless	M6
19	1	6340299	Protective guard	Serie 1300/1500/1210L/1510L
20	1	6365299	Hose shield	Serie 1100/1110, 900/910
21	2	56566	Hose	Serie 1300/1500, 1100/1110
22	2	56567	Hose	Serie 1300/1500, 1100/1110
23	1	30167	Steel bolt	M6 x 60
24	1	30884	Lock nut, stainless	M6
25	2	68028	Clamp	
26	2	56911	Hose 3/8" x 4470 mm	Serie 900/910/1100KS/1221KS
27	2	56910	Hose 3/8" x 4370 mm	Serie 900/910/1100KS/1221KS
28	2	56957	Hose 3/8 X 4910 mm L/L	Serie 1210L/1510L
29	2	56958	Hose 3/8 X 5010 mm L/L	Serie 1210L/1510L



1910K-RCS

569 09 220

63 63 840
63 65 840
63 45 530
63 55 860
Internal ref. 63 40 740



Hose guides, K3-2 EXV.


Pos	Qty.	Part no.	Description	Remarks
		6340740	Hose guide, K3-2 EXV	S.1200/1400
		6345740	Hose guides, K3-2 EXV	S.1700/2100
		6345530		S.2310S-RCS
		6365840	Hose guide, K3-2 EXV.	S.1100/1110
		6363840	Hose guide, K3-2 EXV.	S.900/910
		6355860		S.1210L/1510L
1	1	6340721	Guide (jib)	
2	1	6340741	Guide (Extension II)	
3	1	6341731	Hose guide (Extension I)	
4	6	30167	Steel bolt	M6 x 60
5	6	30884	Lock nut, stainless	M6
6	4	56513	Hose	
7	3	32488	Screw	MC12 x 150
8	3	6340717	Washer	
9	8	30111	Set screw, stainless	
10	14	32302	Face washer, stainless	6 mm
11	6	6340719	Nut	
12	2	6340718	Bracket	
13	2	28712	Nylon drag chain, 30 links	
14	1	6340748	Guide (extension K3)	
15	1	28713	Nylon drag chain, 33 links	
16	2	30128	Set screw	M4 x 40
17	2	30857	Lock nut	M4
18	4	31188	Washer, stainless	4 mm
19	6	31147	Face washer, 8 mm	
20	4	30131	Set screw, stainless	M8 x 16
21	2	30105	Set screw, stainless	M8 x 10
22	3	6340769	Adaptor	
23	6	63561	Clamp	
24	3	30118	Steel pin, stainless	M6 x 45
25	3	30854	Nut, stainless	M6
26	1	6340299	Protective guard	S. 1300/1500/1210L/1510L
27	1	6344299	Protective guard	S. 1800/2200
28	1	6365299	Hose shield	S. 1100/1110
29	2	56569	Hose	S. 1300-2200/1100/1110
30	2	56563	Hose	S. 1300-2200/1100/1110
31	4	56564	Hose	
32	4	56565	Hose	
33	2	68028	Clamp	
34	2	56458	Hose 3/8 x 3750 mm L/L	S. 900/910
35	2	56462	Hose 3/8 x 3850 mm	S.900/910



1910K-RCS

569 09 220

63 63 840
63 65 840
63 45 530
63 55 860
Internal ref. 63 40 740



569 09 220

From loader 1540001

To loader

Created 01-11-2012

Modified 04-02-2019

Hose guides, K3-2 EXV.


Pos	Qty.	Part no.	Description	Remarks
36	2	56986	Hose 3/8" x 3200 mm L/L	Serie 2310S-RCS
37	2	56987	Hose 3/8" x 3300 mm L/L	Serie 2310S-RCS
38	2	56993	Hydraulic hose	S. 1210L/1510L
39	2	56916	Hose	S. 1210L/1510L



1910K-RCS

569 09 230

63 63 850
63 65 850
63 45 550
63 55 870 63 45 750
Internal ref. 63 40 750



Hose guides, K4-2 EXV.


Pos	Qty.	Part no.	Description	Remarks
		6340750	Hose guides, K4-2 EXV	S. 1300/1500
		6345750	Hose guides, K4-2 EXV	S. 1800/2200
		6345550		S. 2310S-RCS
		6365850	Hose guide, K4-2 EXV.	S. 1100/1110
		6363850	Hose guide, K4-2 EXV.	S. 900/910
		6355870		S. 1210L/1510L
1	1	6340721	Guide (jib)	
2	1	6340741	Guide (Extension II)	
3	1	6340751	Guide (Extension III)	
4	1	6340758	Guide (extension K5)	
5	1	6341731	Hose guide (Extension I)	
6	9	30167	Steel bolt	M6 x 60
7	9	30884	Lock nut, stainless	M6
8	6	56513	Hose	
9	4	32488	Screw	MC12 x 150
10	4	6340717	Washer	
11	11	30111	Set screw, stainless	
12	17	32302	Face washer, stainless	6 mm
13	8	6340719	Nut	
14	3	6340718	Bracket	
15	2	28712	Nylon drag chain, 30 links	
16	2	28713	Nylon drag chain, 33 links	
17	2	30128	Set screw	M4 x 40
18	2	30857	Lock nut	M4
19	4	31188	Washer, stainless	4 mm
20	6	31147	Face washer, 8 mm	
21	4	30131	Set screw, stainless	M8 x 16
22	2	30105	Set screw, stainless	M8 x 10
23	3	6340769	Adaptor	
24	6	63561	Clamp	
25	3	30118	Steel pin, stainless	M6 x 45
26	3	30854	Nut, stainless	M6
27	1	6340299	Protective guard	S. 1300/1500/1210L/1510L
28	1	6344299	Protective guard	S. 1800/2200
29	1	6365299	Hose shield	S. 1100/1110
30	8	56564	Hose	
31	2	56563	Hose	S. 1300-2200/1100/1110
32	2	56569	Hose	S. 1300-2200/1100/1110
33	4	56565	Hose	
34	2	68028	Clamp	
35	2	56462	Hose 3/8 x 3850 mm	S. 900/910



1910K-RCS

569 09 230

63 63 850
63 65 850
63 45 550
63 55 870 63 45 750
Internal ref. 63 40 750



569 09 230

From loader 1540001

To loader

Created 01-11-2012

Modified 04-01-2017

Hose guides, K4-2 EXV.

Pos	Qty.	Part no.	Description	Remarks
36	2	56458	Hose 3/8 x 3750 mm L/L	S. 900/910
37	2	56986	Hose 3/8" x 3200 mm L/L	S. 2310S-RCS
38	2	56987	Hose 3/8" x 3300 mm L/L	S. 2310S-RCS
39	2	56916	Hose	S. 1210L/1510L
40	2	56993	Hydraulic hose	S. 1210L/1510L



1910K-RCS


569 09 240

63 63 860

63 65 860

63 45 760

Internal ref. 63 40 760



Hose guides, K5-2 EXV.


Pos	Qty.	Part no.	Description	Remarks
		6340760	Hose guides, K5-2 EXV	
		6345760	Hose guides, K5-2 EXV	
		6365860	Hose guide, K5-2 EXV.	
		6363860	Hose guide, K5-2 EXV.	
1	1	6340721	Guide (jib)	
2	1	6340741	Guide (Extension II)	
3	1	6340751	Guide (Extension III)	
4	1	6340755	Guide (Extension IV)	
5	1	6340758	Guide (extension K5)	
6	1	6341731	Hose guide (Extension I)	
7	12	30167	Steel bolt	M6 x 60
8	12	30884	Lock nut, stainless	M6
9	8	56513	Hose	
10	5	32488	Screw	MC12 x 150
11	5	6340717	Washer	
12	14	30111	Set screw, stainless	
13	20	32302	Face washer, stainless	6 mm
14	10	6340719	Nut	
15	4	6340718	Bracket	
16	2	28712	Nylon drag chain, 30 links	
17	3	28713	Nylon drag chain, 33 links	
18	2	30128	Set screw	M4 x 40
19	2	30857	Lock nut	M4
20	4	31188	Washer, stainless	4 mm
21	6	31147	Face washer, 8 mm	
22	4	30131	Set screw, stainless	M8 x 16
23	2	30105	Set screw, stainless	M8 x 10
24	3	6340769	Adaptor	
25	6	63561	Clamp	
26	3	30118	Steel pin, stainless	M6 x 45
27	3	30854	Nut, stainless	M6
28	1	6340299	Protective guard	Serie 1300/1620
29	1	6344299	Protective guard	Serie 1800/2820
30	1	6365299	Hose shield	Serie 1100/1110
31	12	56564	Hose	
32	2	56563	Hose	
33	2	56569	Hose	
34	4	56565	Hose	
35	2	68028	Clamp	
36	2	56462	Hose 3/8 x 3850 mm	Serie 900/910
37	2	56458	Hose 3/8 x 3750 mm L/L	Serie 900/910



1910K-RCS

569 09 250

63 45 770
Internal ref. 63 40 770



Hose guides, K6-2 EXV.


Pos	Qty.	Part no.	Description	Remarks
		6340770	Hose guides, K6-2 EXV	
		6345770	Hose guides, K6-2 EXV	
1	1	6340721	Guide (jib)	
2	1	6340741	Guide (Extension II)	
3	1	6340751	Guide (Extension III)	
4	1	6340755	Guide (Extension IV)	
5	1	6340761	Guide (Extension V)	
6	1	6340765	Guide (Extension VI)	
7	1	6341731	Hose guide (Extension I)	
8	15	30167	Steel bolt	M6 x 60
9	15	30884	Lock nut, stainless	M6
10	10	56513	Hose	
11	5	32488	Screw	MC12 x 150
12	6	6340717	Washer	
13	17	30111	Set screw, stainless	
14	23	32302	Face washer, stainless	6 mm
15	12	6340719	Nut	
16	5	6340718	Bracket	
17	2	28712	Nylon drag chain, 30 links	
18	4	28713	Nylon drag chain, 33 links	
19	2	30128	Set screw	M4 x 40
20	2	30857	Lock nut	M4
21	4	31188	Washer, stainless	4 mm
22	6	31147	Face washer, 8 mm	
23	2	30105	Set screw, stainless	M8 x 10
24	4	30131	Set screw, stainless	M8 x 16
25	1	32489	Screw	MC12 x 180
26	3	6340769	Adaptor	
27	6	63561	Clamp	
28	3	30118	Steel pin, stainless	M6 x 45
29	3	30854	Nut, stainless	M6
30	1	6340299	Protective guard	Serie 1300/1500
31	1	6344299	Protective guard	Serie 1800/2200
32	16	56564	Hose	3/8 X 2900 mm L/S
33	2	56563	Hose	3/8 X 4170 mm L/L
34	2	56569	Hose	
35	4	56565	Hose	3/8 x 3420 mm L/S 12L
36	2	68028	Clamp	



1910K-RCS

569 09 280

Internal ref. 63 40 900



A	B
1800K - 1810K	1300K - 1310K
2020K - 2030K	1410K - 1420K
2120K - 2130K	1500K - 1510K
2200K - 2210K	1520K - 1530K
2310K - 2320K	1610K - 1620K
2420K - 2430K	1720K - 1730K
2620K - 2630K	1820K - 1830K
2810K - 2820K	1910K - 1920K
1910L	1210L
2030L	1430L
2110L	1510L
2530L	1730L



★ Loctite 243

Bracket for hose reel, cpl. (jib)


Pos	Qty.	Part no.	Description	Remarks
1	1	6340623	Bracket	
2	2	30888	Lock nut	M10
3	2	31141	Washer	10 mm
4	2	31565	Washer, stainless	10 mm
5	2	31156	Spring washer	10 mm
6	2	30152	Set screw	M10 x 14
7	2	6340624	Guide shoe	
8	2	30581	Counter-sunk screw	MK10 x 30
9	1	6340847	Bracket for guide roller	
10	3	6301042	Pin	
11	1	63579	Guide roller	
12	2	63547	Guide roller	
13	6	32481	Screw	MC8 x 16



1910K-RCS

569 09 290

Internal ref. 63 42 910



569 09 290

From loader 1540001

To loader

Created 26-01-2016

Modified

Attachment for hose reel, cpl. (extension 2)


Pos	Qty.	Part no.	Description	Remarks
1	2	46596	Rubber protection	190 mm



1910K-RCS

569 09 300

Internal ref. 63 42 920



★ Loctite 243

569 09 300

From loader 1540001

To loader

Created 24-04-2007

Modified

Attachment for hose reel, cpl. (extension 4)


Pos	Qty.	Part no.	Description	Remarks
1	1	6340627	Roller bracket (Extension 4)	
2	2	32481	Screw	MCL8 x 16
3	1	6301042	Pin	
4	1	63579	Guide roller	
5	2	30545	Countersunk screw	MK10 x 20
6	1	46596	Rubber protection	190 mm



1910K-RCS

569 09 310

63 42 930
Internal ref. 63 40 920



Hydr. system, hose reels, 2 EXV.


Pos	Qty.	Part no.	Description	Remarks
		6340920	Hydr.system, hose reels 2EXV	S.1300/1500
		6342930	Hydr.system, hose reels 2EXV	S.1210/1410/1710/2110
1	2	56371	Hose reel	K1, K2, K3
2	1	56486	Spring housing	56371-56372-56373-56374
3	1	56345	Spring	56371-56372-56373-56374
4	1	56375	Double hose	3/8"B2 x 11300 mm
5	1	56336	Seal kit	Slangerl. med serienr. fra 51514
6	1	56340	Seal kit	Slangerl. med serienr. før 51514
7	2	56372	Hose reel	K4
8	1	56376	Double hose	3/8"T2 x 13400 mm
9	2	56373	Hose reel	K5
10	1	56377	Double hose	3/8"T2 x 15600 mm
11	2	56374	Hose reel	K6
12	1	56378	Double hose	3/8"T2 x 17900 mm
13	1	6340621	Bracket for hose reel	S.1300/1500
14	1	6340622	Bracket for hose reel	S.1210/1410/1710/2110
15	1	6340617	Shim	
16	1	31131	Washer	12 mm
17	1	31524	Set screw	M12 x 35
18	2	31177	Washer	10 mm
19	2	31513	Set screw, stainless	M10 x 25
20	4	25127	Connection	P-GEV 12 LR-WD
21	2	0017540	Hose	
22	2	0015020	Hose	
23	3	27275	Cable tie, black, 7.6x385mm	7,6 x 390mm
24	1	46587	Rubber protection	210 mm
25	1	46587	Rubber protection	150 mm
26	2	6352024	Threaded plate	
27	8	30156	Set screw, stainless	M10 x 30
28	8	31565	Washer, stainless	10 mm



1910K-RCS

569 09 320

Internal ref. 63 40 910



1300K/1310K/1420K/1430K/
1500K/1510K/1720K/1730K

A	B	C
K1	63 40 657	X
K2	63 40 677	X
K3	60 92 454	
K4	63 40 397	
K5	63 40 397	
K6	63 01 166	

1800K/1810K/2020K/2030K/
2200K/2210K/2420K/2430K

A	B	C
K2	63 40 657	X
K3	63 40 657	X
K4	60 92 454	
K5	63 40 397	
K6	63 40 397	

Kit, quick-release coupling for internal hose routing, 2 EXV.

Pos	Qty.	Part no.	Description	Remarks
		6340910	Quick-release coupl. int, 2EXV	
1	1	6340631	Bracket	
2	4	6661444	Socket	
3	4	60620	Quick-release coupling,M	3/8"
4	4	60622	Dust cap, F	3/8"
5	4	60621	Dust cap, M	3/8"
6	4	60619	Quick-release coupling,F	3/8"
7	4	25127	Connection	P-GEV 12 LR-WD
8	1	60635	Seal kit	
9	1	6340359	Lock pin	
10	1	32127	Nut	M12
11	1	33379	Spring	
12	1	6340657	Pin	
13	1	6340677	Pin	
14	1	6092454	Lock pin with chain	
15	1	6301166	Lock pin with split pin	
16	1	6340397	Lock pin with lock spring	



1910K-RCS

Internal ref. 63 40 620



Hydr. system, hose reels, 1 EXV.


Pos	Qty.	Part no.	Description	Remarks
		6340620	Hydr. syst. hose reels, 1 EXV	S.1300/1500
		6340630	Hydr. syst. hose reels, 1 EXV	S.1310/1510
1	1	56371	Hose reel	K1, K2, K3
2	1	56486	Spring housing	56371 - 53372 - 56373 - 56374
3	1	56345	Spring	56371 - 53372 - 56373 - 56374
4	1	56375	Double hose	3/8"B2 x 11300 mm
5	1	56336	Seal kit	Slangeruller fra serienr. 51514
6	1	56340	Seal kit	Slangeruller før serienr. 51514
7	1	56372	Hose reel	K4
8	1	56376	Double hose	3/8"T2 x 13400 mm
9	1	56373	Hose reel	K5
10	1	56377	Double hose	3/8"T2 x 15600 mm
11	1	56374	Hose reel	K6
12	1	56378	Double hose	3/8"T2 x 17900 mm
13	1	6340617	Shim	
14	1	6340618	Bracket for hose reel (1EXV)	S.1300/1500
15	1	6340619	Bracket for hose reel (1EXV)	S.1310/1510
16	1	31131	Washer	12 mm
17	1	31524	Set screw	M12 x 35
18	2	31177	Washer	10 mm
19	2	31513	Set screw, stainless	M10 x 25
20	2	25127	Connection	P-GEV 12 LR-WD
21	2	0015020	Hose	
22	1	46587	Rubber protection	150 mm
23	1	46587	Rubber protection	175 mm
24	1	6352024	Threaded plate	
25	4	30156	Set screw, stainless	M10 x 30
26	4	31565	Washer, stainless	10 mm



1910K-RCS

569 09 340

Internal ref. 63 40 610



1300K/1310K/1420K/1430K/
1500K/1510K/1720K/1730K

A	B	C
K1	63 40 657	X
K2	63 40 677	X
K3	60 92 454	
K4	63 40 397	
K5	63 40 397	
K6	63 01 166	

1800K/1810K/2020K/2030K/
2200K/2210K/2420K/2430K

A	B	C
K2	63 40 657	X
K3	63 40 657	X
K4	60 92 454	
K5	63 40 397	
K6	63 40 397	

Kit, quick-release coupling for internal hose routing, 1 EXV.


Pos	Qty.	Part no.	Description	Remarks
		6340610	Kit, quick-release coupl.,1EXV	
1	1	6340631	Bracket	
2	2	6661444	Socket	
3	2	60620	Quick-release coupling,M	3/8"
4	2	60622	Dust cap, F	3/8"
5	2	60621	Dust cap, M	3/8"
6	2	60619	Quick-release coupling,F	3/8"
7	2	25127	Connection	P-GEV 12 LR-WD
8	1	60635	Seal kit	
9	1	6340359	Lock pin	
10	1	32127	Nut	M12
11	1	33379	Spring	
12	1	6340657	Pin	
13	1	6340677	Pin	
14	1	6092454	Lock pin with chain	
15	1	6301166	Lock pin with split pin	
16	1	6340397	Lock pin with lock spring	



1910K-RCS

569 09 390

Internal ref. 63 42 950



569 09 390

From loader 1540001

To loader

Created 23-09-2009

Modified 14-03-2011

Quick-release coupling for 1 extra valve


Pos	Qty.	Part no.	Description	Remarks
1	1	30167	Steel bolt	M6 x 60
2	1	30884	Lock nut, stainless	M6
3	4	25127	Connection	P-GEV 12 LR-WD
4	2	60619	Quick-release coupling,F	3/8"
5	2	60620	Quick-release coupling,M	3/8"
6	1	60635	Seal kit	
7	2	60622	Dust cap, F	3/8"
8	2	60621	Dust cap, M	3/8"
9	1	62511	Plastic hose	100 mm



1910K-RCS

569 09 400

Internal ref. 63 42 960



Quick-release coupling for 2 extra valves


Pos	Qty.	Part no.	Description	Remarks
1	1	30167	Steel bolt	M6 x 60
2	1	30884	Lock nut, stainless	M6
3	8	25127	Connection	P-GEV 12 LR-WD
4	4	60619	Quick-release coupling,F	3/8"
5	4	60620	Quick-release coupling,M	3/8"
6	2	60635	Seal kit	
7	4	60622	Dust cap, F	3/8"
8	4	60621	Dust cap, M	3/8"
9	1	62511	Plastic hose	100 mm



1910K-RCS

569 09 430

Internal ref. 63 42 970



Multi-coupling for 2 extra valves K1-K5/T3-T4


Pos	Qty.	Part no.	Description	Remarks
1	1	58430	Multifaster coupling	1/2"
2	1	58431	Multifaster coupling	
3	1	58432	Multifaster coupling	
4	4	25108	Connection	GES 12 LR 1/2-WD
5	1	6340771	Adapter	
6	4	30438	Screw	MC8 x 20
7	4	31147	Face washer, 8 mm	8 mm
8	4	30886	Lock nut, stainless	M8
9	4	32302	Face washer, stainless	6 mm
10	2	30112	Set screw, stainless	M6 x 16
11	2	30854	Nut, stainless	M6
12	1	30167	Steel bolt	M6 x 60
13	1	30884	Lock nut, stainless	M6



1910K-RCS

569 09 440

Internal ref. 63 42 980



Multi-coupling for 2 extra valves K6/T5


Pos	Qty.	Part no.	Description	Remarks
1	1	58430	Multifaster coupling	1/2"
2	1	58431	Multifaster coupling	
3	1	58432	Multifaster coupling	
4	4	25127	Connection	P-GEV 12 LR-WD
5	1	6340772	Adapter	
6	4	30438	Screw	MC8 x 20
7	4	31147	Face washer, 8 mm	8 mm
8	4	30886	Lock nut, stainless	M8
9	4	32302	Face washer, stainless	6 mm
10	2	30112	Set screw, stainless	M6 x 16
11	2	30854	Nut, stainless	M6
12	1	30167	Steel bolt	M6 x 60
13	1	30884	Lock nut, stainless	M6



1910K-RCS


569 09 460

Internal ref. 63 42 870



Kit for 3 extra valves (K1-K5)

Pos	Qty.	Part no.	Description	Remarks
1	1	6340773	Adaptor	
2	1	59062	Change-over valve	
3	1	59063	Solenoid 24 V	
4	1	59078	Solenoid 12V	
5	2	6340775	Connection	
6	6	60620	Quick-release coupling,M	3/8"
7	6	60622	Dust cap, F	3/8"
8	6	60621	Dust cap, M	3/8"
9	6	60619	Quick-release coupling,F	3/8"
10	1	60635	Seal kit	
11	2	6340776	Connection	
12	4	25127	Connection	P-GEV 12 LR-WD
13	1	30884	Lock nut, stainless	M6
14	2	30112	Set screw, stainless	M6 x 16
15	6	32302	Face washer, stainless	6 mm
16	2	30854	Nut, stainless	M6
17	1	32107	Steel bolt, stainless	M6 x 120
18	2	30886	Lock nut, stainless	M8
19	6	31147	Face washer, 8 mm	8 mm
20	2	30143	Steel bolt, stainless	M8 x 80



Kit for 3 extra valves (K6)


Pos	Qty.	Part no.	Description	Remarks
1	1	6340774	Adapter (change-over valve K6)	
2	1	59062	Change-over valve	
3	1	59063	Solenoid 24 V	
4	1	59078	Solenoid 12V	
5	2	6340775	Connection	
6	6	60620	Quick-release coupling,M	3/8"
7	6	60622	Dust cap, F	3/8"
8	6	60621	Dust cap, M	3/8"
9	6	60619	Quick-release coupling,F	3/8"
10	1	60635	Seal kit	
11	2	6340776	Connection	
12	4	25127	Connection	P-GEV 12 LR-WD
13	1	30884	Lock nut, stainless	M6
14	2	30112	Set screw, stainless	M6 x 16
15	6	32302	Face washer, stainless	6 mm
16	2	30854	Nut, stainless	M6
17	1	32107	Steel bolt, stainless	M6 x 120
18	2	30886	Lock nut, stainless	M8
19	4	31147	Face washer, 8 mm	8 mm
20	2	30143	Steel bolt, stainless	M8 x 80



569 10 010

1910K-RCS

Internal ref. 63 47 240



Stand-up controls


Pos	Qty.	Part no.	Description	Remarks
1	1	6342461	Platform	
2	1	6340471	Safety guard	
3	1	6342474	Railing	
4	3	6340475	Nut	
5	3	31511	Set screw, stainless	M8 x 45
6	1	6340473	Railing	
7	4	31147	Face washer, 8 mm	
8	1	30886	Lock nut, stainless	M8
9	16	31565	Washer, stainless	10 mm
10	10	31564	Lock nut, stainless	M10
11	1	6340472	Pin	
12	1	6347242	Valve bracket (HS) RC	
13	6	32338	Washer	12 mm
14	2	31638	Split pin	ø4 x 40
15	9	31513	Set screw, stainless	M10 x 25
16	1	30156	Set screw, stainless	M10 x 30
17	1	30139	Steel bolt, stainless	M8 x 50
18	1	6347973	Safety guard	
19	4	30860	Nut, stainless	M12
20	1	6344453	Bracket, stand-up controls	
21	4	31177	Washer	10 mm
22	1	6347469	Reinforcement	
23	1	6347495	Mounting bracket	
24	3	30340	Screw, stainless	6,0 x 25
25	3	32302	Face washer, stainless	6 mm



1910K-RCS

569 10 800

63 45 010
Internal ref. 63 43 140



Mounting fittings, HSRC

Pos	Qty.	Part no.	Description	Remarks
		6343140	Mouting fittings, HSRC (SR-G2)	Pos. 1 - 15
		6345010		Pos. 3 - 15 (1610K-RCS - 2820K-R
1	4	30340	Screw, stainless	6,0 x 25
2	1	6340495	Mounting bracket,Scanreco/Hetr	
3	1	6340498	Fitting	
4	2	30133	Set screw, stainless	
5	4	30114	Set screw, stainless	M6 x 25
6	4	31147	Face washer, 8 mm	
7	12	32302	Face washer, stainless	6 mm
8	2	30856	Nut, stainless	M8
9	4	30854	Nut, stainless	M6
10	1	6340901	Bracket, Scanreco RC box	
11	4	31189	Washer	5 mm
12	2	8507104	Threaded plate	
13	2	46453	Bracket	
14	4	30433	Screw	MC5 x 16
15	1	46596	Rubber protection	0,3 m.

Mounting fittings, TS


Pos	Qty.	Part no.	Description	Remarks
		6341980	Fittings, TS 1300/1500	
		6341990	Fittings, TS 1310/1510	
		6344760	Fittings, TS, 1800/2200	
		6344990	Fittings, TS, 1810/2210	
1	1	6340685	Top seat bracket (TS)	1300/1500
2	1	6340687	TS bracket	1310/1510
3	1	6344685	TS bracket	1800/2200
4	1	6344687	TS bracket	1810/2210/1710L/2030L/2110L/253
5	1	6381484	Guide	
6	4	31178	Washer	14 mm
7	2	30207	Set screw	M14 x 40
8	2	30891	Lock nut	M14
9	2	31177	Washer	10 mm
10	1	30649	Screw	M10 x 30
11	1	30888	Lock nut	M10
12	1	6340087	Division plate	



1910K-RCS

569 11 030

Internal ref. 63 41 940



569 11 030

From loader 1540001

To loader

Created 24-02-2009

Modified 28-02-2019

Top seat (RC), cpl.


Pos	Qty.	Part no.	Description	Remarks
1	1	6340911	Platform, (TSRC)	
2	1	6341950	Seat, complete	
3	3	32248	Set screw	M14 x 40
4	6	31178	Washer	14 mm
5	3	32317	Lock nut	M14
6	1	42999	Lever (knob)	
7	2	30113	Set screw, stainless	M6 x 20
8	2	32302	Face washer, stainless	6 mm
9	2	30884	Lock nut, stainless	M6



1910K-RCS

569 11 040

63 41 970
Internal ref. 63 41 960



Mounting fittings, TS RC


Pos	Qty.	Part no.	Description	Remarks
		6341960	Fittings, TS RC (SR)	
		6341970	Fittings, TS RC (HETR)	
1	1	6340901	Bracket, Scanreco RC box	
2	1	6340902	Bracket(HETR.remote ctrl. box)	
3	2	6340904	Division plate	
4	2	6340903	Clamp	
5	4	32302	Face washer, stainless	6 mm
6	4	30854	Nut, stainless	M6
7	2	8507104	Threaded plate	
8	2	46453	Bracket	
9	4	30433	Screw	MC5 x 16
10	4	31189	Washer	5 mm
11	1	46596	Rubber protection	0,3 m.



1910K-RCS

569 13 020

Internal ref. 63 42 360



☆ 63 193

Winch 1.5 T + mounting fittings and weighing cell


Pos	Qty.	Part no.	Description	Remarks
		6342360	Hoist 1.5t, fittings/load cyl.	
1	4	32372	Nut	M12
2	10	31131	Washer	12 mm
3	1	6340977	Winch bracket	
4	4	63485	Slide bearing	
5	4	33117	Circlip	35U
6	2	31638	Split pin	ø4 x 40
7	2	6340987	Pin	
8	4	30428	Sockethead screw	MC12 x 45
9	2	30178	Set screw	M12 x 35
10	2	31158	Spring washer	12 mm
11	2	6886764	Guide roller	
12	4	31548	Pointed screw, stainless	MSP6 x 6
13	8	33227	Back ring	SS 20 x 28 x 2
14	2	23178	Ball bearing	
15	1	6371254	Pin	
16	1	6290984	Guide roller	
17	1	6342350	Weighing cell, complete	
18	1	28850	Pressure transducer	
19	1	25197	Plug	VS-R-1/4 WD
20	1	6340988	Housing	
21	2	20175	O-ring	OR 26,2 x 3
22	2	20898	Back ring	STR 27 x 32 x 1,3
23	1	6340989	Piston	
24	1	33103	Circlip	34 I
25	1	23163	Nut	M45 x 1,5
26	1	56607	Winch	
27	1	58593	Wire guide	
28	1	58594	Complete arm for P9 winch	
29	1	58589	Thimble	
30	1	58596	Motor	
	1	58598	Seal kit for motor	
32	1	58597	Valve	
	1	58238	Washers	
	1	61288	Seal kit P9E	
35	1	49298	Micro switch 6000	
36	1	33386	Ring split	ø6 x 45



569 13 030

1910K-RCS

Internal ref. 63 42 340



Winch 2.5 T + mounting fittings and weighing cell


Pos	Qty.	Part no.	Description	Remarks
		6342340	Hoist2.5t, fittings/load cyl.	
1	4	30862	Nut	M14
2	8	31178	Washer	14 mm
3	1	6340977	Winch bracket	
4	4	63485	Slide bearing	
5	4	33117	Circlip	35U
6	2	31638	Split pin	ø4 x 40
7	2	6340987	Pin	
8	4	30210	Steel bolt	M14 x 50
9	2	30178	Set screw	M12 x 35
10	2	31158	Spring washer	12 mm
11	2	31131	Washer	12 mm
12	2	6886764	Guide roller	
13	4	31548	Pointed screw, stainless	MSP6 x 6
14	8	33227	Back ring	SS 20 x 28 x 2
15	2	23178	Ball bearing	
16	1	6371254	Pin	
17	1	6290984	Guide roller	
18	1	6342350	Weighing cell, complete	
19	1	28850	Pressure transducer	
20	1	25197	Plug	VS-R-1/4 WD
21	1	6340988	Housing	
22	2	20175	O-ring	OR 26,2 x 3
23	2	20898	Back ring	STR 27 x 32 x 1,3
24	1	6340989	Piston	
25	1	33103	Circlip	34 I
26	1	23163	Nut	M45 x 1,5
27	1	58285	Winch	P15E
28	1	56606	Complete arm for P15/P15Ewinch	
29	1	69251	Thimble	
30	1	69252	Motor	
31	1	69253	Seal kit for motor	
32	1	59397	Load-holding valve	
33	1	58237	Strips	
34	1	58262	Seal kit P15	
35	1	49298	Micro switch 6000	
36	1	33386	Ring split	ø6 x 45



1910K-RCS

569 13 040

Internal ref. 63 42 300



1300K/1310K/1500K/1510K

A	B	C	D	E
K1	63 40 968	63 40 957	63 40 657	X
K2	63 40 968	63 40 955	63 40 677	X
K3/MF3	63 40 967	63 40 954	60 92 454	
K4/MF4	63 40 966	63 40 953	63 40 397	
K5/MF5	63 40 966	63 40 952	63 40 397	
K6/MF6	63 40 965	63 40 951	63 01 166	
MF7	63 40 964	63 40 953	61 35 434	

1800K/1810K/2200K/2210K

A	B	C	D	E
K2	63 40 968	63 40 957	63 40 657	X
K3	63 40 968	63 40 955	63 40 657	X
K4/MF4	63 40 967	63 40 954	60 92 454	
K5/MF5	63 40 966	63 40 952	63 40 397	
K6/MF6	63 40 966	63 40 951	63 40 397	
K7	63 40 965	63 40 951	63 44 727	X
MF7	63 40 965	63 40 951	63 01 166	
K8/MF8	63 40 964	63 40 953	61 35 434	
MF9	—	63 40 956	61 35 434	

Wire pulley, single snatch block


Pos	Qty.	Part no.	Description	Remarks
1	1	6342310	Wire sheave	
2	1	6340982	Pin	
3	1	31179	Washer	20 mm
4	1	30892	Lock nut	M16
5	1	6340991	Wire pulley	
6	1	6342290	Wire sheave with bearing	
7	1	63484	Wire sheave	
8	1	6887304	Hub	
9	1	23904	Spring ring	BR 68
10	2	23150	Ball bearing	
11	2	33121	Circlip	40U
12	1	32476	Steel bolt	M24 x 95
13	2	30929	Nordlock washer	24 mm
14	1	30897	Lock nut	M24
15	2	31967	Ring split	ø4,5 x 40
16	2	30837	Nut	M24
17	2	31128	Washer	24 mm
18	1	6304458	Pin for suspension	
19	1	6340958	Counterweight	
20	1	6340959	Pin	
21	2	6340957	Link	
22	2	6340955	Link	
23	2	6340954	Link	
24	2	6340953	Link	
25	2	6340952	Link	
26	2	6340951	Link	
27	2	6340956	Link	
28	1	6340968	Hub	
29	1	6340967	Hub	
30	1	6340966	Hub	
31	1	6340965	Hub	
32	1	6340964	Hub	
33	1	6340657	Pin	
34	1	6340677	Pin	
35	1	6344727	Pin	
36	1	6340359	Lock pin	
37	1	32127	Nut	M12
38	1	33399	Lock spring	
39	1	6092454	Lock pin with chain	
40	1	6340397	Lock pin with lock spring	
41	1	6301166	Lock pin with split pin	



1910K-RCS

569 13 040

Internal ref. 63 42 300



1300K/1310K/1500K/1510K

A	B	C	D	E
K1	63 40 968	63 40 957	63 40 657	X
K2	63 40 968	63 40 955	63 40 677	X
K3/MF3	63 40 967	63 40 954	60 92 454	
K4/MF4	63 40 966	63 40 953	63 40 397	
K5/MF5	63 40 966	63 40 952	63 40 397	
K6/MF6	63 40 965	63 40 951	63 01 166	
MF7	63 40 964	63 40 953	61 35 434	

1800K/1810K/2200K/2210K

A	B	C	D	E
K2	63 40 968	63 40 957	63 40 657	X
K3	63 40 968	63 40 955	63 40 657	X
K4/MF4	63 40 967	63 40 954	60 92 454	
K5/MF5	63 40 966	63 40 952	63 40 397	
K6/MF6	63 40 966	63 40 951	63 40 397	
K7	63 40 965	63 40 951	63 44 727	X
MF7	63 40 965	63 40 951	63 01 166	
K8/MF8	63 40 964	63 40 953	61 35 434	
MF9	—	63 40 956	61 35 434	

569 13 040

From loader 1540001

To loader

Created 26-06-2007

Modified 22-02-2017

Wire pulley, single snatch block


Pos	Qty.	Part no.	Description	Remarks
42	1	6135434	Lock pin	



1910K-RCS

569 13 050

63 42 320
Internal ref. 63 42 280



Wire pulley, double snatch block


Pos	Qty.	Part no.	Description	Remarks
		6342280	Wire sheave	
		6342320	Snatch block	
1	1	6304414	Wire pulley	Til kranarme
2	1	6340995	Wire pulley	Til man. forlængerarme
3	1	6302615	Wire pulley	
4	1	6394891	Wire pulley, manual extension	
5	2	6340981	Side plate	
6	1	6256324	Pin	
7	3	30837	Nut	M24
8	3	31967	Ring split	ø4,5 x 40
9	2	32476	Steel bolt	M24 x 95
10	4	30929	Nordlock washer	24 mm
11	2	30897	Lock nut	M24
12	1	6340982	Pin	
13	1	6340983	Wire safety device	
14	1	30892	Lock nut	M16
15	1	6300558	Pin	
16	1	30214	Steel bolt	M14 x 80
17	2	31178	Washer	14 mm
18	1	6885504	Distance pipe	
19	1	30891	Lock nut	M14
20	1	6304458	Pin for suspension	
21	1	31128	Washer	24 mm
22	2	6342290	Wire sheave with bearing	
23	2	33121	Circlip	40U
24	1	6887304	Hub	
25	2	23150	Ball bearing	
26	1	63484	Wire sheave	
27	1	23904	Spring ring	BR 68
28	1	6340997	Snatch block	
29	1	64836	Brass label, SWL 5.0 t	
30	3	31340	Rivet	



1910K-RCS

569 13 090

Internal ref. 63 04 410



Orientering i forhold til last.
Orientation in relation to the load.
Orientierung im Verhältnis zur Last.
L'orientation par rapport à la charge.
Orientación en relación con la carga.

569 13 090

From loader 1540001

To loader

Created 24-02-2009

Modified 06-12-2012

Wire roller guide


Pos	Qty.	Part no.	Description	Remarks
1	1	6304266	Lock pin with split pin	
2	1	6304411	Suspension for roller guide	
3	1	30891	Lock nut	M14
4	2	31178	Washer	14 mm
5	2	23302	Bushing	MB 3020 DU
6	1	63513	Wire roller guide	
7	1	6885504	Distance pipe	
8	1	30214	Steel bolt	M14 x 80



1910K-RCS

569 13 100

Internal ref. 63 42 370



569 13 100

From loader 1540001

To loader

Created 20-01-2014

Modified

Hydraulic system, winch

Pos	Qty.	Part no.	Description	Remarks
1	2	62687	Hose	1/2 X 1600 M24X1.5 L/90
2	1	62501	Hose	1/4X1600M14X1.5L/90RUSTF
3	2	26334	Connection	P-GEV 16 SR-WD
4	1	25109	Connection	GES 8 LR-WD
5	1	31869	Rubber clip Ø 38 mm	
6	2	32302	Face washer, stainless	6 mm
7	1	30113	Set screw, stainless	M6 x 20
8	1	30854	Nut, stainless	M6

Hydraulic system, P15E


Pos	Qty.	Part no.	Description	Remarks
		6342380	Hydraulic system, P15E	1300K - 1730K
		6345380	Hydraulic system, P15E	1800K - 2430K
1	2	62687	Hose	1/2" x 1600 1300K - 1730K
2	2	62682	Hose	1/2" x 1700 1800K - 2430K
3	1	62501	Hose	1/4X1600M14X1.5L/90RUSTF
4	2	26390	Connection	P-GEV 16 SR 3/4-WD
5	1	25109	Connection	GES 8 LR-WD
6	1	31869	Rubber clip Ø 38 mm	
7	2	32302	Face washer, stainless	6 mm
8	1	30113	Set screw, stainless	M6 x 20
9	1	30854	Nut, stainless	M6



1910K-RCS

569 16 030

Internal ref. 63 46 980



Slewing sensor


Pos	Qty.	Part no.	Description	Remarks
1	1	29870	Encoder 36A	
2	1	6346044	Slewing arm	
3	1	6346048	Pin	
4	1	6346045	Bracket	
5	1	6346046	Turntable	
6	1	6367389	Flange	
7	1	30565	Pointed screw, stainless	MSP5 x 8
8	1	32256	Pointed screw	MSP6 x 12
9	4	32534		M3 x 10
10	1	33476	Spring	6247194
11	5	30420	Screw	MC5 x 14
12	1	31078	Counter nut M12	M12 x 1,5
13	1	32281	Counter nut M6	M6
14	1	31777	Washer	PS 15 x 22 x 1
15	1	28791	CAN bus cable 300 mm	
16	2	32490	Screw	MC6 x 16
17	1	32216	Lock nut, stainless	M12
18	1	33219	Back ring	PS 12 x 18 x 1,0



1910K-RCS

569 16 090

63 42 890
Internal ref. 63 40 890



569 16 090

From loader 1540001

To loader

Created 13-01-2010

Modified 15-04-2015

Protective guard, jib cylinder, cpl.


Pos	Qty.	Part no.	Description	Remarks
		6340890	Protective guard, jib cylinder	
		6342890	Protective guard, jib cylinder	
1	1	6340159	Protective guard	Serie 1300
2	1	6342159	Protective guard	Serie 1500
3	4	63569	Guide shoe	3 mm
4	1	63429	Guide	ø30 x 3 mm
5	1	63460	Spacer	5 mm
6	2	32423	Sockethead screw	MC10 x 16
7	2	31565	Washer, stainless	10 mm
8	4	33219	Back ring	PS 12 x 18 x 1,0



1910K-RCS

569 16 100

Internal ref. 63 41 050



569 16 100

From loader 1540001

To loader

Created 13-01-2010

Modified 14-08-2018

Protective guard (LHV boom), cpl.


Pos	Qty.	Part no.	Description	Remarks
1	1	6340949	Protective guard (LHV boom)	
2	2	31136	Washer, stainless	8 mm
3	2	30140	Steel bolt, stainless	M8 x 55



1910K-RCS

569 20 030

Internal ref. 63 41 740



569 20 030

From loader 1540001

To loader

Created 04-03-2009

Modified 22-07-2010

Mounting fittings for junction box (FJC 5330)


Pos	Qty.	Part no.	Description	Remarks
1	1	6340899	Mounting fittings (FJC 5330)	
2	2	32302	Face washer, stainless	6 mm
3	2	30854	Nut, stainless	M6
4	2	32483	Screw	MCL6 x 20



1910K-RCS

569 20 040

Internal ref. 70 05 490



CAN termination, CIO5376

569 20 040

From loader 1540001

To loader

Created 13-02-2013

Modified


Pos	Qty.	Part no.	Description	Remarks
1	1	29341	CAN termination FJC	



1910K-RCS

569 20 055

Internal ref. 70 08 250



569 20 055

From loader 1540001

To loader

Created 03-06-2013

Modified 11-05-2018

12 V Converter




Pos	Qty.	Part no.	Description	Remarks
1	1	29478	Converter, 12-24 V, complete	
2	4	27428	Clip	
3	1	28278	Cable 4 x 2.5	
4	1	27378	Fuse 25 Amp	
5	4	30126	Set screw	M4 x 20
6	4	31188	Washer, stainless	4 mm
7	4	30857	Lock nut	M4
8	4	27428	Clip	



1910K-RCS

569 20 060

Internal ref. 70 06 310



BEHEW

569 20 060

From loader 1540001

To loader

Created 20-05-2013

Modified




Pos	Qty.	Part no.	Description	Remarks
1	1	28980	Proximity switch	
2	2	29257	Proximity switch M12x44, 4mm	
3	2	28077	Cable with plug	
4	1	28117	Cable with plug	



1910K-RCS

569 20 061

Internal ref. 70 09 870



BEHEW

569 20 061

From loader 1540001

To loader

Created 11-01-2017

Modified 19-06-2018


Pos	Qty.	Part no.	Description	Remarks
1	2	29447	Proximity switchM12 8mm PNP-NO	
2	1	28077	Cable with plug	
3	1	28980	Proximity switch	
4	1	29223	Cable with socket, 2 m	
5	1	29224	Cable with socket, 5 m	
6	2	6354755	Fitting for sensor, BEHEW	
7	2	30176	Set screw	M12 x 25
8	2	32338	Washer	12 mm



569 20 070

1910K-RCS

Internal ref. 70 06 610



BEPAW, 12_23

569 20 070

From loader 1540001

To loader

Created 20-05-2013

Modified 10-10-2017


Pos	Qty.	Part no.	Description	Remarks
1	1	28210	Proximity switch	
2	1	29224	Cable with socket, 5 m	
3	2	29257	Proximity switch M12x44, 4mm	
4	1	28077	Cable with plug	
5	1	28117	Cable with plug	
6	1	6340947	Mounting fittings, trans.alarm	
7	4	32302	Face washer, stainless	6 mm
8	2	30427	Screw	MC6 x 20
9	2	30854	Nut, stainless	M6



1910K-RCS

569 20 072

Internal ref. 70 09 470



BEPAW

569 20 072

From loader 1540001

To loader

Created 10-10-2017

Modified 11-12-2018


Pos	Qty.	Part no.	Description	Remarks
1	2	29447	Proximity switchM12 8mm PNP-NO	
2	2	6354755	Fitting for sensor, BEHEW	
3	2	29224	Cable with socket, 5 m	
4	1	29223	Cable with socket, 2 m	
5	2	30176	Set screw	M12 x 25
6	2	32338	Washer	12 mm
7	1	28210	Proximity switch	
8	1	6340589	Mounting fittings (BEPAW)	
9	6	31177	Washer	10 mm
10	2	31517	Set screw, stainless	M10 x 20



1910K-RCS

569 20 080

Internal ref. 70 06 330



CYW

569 20 080

From loader 1540001

To loader

Created 21-02-2013

Modified 13-07-2016



Pos	Qty.	Part no.	Description	Remarks
1	1	28262	Cable 4 x 0.75	8 m
2	2	27598	Proximity switch	
3	2	28459	Connection	
4	2	29200	Socket M12/M20	
5	2	28402	Sealing ring	



1910K-RCS

569 20 085

Internal ref. 70 06 190



CYL

569 20 085

From loader 1540001

To loader

Created 01-03-2016

Modified 23-10-2017


Pos	Qty.	Part no.	Description	Remarks
1	1	29322	Plug, 12-polar for RCL 53XX	
2	1	29223	Cable with socket, 2 m	
3	2	29282	Proximity switch M12-4mm NO	
4	1	29224	Cable with socket, 5 m	
5	2	6340654	Protective guard	
6	4	30155	Set screw	M10 x 25
7	8	31565	Washer, stainless	10 mm
8	4	30858	Nut	M10



1910K-RCS

569 20 090

Internal ref. 70 06 370



CYBEL, single extension

Pos	Qty.	Part no.	Description	Remarks
1	1	29322	Plug, 12-polar for RCL 53XX	
2	1	28117	Cable with plug	
3	1	28077	Cable with plug	3,3
4	2	29259	Magnet proximity switch M12	
5	2	29262	Solenoid Ø22x5	
6	2	64424	Slide block	2 mm
7	2	63681	Slide block	3 mm
8	1	29223	Cable with socket, 2 m	
9	2	29282	Proximity switch M12-4mm NO	
10	1	29224	Cable with socket, 5 m	
11	2	6340654	Protective guard	
12	8	31565	Washer, stainless	10 mm
13	4	30155	Set screw	M10 x 25
14	4	30858	Nut	M10




1910K-RCS

569 20 100

Internal ref. 70 06 450

Position of 29253		
	CYBEL	CYBEL-I
A=4600	-----	15
A=5570	-----	22
A=6450	7	29



CYBEL double extension


Pos	Qty.	Part no.	Description	Remarks
1	4	27275	Cable tie, black, 7.6x385mm	
2	8	27274	Clip	
3	2	29253	Tilt switch, nylon drag chain	
4	1	29264	Cable 5 m, M8 socket	
5	1	29265	Cable 2 m, M8 socket	
6	1	29322	Plug, 12-polar for RCL 53XX	
7	2	29443	Panel lead-in M8 - 3-polar	
8	1	29223	Cable with socket, 2 m	
9	2	29282	Proximity switch M12-4mm NO	
10	1	29223	Cable with socket, 2 m	
11	1	29224	Cable with socket, 5 m	
12	2	6340654	Protective guard	
13	8	31565	Washer, stainless	10 mm
14	4	30155	Set screw	M10 x 25
15	4	30858	Nut	M10



1910K-RCS

569 20 140

Internal ref. 70 06 260



569 20 140

From loader 1540001

To loader

Created 18-02-2013

Modified

Alarm flash on stabilizer legs


Pos	Qty.	Part no.	Description	Remarks
1	2	29432	Alarm flash, yellow 24V, 24 cm	
2	4	27275	Cable tie, black, 7.6x385mm	
3	1	29483	Cable M8, 5 m, female, 3 polar	
4	1	29482	Cable M8, 2 m, female, 3 polar	
5	2	29436	Cable M8, socket and plug 6.3m	
6	2	29444	Cable M8 - 3-polar	
7	2	29437	Safety plug M8x1, socket	



1910K-RCS

569 20 150

Internal ref. 70 06 590



- * Serie 900K-1500K M14
- ** Serie 1800K-2200K M16

569 20 150

From loader 1540001

To loader

Created 26-11-2012

Modified 26-06-2018

Spotlight, boom



Pos	Qty.	Part no.	Description	Remarks
1	1	29462	Cable, LED spotlight, 9.0m	
2	1	6340219	Fittings	
3	1	32338	Washer	12 mm
4	1	30175	Set screw	M12 x 20
5	1	29400	Spotlight LED 27 W	
6	1	30204	Set screw	M14 x 20
7	1	32120	Set screw	M16 x 20
8	1	31195	Washer	14 mm
9	1	31196	Washer	16 mm



Obsolete
1910K-RCS

569 20 160

Internal ref. 70 06 580



610K, 810K

Obsolete

569 20 160

Spotlight, jib

From loader 1540001
To loader
Created 26-11-2012
Modified 25-11-2016



Pos	Qty.	Part no.	Description	Remarks
1	1	29462	Cable, LED spotlight, 9.0m	
2	1	29400	Spotlight LED 27 W	



1910K-RCS

569 20 160 A

70 07 090
Internal ref. 70 06 580



610K, 810K

Spotlight, jib


Pos	Qty.	Part no.	Description	Remarks
		7006580	Spotlight, jib	Pos. 1, 2, 3, 4, 5, 6
		7007090		Pos. 1, 2 (610K, 810K)
1	1	29462	Cable, LED spotlight, 9.0m	
2	1	29400	Spotlight LED 27 W	
3	1	6341552		
4	4	31147	Face washer, 8 mm	
5	2	30133	Set screw, stainless	
6	2	30886	Lock nut, stainless	M8



1910K-RCS

569 20 170

Internal ref. 70 03 290



569 20 170

From loader 1540001

To loader

Created 20-02-2013

Modified 01-10-2015

Temperature monitoring without oil cooler


Pos	Qty.	Part no.	Description	Remarks
1	1	28249	Cable 2 x 0.75	2 m
2	1	49652	Thermostat for RCL5300	
3	1	29888	Cover plate, 2-polar plug	
4	2	29159	Cable lead-in, AMP	
5	2	28844	Socket, AMP	
6	1	28843	Bipolar socket, AMP	



1910K-RCS

569 20 180

Internal ref. 70 03 300



569 20 180

From loader 1540001

To loader

Created 16-03-2010

Modified 01-10-2015

Temperature monitoring for oil cooler


Pos	Qty.	Part no.	Description	Remarks
1	1	28249	Cable 2 x 0.75	3 m
2	1	49652	Thermostat for RCL5300	
3	1	29888	Cover plate, 2-polar plug	
4	2	29159	Cable lead-in, AMP	
5	2	28844	Socket, AMP	
6	1	28843	Bipolar socket, AMP	



1910K-RCS

569 20 200

70 09 000
Internal ref. 70 08 990



569 20 200

From loader 1540001

To loader

Created 01-01-2016

Modified

Heated seating 12V/24V


Pos	Qty.	Part no.	Description	Remarks
		7008990		
		7009000		
1	1	24135	Heating cover 24 v.	
2	1	24137	Seat cover 12 V	
3	1	29588	Control box, heated seat	
4	1	7004026	Fittings, plug for heated seat	
5	1	29462	Cable, LED spotlight, 9.0m	
6	2	31032	Screw, stainless M 5 x 8	
7	3	31048	Taptite screw M3 x 6	M3 x 6



1910K-RCS

569 20 210

Internal ref. 70 02 390



EVS

569 20 210

From loader 1540001

To loader

Created 17-08-2018

Modified


Pos	Qty.	Part no.	Description	Remarks
1	1	29426	Electronic inclinometer,single	
2	2	30134	Set screw, stainless	M8 x 25
3	3	32491	Round-head screw	M6 x 20
4	1	6340274	Mounting fittings (AIC 5062)	
5	2	31147	Face washer, 8 mm	
6	2	30856	Nut, stainless	M8
7	3	32302	Face washer, stainless	6 mm
8	3	30884	Lock nut, stainless	M6
9	1	29735	CAN cable extension 0.6m	



1910K-RCS

569 20 220

Internal ref. 70 07 990



PAS

569 20 220

From loader 1540001

To loader

Created 24-05-2013

Modified


Pos	Qty.	Part no.	Description	Remarks
1	1	29322	Plug, 12-polar for RCL 53XX	




1910K-RCS

569 20 250

63 47 230
Internal ref. 63 47 210



63 47 210



63 47 230

569 20 250

From loader 1540001

To loader

Created 22-09-2017

Modified

Mounting fittings for junction box, RCS


Pos	Qty.	Part no.	Description	Remarks
		6347210		
		6347230		
1	1	6340939	Fittings, connection box	
2	2	31177	Washer	10 mm
3	2	31517	Set screw, stainless	M10 x 20
4	1	6344454	Mount. bracket, stand-up ctrls	



1910K-RCS

569 20 340

Internal ref. 70 04 210



CAN termination, RCL53xx

569 20 340

From loader 1540001

To loader

Created 15-01-2013

Modified

Pos	Qty.	Part no.	Description	Remarks
1	1	29340	CAN termination/RCL53xx	



1910K-RCS


569 20 525

70 03 210

70 04 340

70 04 220

Internal ref. 70 05 310



ECT 5310 on the side of the dual controls.


Pos	Qty.	Part no.	Description	Remarks
		7005310	ECT 5310, opposite valve block	
		7004220	CAN termination ECT5310	
		7004340	Plug, 7-polar for RCL	
		7003210		900K,,1130,,...1100K,..1330K
1	2	30441	Screw	MC6 x 60
2	1	29335	ECT5310 external stop button	
3	1	29196	Stop button	
4	1	29198	Attachment, stop button	
5	1	29197	Switch element, stop button	
6	2	30346	Screw, stainless	4,0 x 20
7	2	32302	Face washer, stainless	6 mm
8	2	30884	Lock nut, stainless	M6
9	1	7004220	CAN termination ECT5310	
10	1	29342	CAN termination ECT	
11	1	7004340	Plug, 7-polar for RCL	
12	1	29318	Plug, 7-polar for RCL 53XX	
13	1	7003040	4.5 m CAN+STOP cable ECT5310	900K,,1130,,...1100K,..1330K
14	1	7003030	3.5 m CAN+STOP cable ECT5310	
15	1	6340634	Fittings (stop button)	
16	2	31517	Set screw, stainless	M10 x 20
17	2	31177	Washer	10 mm
18	1	29328	Lock for plug for ECT5310	
19	1	29326	Plug, type A for ECT5310	
20	5	29339	Sealing for plug for ECT5310	
21	7	29329	Pin for plug for ECT5310	
22	1	28566	Insulation, black	10 cm
23	1	28263	CAN BUS cable	3,5 m / 900K,,1130,,...1100K,..1330
24	1	28263	CAN BUS cable	4,5 m / 900K,,1130,,...1100K,..1330



1910K-RCS

569 22 010

70 07 940
70 07 930
Internal ref. 70 06 300



Basic electronic parts, crane with RC


Pos	Qty.	Part no.	Description	Remarks
		7006300	Basic parts, crane + RC	
		7007930	Relay, 12 V	
		7007940	Relay, 24 V	
1	2	28850	Pressure transducer	
2	2	29304	Bottom f. RCL-box incl. hinge	
3	1	29301	Front complete, RCL 5300	
4	1	29347	RCL 5300 indicator panel	
5	9	30340	Screw, stainless	6,0 x 25
6	8	30346	Screw, stainless	4,0 x 20
7	8	30361	Screw, stainless	3,0 x 8
8	1	7007940	Relay, 24 V	
9	1	27342	Relay, 24V	
10	1	7007930	Relay, 12 V	
11	1	27340	Relay, 12 V	
12	1	29473	EJB5380	
13	1	7006306	Terminal block for RCL + RC	
14	1	28751	Wiring, PVSK-M	
15	1	28730	Cable + socket, 10 m	9,0 m
16	2	29224	Cable with socket, 5 m	6,0 m
17	8	30347	Screw, stainless	4,0 x 25
18	1	28971	Horn, 24 V, 2.5 Amp.	
19	1	29307	Cable lead-in	
20	1	29341	CAN termination FJC	
21	1	29321	Plug, 10-polar for RCL 53XX	
22	1	29295	Tilt sensor + 0.25 m cable	
23	1	30116	Steel pin, stainless	M6 x 35
24	1	32302	Face washer, stainless	6 mm
25	1	30884	Lock nut, stainless	M6
26	1	31790	Set screw M4 x 30	M4 x 30
27	1	31188	Washer, stainless	4 mm
28	1	30857	Lock nut	M4



1910K-RCS

569 22 020

70 07 940
70 07 930
Internal ref. 70 02 500



Basic electronic parts, RCS


Pos	Qty.	Part no.	Description	Remarks
		7002500		
		7007930	Relay, 12 V	
		7007940	Relay, 24 V	
1	2	28850	Pressure transducer	
2	2	29304	Bottom f. RCL-box incl. hinge	
3	1	29301	Front complete, RCL 5300	
4	1	29347	RCL 5300 indicator panel	
5	9	30340	Screw, stainless	6,0 x 25
6	8	30346	Screw, stainless	4,0 x 20
7	8	30361	Screw, stainless	3,0 x 8
8	1	7007940	Relay, 24 V	
9	1	27342	Relay, 24V	
10	1	7007930	Relay, 12 V	
11	1	27340	Relay, 12 V	
12	1	29473	EJB5380	
13	1	7006306	Terminal block for RCL + RC	
14	1	28751	Wiring, PVSK-M	
15	2	29224	Cable with socket, 5 m	
16	8	30347	Screw, stainless	4,0 x 25
17	1	28971	Horn, 24 V, 2.5 Amp.	
18	1	29307	Cable lead-in	
19	1	29341	CAN termination FJC	
20	1	29321	Plug, 10-polar for RCL 53XX	
21	1	29318	Plug, 7-polar for RCL 53XX	
22	1	29876	Angle sensor	
23	1	29761		
24	1	29486	Plug M12, termination	
25	3	31188	Washer, stainless	4 mm
26	3	31393	Cyl. screw stainless MC4 x 30	MC4 x 30
27	3	30857	Lock nut	M4
28	1	28790	Cable extension, 4,0m	



1910K-RCS

569 22 025

Internal ref. 70 09 460



Antenna, HSRC

569 22 025

From loader 1540001

To loader

Created 11-05-2017

Modified


Pos	Qty.	Part no.	Description	Remarks
1	1	56724	Antenna cable 2.5 m	
2	1	58136	Antenna	
3	4	32308	Washer	5 mm
4	2	30853	Nut, stainless	M5
5	2	30121	Set screw	M5 x 16



1910K-RCS

569 22 040

Internal ref. 70 02 490



569 22 040

From loader 1540001

To loader

Created 07-02-2019

Modified


Pos	Qty.	Part no.	Description	Remarks
1	1	6341006	Bracket for sensor	
2	1	29876	Angle sensor	
3	3	31188	Washer, stainless	4 mm
4	3	31393	Cyl. screw stainless MC4 x 30	MC4 x 30
5	3	30857	Lock nut	M4



1910K-RCS

569 22 070

Internal ref. 70 02 350



HSL G4

569 22 070

From loader 1540001

To loader

Created 26-09-2018

Modified


Pos	Qty.	Part no.	Description	Remarks
1	1	28210	Proximity switch	
2	1	28117	Cable with plug	



1910K-RCS

569 22 095

Internal ref. 70 02 360



HSL-E G4

569 22 095

From loader 1540001

To loader

Created 25-09-2018

Modified


Pos	Qty.	Part no.	Description	Remarks
1	1	28210	Proximity switch	
2	1	28980	Proximity switch	
3	1	29313	Bottom f. Fly-Jib box	
4	1	29324	Plug, 6-polar for RCL 53XX	
5	1	29317	Plug, 5-polar for RCL 53XX	
6	1	29346	CIO5376 controller cover cpl.	
7	4	30347	Screw, stainless	4,0 x 25
8	1	28263	CAN BUS cable	2 m
9	1	28117	Cable with plug	
10	1	28077	Cable with plug	
11	1	6306803	Bracket for proximity switch	
12	4	30340	Screw, stainless	6,0 x 25



569 22 100

1910K-RCS

Internal ref. 70 02 370



HSL-Q RC G4

569 22 100

From loader 1540001

To loader

Created 26-09-2018

Modified


Pos	Qty.	Part no.	Description	Remarks
1	1	28210	Proximity switch	
2	1	28980	Proximity switch	
3	4	30340	Screw, stainless	6,0 x 25
4	1	30116	Steel pin, stainless	M6 x 35
5	1	32302	Face washer, stainless	6 mm
6	1	30884	Lock nut, stainless	M6
7	1	31790	Set screw M4 x 30	M4 x 30
8	1	31188	Washer, stainless	4 mm
9	1	30857	Lock nut	M4
10	1	29295	Tilt sensor + 0.25 m cable	
11	1	29313	Bottom f. Fly-Jib box	
12	1	29324	Plug, 6-polar for RCL 53XX	
13	1	29317	Plug, 5-polar for RCL 53XX	
14	1	29321	Plug, 10-polar for RCL 53XX	
15	1	29346	CIO5376 controller cover cpl.	
16	4	30347	Screw, stainless	4,0 x 25
17	1	28117	Cable with plug	
18	1	28077	Cable with plug	
19	1	28263	CAN BUS cable	2 m
20	1	28730	Cable + socket, 10 m	
21	1	6306803	Bracket for proximity switch	



1910K-RCS

569 22 130

70 06 490
Internal ref. 70 06 480



Winch, electric parts


Pos	Qty.	Part no.	Description	Remarks
1	1	28249	Cable 2 x 0.75	10 m
2	1	28730	Cable + socket, 10 m	
3	1	29321	Plug, 10-polar for RCL 53XX	
4	1	29313	Bottom f. Fly-Jib box	
5	4	30347	Screw, stainless	4,0 x 25
6	1	29346	CIO5376 controller cover cpl.	
7	1	29317	Plug, 5-polar for RCL 53XX	
8	1	28263	CAN BUS cable	2,0 m
9	4	30340	Screw, stainless	6,0 x 25



1910K-RCS

569 22 150

Internal ref. 70 02 410



569 22 150

From loader 1540001

To loader

Created 01-10-2018

Modified

Supply, separate traverse


Pos	Qty.	Part no.	Description	Remarks
1	1	28262	Cable 4 x 0.75	2,0 m
2	3	28010	Terminal	
3	1	7002312	CAN cable, 8-pole fem., 2.0 m	
4	1	28019	Labels nos. 1-10	
5	1	28965	Dekafix labels 21-30	



1910K-RCS

569 22 154

Internal ref. 70 06 560



T & Z Cranes

Stabilizer operation via RC (without CIO)


Pos	Qty.	Part no.	Description	Remarks
1	2	29498	Touch button with light	
2	1	29223	Cable with socket, 2 m	
3	1	29224	Cable with socket, 5 m	
4	1	63512	Rail for label	
5	1	66454	Operating label	8 funk.
6	1	68901	Operating label	2 funk.
7	1	68902	Operating label	6 funk.
8	1	68903	Operating label	4 funk.
9	1	6340639	Mounting fittings (light)	
10	2	31565	Washer, stainless	10 mm
11	2	31510	Set screw, stainless	M10 x 16



1910K-RCS

569 22 170

Internal ref. 70 06 340



569 22 170

From loader 1540001

To loader

Created 20-05-2013

Modified 21-10-2016

Spotlight, radio remote controlled.

Pos	Qty.	Part no.	Description	Remarks
1	1	27342	Relay, 24V	
2	1	28262	Cable 4 x 0.75	2 m



569 22 190

Internal ref. 70 05 240



Manual Part Number: 99906532

421

569 22 190

From loader 1540001

To loader

Created 24-09-2018

Modified

3rd extra valve


Pos	Qty.	Part no.	Description	Remarks
1	1	28249	Cable 2 x 0.75	30 m
2	1	28258	Plug, solenoid valve	
3	1	28840	Seal	
4	4	29159	Cable lead-in, AMP	
5	2	29161	Plug, AMP	
6	1	29160	Socket, 2-polar, AMP	
7	1	28843	Bipolar socket, AMP	
8	2	28844	Socket, AMP	



1910K-RCS

569 22 230

Internal ref. 70 08 840



Light tower

569 22 230

From loader 1540001

To loader

Created 01-09-2014

Modified


Pos	Qty.	Part no.	Description	Remarks
1	1	6340069	Bracket (light tower)	
2	2	30156	Set screw, stainless	M10 x 30
3	4	31565	Washer, stainless	10 mm
4	2	31564	Lock nut, stainless	M10
5	1	29542	Light tower	
6	1	29224	Cable with socket, 5 m	



1910K-RCS

569 22 410

Internal ref. 70 02 310



Electric/hydraulic parts, separate traverse


Pos	Qty.	Part no.	Description	Remarks
1	1	50548	Stabilizer control valve	
2	1	69466	Valve housing	
3	4	69468	Solenoid. 24V	
4	4	69467	Cartridge	
5	1	26355	Plug	VS-R-3/4 WD
6	1	6400272	Bracket for stabilizer beam	
7	1	29430	Flash controller	
8	1	6400275	Protective box	
9	2	6400274	Mounting block for bracket	
10	4	25130	Banjo connection	RSWV 12 LR
11	1	26368	Straight connection	P-GEV 16 SR 3/8-WD
12	1	6400273	Fittings for electric plug	
13	2	30423	Sockethead screw	MC6 x 12
14	3	32228	Cylinder screw	MC8 x 16
15	9	31147	Face washer, 8 mm	
16	2	31853	Sockethead screw	MC4 x 10
17	1	30481	Screw	
18	2	30433	Screw	MC5 x 16
19	1	29314	Cover for Fly-Jib box	
20	4	30347	Screw, stainless	4,0 x 25
21	1	29470	IO module CR2033	
22	4	30131	Set screw, stainless	M8 x 16
23	2	30130	Set screw, stainless	M8 x 12
24	1	7002313	CAN cable extension 8.0 m	
25	1	7002311	Conn. box, extra stabil. beam	
26	2	30966	Screw	MC6 x 65
27	2	29431	Alarm flash, yellow 24V, 34 cm	
28	4	29299	Cable tie, black 7.6x760mm	
29	4	29391	Cable M12, solenoid valve, 0,6m	
30	4	29270	Plug, M12, straight 5-polar	
31	1	29486	Plug M12, termination	
32	2	29438	Cable M8, socket and plug 5 m	
33	5	64221	Plug	



1910K-RCS

569 22 460

Internal ref. 70 07 500



EJB5385, installation

569 22 460

From loader 1540001

To loader

Created 28-01-2013

Modified


Pos	Qty.	Part no.	Description	Remarks
1	1	29474	EJB5385	
2	4	30361	Screw, stainless	3,0 x 8



1910K-RCS

569 25 070

Internal ref. 82 00 130



569 25 070

From loader 1540001

To loader

Created 20-03-2018

Modified

Lifting yoke, cpl.

Pos	Qty.	Part no.	Description	Remarks
1	1	8200111	Lifting beam	
2	1	64797	Type plate, incl. CE	
3	1	64835	Brass label SWL 4.0 t	
4	1	62117	Shackle	
5	1	8200115	Bolt	Ø40
6	1	30839	Nut	M30
7	1	33383	Lock spring	
8	3	31340	Rivet	
9	2	64597	Bushing, black	