











GENERAL DATA					
Model	Capacity (kg)	Capacity (lb)	Max. Height (m)	Max. Height (ft)	Max. Reach (m)
BMC 100	1000	2200	10.0	32.8	10.0
BMC 150	1500	3300	12.0	39.4	12.0
BMC 200	2000	4400	14.0	45.9	14.0
BMC 250	2500	5500	16.0	52.5	16.0
BMC 300	3000	6600	18.0	59.1	18.0
BMC 350	3500	7700	20.0	65.6	20.0
BMC 400	4000	8800	22.0	72.2	22.0
BMC 450	4500	9900	24.0	78.7	24.0
BMC 500	5000	11000	26.0	85.3	26.0
BMC 550	5500	12100	28.0	91.9	28.0
BMC 600	6000	13200	30.0	98.4	30.0
BMC 650	6500	14300	32.0	105.0	32.0
BMC 700	7000	15400	34.0	111.6	34.0
BMC 750	7500	16500	36.0	118.1	36.0
BMC 800	8000	17600	38.0	124.7	38.0
BMC 850	8500	18700	40.0	131.2	40.0
BMC 900	9000	19800	42.0	137.8	42.0
BMC 950	9500	20900	44.0	144.3	44.0
BMC 1000	10000	22000	46.0	150.9	46.0
BMC 1050	10500	23100	48.0	157.5	48.0
BMC 1100	11000	24200	50.0	164.0	50.0
BMC 1150	11500	25300	52.0	170.6	52.0
BMC 1200	12000	26400	54.0	177.1	54.0
BMC 1250	12500	27500	56.0	183.7	56.0
BMC 1300	13000	28600	58.0	190.2	58.0
BMC 1350	13500	29700	60.0	196.8	60.0
BMC 1400	14000	30800	62.0	203.3	62.0
BMC 1450	14500	31900	64.0	209.9	64.0
BMC 1500	15000	33000	66.0	216.4	66.0
BMC 1550	15500	34100	68.0	223.0	68.0
BMC 1600	16000	35200	70.0	229.5	70.0
BMC 1650	16500	36300	72.0	236.1	72.0
BMC 1700	17000	37400	74.0	242.6	74.0
BMC 1750	17500	38500	76.0	249.2	76.0
BMC 1800	18000	39600	78.0	255.7	78.0
BMC 1850	18500	40700	80.0	262.3	80.0
BMC 1900	19000	41800	82.0	268.8	82.0
BMC 1950	19500	42900	84.0	275.4	84.0
BMC 2000	20000	44000	86.0	281.9	86.0
BMC 2050	20500	45100	88.0	288.5	88.0
BMC 2100	21000	46200	90.0	295.0	90.0
BMC 2150	21500	47300	92.0	301.6	92.0
BMC 2200	22000	48400	94.0	308.1	94.0
BMC 2250	22500	49500	96.0	314.7	96.0
BMC 2300	23000	50600	98.0	321.2	98.0
BMC 2350	23500	51700	100.0	327.8	100.0
BMC 2400	24000	52800	102.0	334.3	102.0
BMC 2450	24500	53900	104.0	340.9	104.0
BMC 2500	25000	55000	106.0	347.4	106.0
BMC 2550	25500	56100	108.0	354.0	108.0
BMC 2600	26000	57200	110.0	360.5	110.0
BMC 2650	26500	58300	112.0	367.1	112.0
BMC 2700	27000	59400	114.0	373.6	114.0
BMC 2750	27500	60500	116.0	380.2	116.0
BMC 2800	28000	61600	118.0	386.7	118.0
BMC 2850	28500	62700	120.0	393.3	120.0
BMC 2900	29000	63800	122.0	399.8	122.0
BMC 2950	29500	64900	124.0	406.4	124.0
BMC 3000	30000	66000	126.0	412.9	126.0
BMC 3050	30500	67100	128.0	419.5	128.0
BMC 3100	31000	68200	130.0	426.0	130.0
BMC 3150	31500	69300	132.0	432.6	132.0
BMC 3200	32000	70400	134.0	439.1	134.0
BMC 3250	32500	71500	136.0	445.7	136.0
BMC 3300	33000	72600	138.0	452.2	138.0
BMC 3350	33500	73700	140.0	458.8	140.0
BMC 3400	34000	74800	142.0	465.3	142.0
BMC 3450	34500	75900	144.0	471.9	144.0
BMC 3500	35000	77000	146.0	478.4	146.0
BMC 3550	35500	78100	148.0	485.0	148.0
BMC 3600	36000	79200	150.0	491.5	150.0
BMC 3650	36500	80300	152.0	498.1	152.0
BMC 3700	37000	81400	154.0	504.6	154.0
BMC 3750	37500	82500	156.0	511.2	156.0
BMC 3800	38000	83600	158.0	517.7	158.0
BMC 3850	38500	84700	160.0	524.3	160.0
BMC 3900	39000	85800	162.0	530.8	162.0
BMC 3950	39500	86900	164.0	537.4	164.0
BMC 4000	40000	88000	166.0	543.9	166.0
BMC 4050	40500	89100	168.0	550.5	168.0
BMC 4100	41000	90200	170.0	557.0	170.0
BMC 4150	41500	91300	172.0	563.6	172.0
BMC 4200	42000	92400	174.0	570.1	174.0
BMC 4250	42500	93500	176.0	576.7	176.0
BMC 4300	43000	94600	178.0	583.2	178.0
BMC 4350	43500	95700	180.0	589.8	180.0
BMC 4400	44000	96800	182.0	596.3	182.0
BMC 4450	44500	97900	184.0	602.9	184.0
BMC 4500	45000	99000	186.0	609.4	186.0
BMC 4550	45500	100100	188.0	616.0	188.0
BMC 4600	46000	101200	190.0	622.5	190.0
BMC 4650	46500	102300	192.0	629.1	192.0
BMC 4700	47000	103400	194.0	635.6	194.0
BMC 4750	47500	104500	196.0	642.2	196.0
BMC 4800	48000	105600	198.0	648.7	198.0
BMC 4850	48500	106700	200.0	655.3	200.0
BMC 4900	49000	107800	202.0	661.8	202.0
BMC 4950	49500	108900	204.0	668.4	204.0
BMC 5000	50000	110000	206.0	674.9	206.0
BMC 5050	50500	111100	208.0	681.5	208.0
BMC 5100	51000	112200	210.0	688.0	210.0
BMC 5150	51500	113300	212.0	694.6	212.0
BMC 5200	52000	114400	214.0	701.1	214.0
BMC 5250	52500	115500	216.0	707.7	216.0
BMC 5300	53000	116600	218.0	714.2	218.0
BMC 5350	53500	117700	220.0	720.8	220.0
BMC 5400	54000	118800	222.0	727.3	222.0
BMC 5450	54500	119900	224.0	733.9	224.0
BMC 5500	55000	121000	226.0	740.4	226.0
BMC 5550	55500	122100	228.0	747.0	228.0
BMC 5600	56000	123200	230.0	753.5	230.0
BMC 5650	56500	124300	232.0	760.1	232.0
BMC 5700	57000	125400	234.0	766.6	234.0
BMC 5750	57500	126500	236.0	773.2	236.0
BMC 5800	58000	127600	238.0	779.7	238.0
BMC 5850	58500	128700	240.0	786.3	240.0
BMC 5900	59000	129800	242.0	792.8	242.0
BMC 5950	59500	130900	244.0	799.4	244.0
BMC 6000	60000	132000	246.0	805.9	246.0
BMC 6050	60500	133100	248.0	812.5	248.0
BMC 6100	61000	134200	250.0	819.0	250.0
BMC 6150	61500	135300	252.0	825.6	252.0
BMC 6200	62000	136400	254.0	832.1	254.0
BMC 6250	62500	137500	256.0	838.7	256.0
BMC 6300	63000	138600	258.0	845.2	258.0
BMC 6350	63500	139700	260.0	851.8	260.0
BMC 6400	64000	140800	262.0	858.3	262.0
BMC 6450	64500	141900	264.0	864.9	264.0
BMC 6500	65000	143000	266.0	871.4	266.0
BMC 6550	65500	144100	268.0	878.0	268.0
BMC 6600	66000	145200	270.0	884.5	270.0
BMC 6650	66500	146300	272.0	891.1	272.0
BMC 6700	67000	147400	274.0	897.6	274.0
BMC 6750	67500	148500	276.0	904.2	276.0
BMC 6800	68000	149600	278.0	910.7	278.0
BMC 6850	68500	150700	280.0	917.3	280.0
BMC 6900	69000	151800	282.0	923.8	282.0
BMC 6950	69500	152900	284.0	930.4	284.0
BMC 7000	70000	154000	286.0	936.9	286.0
BMC 7050	70500	155100	288.0	943.5	288.0
BMC 7100	71000	156200	290.0	950.0	290.0
BMC 7150	71500	157300	292.0	956.6	292.0
BMC 7200	72000	158400	294.0	963.1	294.0
BMC 7250	72500	159500	296.0	969.7	296.0
BMC 7300	73000	160600	298.0	976.2	298.0
BMC 7350	73500	161700	300.0	982.8	300.0
BMC 7400	74000	162800	302.0	989.3	302.0
BMC 7450	74500	163900	304.0	995.9	304.0
BMC 7500	75000	165000	306.0	1002.4	306.0
BMC 7550	75500	166100	308.0	1009.0	308.0
BMC 7600	76000	167200	310.0	1015.5	310.0
BMC 7650	76500	168300	312.0	1022.1	312.0
BMC 7700	77000	169400	314.0	1028.6	314.0
BMC 7750	77500	170500	316.0	1035.2	316.0
BMC 7800	78000	171600	318.0	1041.7	318.0
BMC 7850	78500	172700	320.0	1048.3	320.0
BMC 7900	79000	173800	322.0	1054.8	322.0
BMC 7950	79500	174900	324.0	1061.4	324.0
BMC 8000	80000	176000	326.0	1067.9	326.0
BMC 8050	80500	177100	328.0	1074.5	328.0
BMC 8100	81000	178200	330.0	1081.0	330.0
BMC 8150	81500	179300	332.0	1087.6	332.0
BMC 8200	82000	180400	334.0	1094.1	334.0
BMC 8250	82500	181500	336.0	1100.7	336.0
BMC 8300	83000	182600	338.0	1107.2	338.0
BMC 8350	83500	183700	340.0	1113.8	340.0
BMC 8400	84000	184800	342.0	1120.3	342.0
BMC 8450	84500	185900	344.0	1126.9	344.0
BMC 8500	85000	187000	346.0	1133.4	346.0
BMC 8550	85500	188100	348.0	1140.0	348.0
BMC 8600	86000	189200	350.0	1146.5	350.0
BMC 8650	86500	190300	352.0	1153.1	352.0
BMC 8700	87000	191400	354.0	1159.6	354.0
BMC 8750	87500	192500	356.0	1166.2	356.0
BMC 8800	88000	193600	358.0	1172.7	358.0
BMC 8850	88500	194700	360.0	1179.3	360.0
BMC 8900	89000	195800	362.0	1185.8	362.0
BMC 8950	89500	196900	364.0	1192.4	364.0
BMC 9000	90000	198000	366.0	1198.9	366.0
BMC 9050	90500	199100	368.0	1205.5	368.0
BMC 9100	91000	200200	370.0	1212.0	370.0
BMC 9150	91500	201300	372.0	1218.6	372.0
BMC 9200	92000	202400	374.0	1225.1	374.0



Technical drawing of a truck with a crane, showing dimensions in meters (M). The drawing includes a side view of the truck with a crane mounted on the back. Dimensions are indicated by lines and numbers in meters (M). Key dimensions include: overall length (12.00 M), wheelbase (4.00 M), and various heights and widths.



